

<生命医科学域>

# 目 次

神経内分泌学 .....	3
解剖学・発生学 .....	3
神経生物学 .....	6
診断病理学 .....	6
実験病理学 .....	8
腎・血管病理学 .....	8
システム神経科学 .....	9
認知行動神経科学 .....	9
生殖生化学 .....	10
分子細胞生物学 .....	10
遺伝子制御学 .....	10
分子腫瘍学 .....	11
生理化学 .....	12
生体シグナル制御学 .....	12
分子薬理学 .....	13
分子神経生物学 .....	13
分子ウイルス学 .....	13
微生物学 .....	14
免疫学 .....	15
遺伝医学 .....	17
分子遺伝疫学・社会健康医学 .....	18
ゲノム生物学 .....	22
再生幹細胞生物学 .....	22
医工学 .....	22
実験動物学 .....	22
医学物理学 .....	23
放射線生物学 .....	27
生命反応化学 .....	28
環境生物学 .....	28
環境分子生物学 .....	30
環境微生物学 .....	30
分子発生生物学 .....	31
環境保健学（産業精神医学・宇宙医学） .....	31

## 神経内分泌学

### 1) 英文論文

1. Nogami H, Yamamoto N, Hiraoka Y, Aiso S, Sugimoto K, Yoshida S, Shutoh E, Hisano S. Rapid induction of the growth hormone gene transcription by glucocorticoids in vitro: possible involvement of membrane glucocorticoid receptors and phosphatidylinositol 3-kinase activation. *J Neuroendocrinol* 26(3):195-204, 2014
2. Sugimoto K, Ohmomo H, Shutoh E, Nogami H, Hisano S. Presentation of noise during acute restraint stress attenuates expression of immediate early genes and arginine vasopressin in the hypothalamic paraventricular nucleus but not corticosterone secretion in rats. *Neurosci Res* doi: 10.1016/j.neures.2014.11.010, 2014

## 解剖学・発生学

### 1) 英文論文

1. Daussy C, Faure F, Mayol K, Viel S, Gasteiger G, Charrier E, Bienvenu J, Henry T, Debien E, Hasan UA, Marvel J, Yoh K, Takahashi S, Prinz I, de Bernard S, Buffat L, Walzer T. T-bet and Eomes instruct the development of two distinct natural killer cell lineages in the liver and in the bone marrow. *J Exp Med* 211(3):563-577, 2014
2. Eto K, Nishimura W, Oishi H, Udagawa H, Kawaguchi M, Hiramoto M, Fujiwara T, Takahashi S, Yasuda K. MafA is required for postnatal proliferation of pancreatic beta-cells. *PLoS One* 9(8):e104184, 2014
3. Fernando V, Omura S, Sato F, Kawai E, Martinez NE, Elliott SF, Yoh K, Takahashi S, Tsunoda I. Regulation of an autoimmune model for multiple sclerosis in Th2-biased GATA3 transgenic mice. *Int J Mol Sci* 15(2):1700-1718, 2014
4. Hamada M, Nakamura M, Tran MT, Moriguchi T, Hong C, Ohsumi T, Dinh TT, Kusakabe M, Hattori M, Katsumata T, Arai S, Nakashima K, Kudo T, Kuroda E, Wu CH, Kao PH, Sakai M, Shimano H, Miyazaki T, Tontonoz P, Takahashi S. MafB promotes atherosclerosis by inhibiting foam-cell apoptosis. *Nat Commun* 5:3147, 2014
5. Hasegawa Y, Daitoku Y, Mizuno S, Tanimoto Y, Mizuno-Iijima S, Matsuo M, Kajiwara N, Ema M, Oishi H, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Generation and characterization of Ins1-cre-driver C57BL/6N for exclusive pancreatic beta cell-specific Cre-loxP recombination. *Exp Anim* 63(2):183-191, 2014
6. Iizuka M, Tsuboi H, Matsuo N, Asashima H, Hirota T, Kondo Y, Iwakura Y, Takahashi S, Matsumoto I, Sumida T. A crucial role of ROR $\gamma$ t in the development of spontaneous Sialadenitis-like Sjogren's

- syndrome. *J Immunol* doi: 10.4049/jimmunol.1401118, 2014
7. Iriguchi S, Kikuchi N, Kaneko S, Noguchi E, Morishima Y, Matsuyama M, Yoh K, Takahashi S, Nakauchi H, Ishii Y. T-cell-restricted T-bet overexpression induces aberrant hematopoiesis of myeloid cells and impairs function of macrophages in the lung. *Blood* doi: 10.1182/blood-2014-05-575225, 2014
  8. Kamath-Loeb AS, Balakrishna S, Whittington D, Shen JC, Emond MJ, Okabe T, Masutani C, Hanaoka F, Nishimura S, Loeb LA. Sphingosine, a modulator of human translesion DNA polymerase activity. *J Biol Chem* 289(31):21663-21672, 2014
  9. Kihara M, Ito K, Nakata J, Otani M, Tran NL, Morito N, Takahashi S, Wada Y, Izui S. O-linked glycosylation determines the nephritogenic potential of IgA rheumatoid factor. *J Am Soc Nephrol* 25(6):1282-1290, 2014
  10. Martinez NE, Sato F, Kawai E, Omura S, Takahashi S, Yoh K, Tsunoda I. Th17-biased ROR $\gamma$ t transgenic mice become susceptible to a viral model for multiple sclerosis. *Brain Behav Immun* doi: 10.1016/j.bbi.2014.07.008, 2014
  11. Martinez NE, Sato F, Omura S, Kawai E, Takahashi S, Yoh K, Tsunoda I. ROR $\gamma$ mat, but not T-bet, overexpression exacerbates an autoimmune model for multiple sclerosis. *J Neuroimmunol* 276(1-2):142-149, 2014
  12. Matsuyama M, Ishii Y, Yageta Y, Ohtsuka S, Ano S, Matsuno Y, Morishima Y, Yoh K, Takahashi S, Ogawa K, Hogaboam CM, Hizawa N. Role of Th1/Th17 balance regulated by T-bet in a mouse model of Mycobacterium avium complex disease. *J Immunol* 192(4):1707-1717, 2014
  13. Miyazaki T, Ikeda K, Horie-Inoue K, Kondo T, Takahashi S, Inoue S. EBAG9 modulates host immune defense against tumor formation and metastasis by regulating cytotoxic activity of T lymphocytes. *Oncogenesis* 3:e126, 2014
  14. Mizuno S, Dinh TT, Kato K, Mizuno-Iijima S, Tanimoto Y, Daitoku Y, Hoshino Y, Ikawa M, Takahashi S, Sugiyama F, Yagami K. Simple generation of albino C57BL/6J mice with G291T mutation in the tyrosinase gene by the CRISPR/Cas9 system. *Mamm Genome* 25(7-8):327-334, 2014
  15. Morito N, Yoh K, Ojima M, Okamura M, Nakamura M, Hamada M, Shimohata H, Moriguchi T, Yamagata K, Takahashi S. Overexpression of Maf $\beta$  in podocytes protects against diabetic nephropathy. *J Am Soc Nephrol* 25(11):2546-2557, 2014
  16. Nagasaki H, Katsumata T, Oishi H, Tai PH, Sekiguchi Y, Koshida R, Jung Y, Kudo T, Takahashi S. Generation of insulin-producing cells from the mouse liver using beta cell-related gene transfer including Mafa and Maf $\beta$ . *PLoS One* 9(11):e113022, 2014
  17. Nishikawa Y, Nishijima H, Matsumoto M, Morimoto J, Hirota F, Takahashi S, Luche H, Fehling HJ, Mouri Y, Matsumoto M. Temporal lineage tracing of Aire-expressing cells reveals a requirement for Aire in their maturation program. *J Immunol* 192(6):2585-2592, 2014

18. Nishimura W, Oishi H, Funahashi N, Fujiwara T, Takahashi S, Yasuda K. Generation and characterization of MafA-Kusabira Orange mice. *Endocr J* doi: 10.1507/endocrj.EJ14-0296, 2014
19. Nishimura W, Takahashi S, Yasuda K. MafA is critical for maintenance of the mature beta cell phenotype in mice. *Diabetologia* doi: 10.1007/s00125-014-3464-9, 2014
20. Okamura M, Yoh K, Ojima M, Morito N, Takahashi S. Overexpression of GATA-3 in T cells accelerates dextran sulfate sodium-induced colitis. *Exp Anim* 63(2):133-140, 2014
21. Shinagawa T, Takagi T, Tsukamoto D, Tomaru C, Huynh LM, Sivaraman P, Kumarevel T, Inoue K, Nakato R, Katou Y, Sado T, Takahashi S, Ogura A, Shirahige K, Ishii S. Histone variants enriched in oocytes enhance reprogramming to induced pluripotent stem cells. *Cell Stem Cell* 14(2):217-227, 2014
22. Suzuki K, Numata T, Suzuki H, Raga DD, Ipulan LA, Yokoyama C, Matsushita S, Hamada M, Nakagata N, Nishinakamura R, Kume S, Takahashi S, Yamada G. Sexually dimorphic expression of Mafb regulates masculinization of the embryonic urethral formation. *Proc Natl Acad Sci U S A* 111(46):16407-16412, 2014
23. Tojo M, Fujita T, Ainoda Y, Nagamatsu M, Hayakawa K, Mezaki K, Sakurai A, Masui Y, Yazaki H, Takahashi H, Miyoshi-Akiyama T, Totsuka K, Kirikae T, Ohmagari N. Evaluation of an automated rapid diagnostic assay for detection of Gram-negative bacteria and their drug-resistance genes in positive blood cultures. *PLoS One* 9(4):e94064, 2014
24. Tojo M, Nagamatsu M, Hayakawa K, Mezaki K, Kirikae T, Ohmagari N. Evaluation of an automated rapid diagnostic test for detection of Clostridium difficile. *PLoS One* 9(8):e106102, 2014
25. Tran MT, Tanaka J, Hamada M, Sugiyama Y, Sakaguchi S, Nakamura M, Takahashi S, Miwa Y. In vivo image analysis using iRFP transgenic mice. *Exp Anim* 63(3):311-319, 2014

### 3) 英文著書

1. Hamada M, Takahashi S. Chapter 25. Functions of the Large Maf Transcription Factors and Macrophages; in "Macrophages: Biology and Role in the Pathology of Diseases (1st edition)" (edited by Biswas SK, Mantovani A), Springer (New York) 2014; pp509-517

### 4) 英文以外の著書

1. 工藤崇. 249 巻 8 号. 血小板減少症を呈するムチン O-結合型糖鎖欠損マウスの解析; "医学のあゆみ (第 1 版)" 医歯薬出版株式会社 (東京) 2014; 688-692.
2. 工藤崇. 第 68 巻第 5 号. 巨核球分化におけるムチン型糖鎖修飾の意義; "血液内科 (第 1 版)" 科学評論社 (東京) 2014; 698-703.
3. 濱田理人. 2014 年 9 月号. MafB は悪玉コレステロールによる刺激を伝え, 泡沫細胞の蓄積を促進し動脈硬化の原因となる; "月刊バイオインダストリー (第 1 版)" シーエムシー出版 2014; 19-25

## 神経生物学

### 1) 英文論文

1. Masuda T, Sakuma C, Nagaoka A, Yamagishi T, Ueda S, Nagase T, Yaginuma H. Follistatin-like 5 is expressed in restricted areas of the adult mouse brain: Implications for its function in the olfactory system. *Congenit Anom (Kyoto)* 54(1):63-66, 2014
2. Namba T, Kibe Y, Funahashi Y, Nakamuta S, Takano T, Ueno T, Shimada A, Kozawa S, Okamoto M, Shimoda Y, Oda K, Wada Y, Masuda T, Sakakibara A, Igarashi M, Miyata T, Faivre-Sarrailh C, Takeuchi K, Kaibuchi K. Pioneering axons regulate neuronal polarization in the developing cerebral cortex. *Neuron* 81(4):814-829, 2014
3. Ohtani A, Kozono N, Senzaki K, Shiga T. Serotonin 2A receptor regulates microtubule assembly and induces dynamics of dendritic growth cones in rat cortical neurons in vitro. *Neurosci Res* 81-82:11-20, 2014

## 診断病理学

### 1) 英文論文

1. Itoguchi N, Nakagawa T, Murata Y, Li D, Shiba-Ishii A, Minami Y, Noguchi M. Immunocytochemical staining for stratifin and OCIAD2 in bronchial washing specimens increases sensitivity for diagnosis of lung cancer. *Cytopathology* doi: 10.1111/cyt.12220, 2014
2. Kawai H, Satomi K, Morishita Y, Murata Y, Sugano M, Nakano N, Noguchi M. Developmental markers of ganglion cells in the enteric nervous system and their application for evaluation of Hirschsprung disease. *Pathol Int* 64(9):432-442, 2014
3. Kenmotsu H, Niho S, Ito T, Ishikawa Y, Noguchi M, Tada H, Sekine I, Watanabe S, Yoshimura M, Yamamoto N, Oshita F, Kubota K, Nagai K. A pilot study of adjuvant chemotherapy with irinotecan and cisplatin for completely resected high-grade pulmonary neuroendocrine carcinoma (large cell neuroendocrine carcinoma and small cell lung cancer). *Lung Cancer* 84(3):254-258, 2014
4. Murata Y, Minami Y, Iwakawa R, Yokota J, Usui S, Tsuta K, Shiraishi K, Sakashita S, Satomi K, Iijima T, Noguchi M. ECT2 amplification and overexpression as a new prognostic biomarker for early-stage lung adenocarcinoma. *Cancer Sci* 105(4):490-497, 2014
5. Nakamura Y, Matsumoto K, Satoh T, Nishide K, Nozue A, Shimabukuro K, Endo S, Nagai K, Oki A, Minaguchi T, Morishita Y, Noguchi M, Yoshikawa H. Optimizing biopsy procedures during colposcopy for women with abnormal cervical cancer screening results: a multicenter prospective study. *Int J Clin Oncol* doi: 10.1007/s10147-014-0739-6, 2014
6. Ohara R, Michikami H, Nakamura Y, Sakata A, Sakashita S, Satomi K, Shiba-Ishii A, Kano J.

- Yoshikawa H, Noguchi M. Moesin overexpression is a unique biomarker of adenomyosis. *Pathol Int* 64(3):115-122, 2014
7. Sakata-Yanagimoto M, Enami T, Yoshida K, Shiraishi Y, Ishii R, Miyake Y, Muto H, Tsuyama N, Sato-Otsubo A, Okuno Y, Sakata S, Kamada Y, Nakamoto-Matsubara R, Tran NB, Izutsu K, Sato Y, Ohta Y, Furuta J, Shimizu S, Komeno T, Sato Y, Ito T, Noguchi M, Noguchi E, Sanada M, Chiba K, Tanaka H, Suzukawa K, Nanmoku T, Hasegawa Y, Nureki O, Miyano S, Nakamura N, Takeuchi K, Ogawa S, Chiba S. Somatic RHOA mutation in angioimmunoblastic T cell lymphoma. *Nat Genet* 46(2):171-175, 2014
  8. Satomi K, Yoshida M, Matsuoka K, Okita H, Hosoya Y, Shioda Y, Kumagai MA, Mori T, Morishita Y, Noguchi M, Nakazawa A. Myelopathy mimicking subacute combined degeneration in a Down syndrome patient with methotrexate treatment for B lymphoblastic leukemia: report of an autopsy case. *Neuropathology* 34(4):414-419, 2014
  9. Takaoka E, Miyazaki J, Kimura T, Kojima T, Kawai K, Murata Y, Itoguchi N, Minami Y, Nakamura T, Honda K, Nishiyama H. Concurrent urothelial carcinoma in the renal pelvis of an allograft kidney and native recipient bladder: evidence of donor origin. *Jpn J Clin Oncol* 44(4):366-369, 2014
  10. Thunnissen E, Noguchi M, Aisner S, Beasley MB, Brambilla E, Chirieac LR, Chung JH, Dacic S, Geisinger KR, Hirsch FR, Ishikawa Y, Kerr KM, Lantéjoul S, Matsuno Y, Minami Y, Moreira AL, Pelosi G, Petersen I, Roggli V, Travis WD, Wistuba I, Yatabe Y, Dziadziuszko R, Witte B, Tsao MS, Nicholson AG. Reproducibility of histopathological diagnosis in poorly differentiated NSCLC: an international multiobserver study. *J Thorac Oncol* 9(9):1354-1362, 2014
  11. Vo Nguyen TT, Watanabe Y, Shiba A, Noguchi M, Itoh S, Kato M. TMEM41/PMEM41 enhances tumorigenic activities in lung cancer cells. *Cancer Sci* 105(3):334-341, 2014

## 2) 英文以外の論文

1. 黒部匡広, 小島崇宏, 高岡栄一郎, 辻本一平, 目翔太郎, 市岡大士, 神鳥周也, 常楽晃, 末富崇弘, 宮崎淳, 河合弘二, 西山博之, 萩谷千裕, 坪井洋人, 住田孝之, 佐藤泰樹, 里見介史, 野口雅之. 腎盂癌との鑑別が困難であった IgG4 関連疾患の 1 例 本邦文献例の検討. *泌尿器外科* 27(11):1849-1854, 2014
2. 竹内朋代, 野口雅之. 生体試料バンキングの現状と将来. *呼吸* 33(6):548-551, 2014
3. 中野雅之, 南優子, 野口雅之. 新しい肺腺癌病理分類. *呼吸器内科* 25(5):482-488, 2014

## 3) 英文著書

1. Wistuba I, Brambilla E, Noguchi M. 17. Classic anatomic pathology and lung cancer; in "The IASLC Multidisciplinary Approach to Thoracic Oncology" (edited by Pass HI, Ball D, Scagliotti GV ), IASLC International Association for the Study of Lung Cancer (Boston) 2014; pp217-240

## 実験病理学

### 1) 英文論文

1. Azami S, Vo Nguyen TT, Watanabe Y, Kato M. Cooperative induction of transmembrane prostate androgen induced protein TMEPAI/PMEPA1 by transforming growth factor-beta and epidermal growth factor signaling. *Biochem Biophys Res Commun* doi: 10.1016/j.bbrc.2014.11.107, 2014
2. Nakano N, Maeyama K, Sakata N, Itoh F, Akatsu R, Nakata M, Katsu Y, Ikeno S, Togawa Y, Vo Nguyen TT, Watanabe Y, Kato M, Itoh S. C18 ORF1: A Novel Negative Regulator of transforming growth factor-beta signaling. *J Biol Chem* 289(18):12680-12692, 2014
3. Vo Nguyen TT, Watanabe Y, Shiba A, Noguchi M, Itoh S, Kato M. TMEPAI/PMEPA1 enhances tumorigenic activities in lung cancer cells. *Cancer Sci* 105(3):334-341, 2014
4. Dahl M, Maturi V, L.A.Nvnm P, Papoutsoglou P, Zieba A, Vanlandewijck M, van der Heide LP, Watanabe Y, SNvderberg O, Hottiger MO, Heldin CH, Moustakas A. Fine-tuning of Smad protein function by poly(ADP-ribose) polymerases and poly(ADP-ribose) glycohydrolase during transforming growth factor-beta signaling. *PLoS One* 9(8):e103651 2014.

## 腎・血管病理学

### 1) 英文論文

1. Hara S, Kawano M, Mizushima I, Yamada K, Fujita K, Harada K, Matsumura M, Yamagishi M, Sato Y, Yamaguchi Y, Nakanuma Y, Nagata M. A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration. *Mod Rheumatol* 1-6, 2014
2. Hara S, Umeyama K, Yokoo T, Nagashima H, Nagata M. Diffuse glomerular nodular lesions in diabetic pigs carrying a dominant-negative mutant hepatocyte nuclear factor 1-alpha, an inheritant diabetic gene in humans. *PLoS One* 9(3):e92219, 2014
3. Iijima K, Sako M, Oba MS, Ito S, Hataya H, Tanaka R, Ohwada Y, Kamei K, Ishikura K, Yata N, Nozu K, Honda M, Nakamura H, Nagata M, Ohashi Y, Nakanishi K, Yoshikawa N. Cyclosporine C2 monitoring for the treatment of frequently relapsing nephrotic syndrome in children: a multicenter randomized phase II trial. *Clin J Am Soc Nephrol* 9(2):271-278, 2014
4. Ikezumi Y, Suzuki T, Karasawa T, Kaneko U, Yamada T, Hasegawa H, Nagata M, Saitoh A. Glomerular epithelial cell phenotype in diffuse mesangial sclerosis: a report of 2 cases with markedly increased urinary podocyte excretion. *Hum Pathol* 45(8):1778-1783, 2014



#### 4) 英文以外の著書

1. 上野智敏, 長田道夫. 250 卷. 巣状分節性糸球体硬化症 (FSGS) における Notch シグナルの役割; "医学のあゆみ", 医歯薬出版株式会社 (東京) 2014; pp594-295
2. 上杉憲子, 長田道夫. 56 (2). 血管炎の病理; "日本腎臓学会誌" (編集 日本腎臓学会), 東京医学社 (東京) 2014; pp87-97
3. 原怜史, 上杉憲子, 長田道夫. 全身性エリテマトーデス(尿細管間質病変を中心に); "IgG4 関連腎臓病のすべて (第 1 版)" (編集 斎藤喬雄, 西慎一), 南江堂 (東京) 2014; pp138-140
4. 原怜史, 上杉憲子, 長田道夫. 血管炎症候群(ANCA 関連血管炎); "IgG4 関連腎臓病のすべて (第 1 版)" (編集 斎藤喬雄, 西慎一), 南江堂 (東京) 2014; pp151-153
5. 長田道夫. Bird's eye と storiform pattern; "IgG4 関連腎臓病のすべて (第 1 版)" (編集 斎藤喬雄, 西慎一), 南江堂 (東京) 2014; pp95

## システム神経科学

#### 1) 英文論文

1. Borgius L, Nishimaru H, Caldeira V, Kunugise Y, Low P, Reig R, Itohara S, Iwasato T, Kiehn O. Spinal glutamatergic neurons defined by EphA4 signaling are essential components of normal locomotor circuits. *J Neurosci* 34(11):3841-3853, 2014
2. Ohyama K, Sugase-Miyamoto Y, Matsumoto N, Sato C, Shidara M. Small effect of upcoming reward outcomes on visual cue-related neuronal activity in macaque area TE during conditional associations. *Neurosci Res* 88:28-38, 2014
3. Setogawa T, Mizuhiki T, Matsumoto N, Akizawa F, Shidara M. Self-choice enhances value in reward-seeking in primates. *Neurosci Res* 80:45-54, 2014
4. Shidara M. Reward expectancy signals in monkey anterior cingulate cortex and its relation to reinforcement learning. *Alcohol Alcohol* Suppl1:i30, 2014

## 認知行動神経科学

#### 1) 英文論文

1. Koganezawa T, Paton JF. Intrinsic chemosensitivity of rostral ventrolateral medullary sympathetic premotor neurons in the in situ arterially perfused preparation of rats. *Exp Physiol* 99(11):1453-1466, 2014

2) 英文以外の論文

1. 山田洋, 榎本一紀. 罰を表現するドーパミン細胞と手綱核. *Clinical Neuroscience* 32(1):47-50, 2014

## 生殖生化学

1) 英文論文

1. Katoh Y, Takebayashi K, Kikuchi A, Iki A, Kikuchi K, Tamba M, Kawashima A, Matsuda M, Okamura N. Porcine sperm capacitation involves tyrosine phosphorylation and activation of aldose reductase. *Reproduction* 148(4):389-401, 2014
2. Matsuda M, Kurosaki K, Okamura N. Activated vitamin D3 and pro-activated vitamin D3 attenuate induction of permanent changes caused by neonatal estrogen exposure in the mouse vagina. *J Reprod Dev* 60(4):274-279, 2014

## 分子細胞生物学

1) 英文論文

1. Uemura T, Suda Y, Ueda T, Nakano A. Dynamic behavior of the trans-golgi network in root tissues of Arabidopsis revealed by super-resolution live imaging. *Plant Cell Physiol* 55(4):694-703, 2014

2) 英文以外の論文

1. 木村雄一, 入江賢児. ATXN2 の酵母オルソログ Pbp1 はリボソーム蛋白質と協調して増殖を制御する. *医学のあゆみ* 250(3):225-226, 2014

## 遺伝子制御学

1) 英文論文

1. Nishimura K, Kato T, Chen C, Oinam L, Shiomitsu E, Ayakawa D, Ohtaka M, Fukuda A, Nakanishi M, Hisatake K. Manipulation of KLF4 expression generates iPSCs paused at successive stages of reprogramming. *Stem Cell Reports* 3(5):915-929, 2014
2. Takayama K, Morisaki Y, Kuno S, Nagamoto Y, Harada K, Furukawa N, Ohtaka M, Nishimura K, Imagawa K, Sakurai F, Tachibana M, Sumazaki R, Noguchi E, Nakanishi M, Hirata K, Kawabata K, Mizuguchi H. Prediction of interindividual differences in hepatic functions and drug sensitivity by

using human iPS-derived hepatocytes. *Proc Natl Acad Sci U S A* 111(47):16772-16777, 2014

3. Tanaka A, Akimoto Y, Kobayashi S, Hisatake K, Hanaoka F, Ohkuma Y. Association of the winged helix motif of the TFIIIEalpha subunit of TFIIIE with either the TFIIIEbeta subunit or TFIIIB distinguishes its functions in transcription. *Genes Cells* doi:10.1111/gtc.12212, 2014
4. Trokovic R, Weltner J, Nishimura K, Ohtaka M, Nakanishi M, Salomaa V, Jalanko A, Otonkoski T, Kyttala A. Advanced feeder-free generation of induced pluripotent stem cells directly from blood cells. *Stem Cells Transl Med* 3(12):1402-1409, 2014

#### 4) 英文以外の著書

1. 福田綾, 久武幸司. 250 卷 2 号. RNA 結合蛋白質 hnRNP R を介した c-fos 遺伝子の転写調節; “医学のあゆみ” 医歯薬出版株式会社 (東京) 2014; pp145-146

## 分子腫瘍学

#### 1) 英文論文

1. Kato T, Sakata-Yanagimoto M, Nishikii H, Ueno M, Miyake Y, Yokoyama Y, Asabe Y, Kamada Y, Muto H, Obara N, Suzukawa K, Hasegawa Y, Kitabayashi I, Uchida K, Hirao A, Yagita H, Kageyama R, and Chiba S. Hes1 suppresses acute myeloid leukemia development through FLT3 repression. *Leukemia* doi: 10.1038/leu.2014.281, 2014
2. Miwa M, Honjo S, You G, Tanaka M, Uchida K, Srivatanakul P, Khuhaprema T, Loilome W, Techasen A, Wongkham C, Limpaboon T, Yongvanit P, and Wongkham S. Genetic and environmental determinants of risk for cholangiocarcinoma in Thailand. *World J Gastrointest Pathophysiol* 5(4):570-578, 2014
3. Muto H, Sakata-Yanagimoto M, Nagae G, Shiozawa Y, Miyake Y, Yoshida K, Enami T, Kamada Y, Kato T, Uchida K, Nanmoku T, Obara N, Suzukawa K, Sanada M, Nakamura N, Aburatani H, Ogawa S, and Chiba S. Reduced TET2 function leads to T-cell lymphoma with follicular helper T-cell-like features in mice. *Blood Cancer J* 4:e264, 2014
4. Tameda M, Sugimoto K, Shiraki K, Yamamoto N, Okamoto R, Usui M, Ito M, Takei Y, Nobori T, Kojima T, Suzuki H, Uchida M, and Uchida K. Collagen triple helix repeat containing 1 is overexpressed in hepatocellular carcinoma and promotes cell proliferation and motility. *Int J Oncol* 45(2):541-548, 2014

## 生理化学

### 1) 英文論文

1. Akiyama M, Hasegawa H, Hongu T, Frohman MA, Harada A, Sakagami H, Kanaho Y. Trans-regulation of oligodendrocyte myelination by neurons through small GTPase Arf6-regulated secretion of fibroblast growth factor-2. *Nat Commun* 5:4744, 2014
2. Funakoshi Y, Chou MM, Kanaho Y, Donaldson JG. TRE17/USP6 regulates ubiquitylation and trafficking of cargo proteins that enter cells by clathrin-independent endocytosis. *J Cell Sci* 127(21):4750-4761, 2014
3. Hongu T, Kanaho Y. Activation machinery of the small GTPase Arf6. *Adv Biol Regul* 54:59-66, 2014
4. Ogami K, Hosoda N, Funakoshi Y, Hoshino S. Antiproliferative protein Tob directly regulates c-myc proto-oncogene expression through cytoplasmic polyadenylation element-binding protein CPEB. *Oncogene* 33(1):55-64, 2014
5. Teng S, Stegner D, Chen Q, Hongu T, Hasegawa H, Chen L, Kanaho Y, Nieswandt B, Frohman MA, Huang P. Phospholipase D1 facilitates second-phase myoblast fusion and skeletal muscle regeneration. *Mol Biol Cell* doi: 10.1091/mbc.E14-03-0802, 2014

### 2) 英文以外の論文

1. 本宮綱記, 佐藤隆信, 船越祐司, 金保安則. 好中球における活性酸素産生および酵素放出の分子メカニズム解析 ホスホリパーゼ D は必要か? 脂質生化学研究 56:89-91, 2014

## 生体シグナル制御学

### 1) 英文論文

1. Moriya S, Hayata T, Notomi T, Aryal S, Nakamaoto T, Izu Y, Kawasaki M, Yamada T, Shirakawa J, Kaneko K, Ezura Y, Noda M. PTH regulates  $\beta$ 2-adrenergic receptor expression in osteoblast-like MC3T3-E1 cells. *J Cell Biochem* doi: 10.1002/jcb.24953, 2014
2. Ezura Y, Nagata J, Nagao M, Hemmi H, Hayata T, Rittling S, Denhardt DT, Noda M. Hindlimb-unloading suppresses B cell population in the bone marrow and peripheral circulation associated with OPN expression in circulating blood cells. *J Bone Miner Metab* doi: 10.1007/s00774-014-0568-8, 2014
3. Shirakawa J, Ezura Y, Moriya S, Kawasaki M, Yamada T, Notomi T, Nakamoto T, Hayata T, Miyawaki A, Omura K, Noda M. Migration linked to Fucci-indicated cell cycle is controlled by PTH and mechanical stress. *J Cell Physiol* 229(10):1353-1358, 2014

4. Watanabe C, Morita M, Hayata T, Nakamoto T, Kikuguchi C, Li X, Kobayashi Y, Takahashi N, Notomi T, Moriyama K, Yamamoto T, Ezura Y, Noda M. Stability of mRNA influences osteoporotic bone mass via CNOT3. *Proc Natl Acad Sci U S A* 111(7):2692-2697, 2014

2) 英文以外の論文

1. 野田政樹, 早田匡芳, 渡辺千穂, 白川純平, 守屋秀一, 山田峻之, 江面陽一. 骨におけるメッセンジャーRNAの安定性と生体制御について. 遺伝: 生物の科学 68(5):458-460, 2014

## 分子薬理学

1) 英文論文

1. Hasegawa Y, Daitoku Y, Mizuno S, Tanimoto Y, Mizuno-Iijima S, Matsuo M, Kajiwara N, Ema M, Oishi H, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Generation and characterization of Ins1-cre-driver C57BL/6N for exclusive pancreatic beta cell-specific Cre-loxP recombination. *Exp Anim* 63(2):183-191, 2014
2. Tamura M, Matsui H, Hyodo I, Tanaka J, Miwa Y. Fluorescence-based co-culture of normal and cancerous cells as an indicator of therapeutic effects in cancer. *Eur J Pharm Sci* 63:1-7, 2014
3. Tran MT, Tanaka J, Hamada M, Sugiyama Y, Sakaguchi S, Nakamura M, Takahashi S, Miwa Y. In vivo image analysis using iRFP transgenic mice. *Exp Anim* 63(3):311-319, 2014

## 分子神経生物学

1) 英文論文

1. Freeman SD, Keino-Masu K, Masu M, Ladher RK. Expression of the heparan sulfate 6-O-endosulfatases, Sulf1 and Sulf2, in the avian and mammalian inner ear suggests a role for sulfation during inner ear development. *Dev Dyn* doi: 10.1002/dvdy.24223, 2014

## 分子ウイルス学

1) 英文論文

1. Czene A, Toth E, Nemeth E, Otten H, Poulsen JC, Christensen HE, Rulisek L, Nagata K, Larsen S, Gyurcsik B. A new insight into the zinc-dependent DNA-cleavage by the colicin E7 nuclease: a

- crystallographic and computational study. *Metallomics* 6(11):2090-2099, 2014
2. Feillet C, Krusche P, Tamanini F, Janssens RC, Downey MJ, Martin P, Teboul M, Saito S, Levi FA, Bretschneider T, van der Horst GT, Delaunay F, Rand DA. Phase locking and multiple oscillating attractors for the coupled mammalian clock and cell cycle. *Proc Natl Acad Sci U S A* 111(27):9828-9833, 2014
  3. Imamura K, Imamachi N, Akizuki G, Kumakura M, Kawaguchi A, Nagata K, Kato A, Kawaguchi Y, Sato H, Yoneda M, Kai C, Yada T, Suzuki Y, Yamada T, Ozawa T, Kaneki K, Inoue T, Kobayashi M, Kodama T, Wada Y, Sekimizu K, Akimitsu N. Long noncoding RNA NEAT1-dependent SFPQ relocation from promoter region to paraspeckle mediates IL8 expression upon immune stimuli. *Mol Cell* 53(3):393-406, 2014
  4. Kadota S, Nagata K. Silencing of IFN-stimulated gene transcription is regulated by histone H1 and its chaperone TAF-I. *Nucleic Acids Res* 42(12):7642-7653, 2014
  5. Kumakura M, Kawaguchi A, Nagata K. Actin-myosin network is required for proper assembly of influenza virus particles. *Virology* doi: 10.1016/j.virol.2014.12.016, 2014
  6. Murano K, Okuwaki M, Momose F, Kumakura M, Ueshima S, Newbold RF, Nagata K. Reconstitution of human rRNA gene transcription in mouse cells by a complete SL1 complex. *J Cell Sci* 127(Pt 15):3309-3319, 2014
  7. Nemeth E, Kortvelyesi T, Kozisek M, Thulstrup PW, Christensen HE, Asaka MN, Nagata K, Gyurcsik B. Substrate binding activates the designed triple mutant of the colicin E7 metallonuclease. *J Biol Inorg Chem* 19(8):1295-1303, 2014
  8. Nemeth E, Kortvelyesi T, Thulstrup PW, Christensen HE, Kozisek M, Nagata K, Czene A, Gyurcsik B. Fine tuning of the catalytic activity of colicin E7 nuclease domain by systematic N-terminal mutations. *Protein Sci* 23(8):1113-1122, 2014
  9. Oshiro Y, Yasue H, Takahashi K, Hattori S, Ideno S, Urayama T, Chiba M, Osari S, Naito T, Takeuchi K, Nagata K, Ohkohchi N. Mode of swine hepatitis E virus infection and replication in primary human hepatocytes. *J Gen Virol* 95(Pt 12):2677-2682, 2014

#### 4) 英文以外の著書

1. 川口敦史. 6. 冬のインフルエンザ; "環境と微生物の事典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp244

## 微生物学

### 1) 英文論文

1. Nguyen Thi le T, Sarmiento ME, Calero R, Camacho F, Reyes F, Hossain MM, Gonzalez GS,

- Norazmi MN, Acosta A. Immunoinformatics study on highly expressed Mycobacterium tuberculosis genes during infection. *Tuberculosis (Edinb)* 94(5):475-481, 2014
2. Skorup P, Maudsdotter L, Lipcsey M, Castegren M, Larsson A, Jonsson AB, Sjolín J. Beneficial antimicrobial effect of the addition of an aminoglycoside to a beta-lactam antibiotic in an E. coli porcine intensive care severe sepsis model. *PLoS One* 9(2):e90441, 2014
  3. Suwastika IN, Denawa M, Yomogihara S, Im CH, Bang WY, Ohniwa RL, Bahk JD, Takeyasu K, Shiina T. Evidence for lateral gene transfer (LGT) in the evolution of eubacteria-derived small GTPases in plant organelles. *Front Plant Sci* 5(678), 2014
  4. Ushijima Y, Ohniwa RL, Maruyama A, Saito S, Tanaka Y, Morikawa K. Nucleoid compaction by MrgA(Asp56Ala/Glu60Ala) does not contribute to staphylococcal cell survival against oxidative stress and phagocytic killing by macrophages. *FEMS Microbiol Lett* 360(2):144-151, 2014
- 4) 英文以外の著書
1. 大庭良介. 第6章. 表層常在細菌叢と病原菌; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp252-253
  2. 斎藤慎二. 第6章. 腸内細菌叢; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp254-255
  3. 斎藤慎二. 第6章. 細胞性免疫 v s 微生物; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp256-257
  4. 斎藤慎二. 第6章. 液性免疫 v s 微生物; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp258-259
  5. 大庭良介. 第6章. 酸化ストレス耐性; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp260
  6. 森川一也. 第6章. 病原性・耐性の獲得と深化; "環境と微生物の辞典 (第1版)" (編集 日本微生物生態学会), 朝倉書店 (東京) 2014; pp265-266

## 免疫学

- 1) 英文論文
  1. Kim YG, Udayanga KG, Totsuka N, Weinberg JB, Nunez G, Shibuya A. Gut dysbiosis promotes M2 macrophage polarization and allergic airway inflammation via fungi-induced PGE(2). *Cell Host Microbe* 15(1):95-102, 2014
  2. Kurita N, Honda S, Shibuya A. Increased serum IgA in Fc $\alpha$ /muR-deficient mice on the (129 x C57BL/6) F1 genetic background. *Mol Immunol* doi: 10.1016/j.molimm.2014.09.008, 2014
  3. Nabekura T, Kanaya M, Shibuya A, Fu G, Gascoigne NR, Lanier LL. Costimulatory molecule

- DNAM-1 is essential for optimal differentiation of memory natural killer cells during mouse cytomegalovirus infection. *Immunity* 40(2):225-234, 2014
4. Nabekura T, Lanier LL. Antigen-specific expansion and differentiation of natural killer cells by alloantigen stimulation. *J Exp Med* 211(12):2455-2465, 2014
  5. Nagumo Y, Iguchi-Manaka A, Yamashita-Kanemaru Y, Abe F, Bernhardt G, Shibuya A, Shibuya K. Increased CD112 expression in methylcholanthrene-induced tumors in CD155-deficient mice. *PLoS One* 9(11):e112415, 2014
  6. Nanatsue K, Ninomiya T, Tsuchiya M, Tahara-Hanaoka S, Shibuya A, Masuko H, Sakamoto T, Hizawa N, Arinami T, Noguchi E. Influence of MILR1 promoter polymorphism on expression levels and the phenotype of atopy. *J Hum Genet* 59(9):480-483, 2014
  7. Sabato V, Boita M, Shubber S, Bridts CH, Shibuya A, De Clerck LS, Falcone FH, Ebo DG. Mechanism of phosphatidylserine inhibition of IgE/FcepsilonRI-dependent anaphylactic human basophil degranulation via CD300a. *J Allergy Clin Immunol* 134(3):734-737 e733, 2014
  8. Satake K, Shimizu Y, Sasaki Y, Yanagawa H, Suzuki H, Suzuki Y, Horikoshi S, Honda S, Shibuya K, Shibuya A, Tomino Y. Serum under-O-glycosylated IgA1 level is not correlated with glomerular IgA deposition based upon heterogeneity in the composition of immune complexes in IgA nephropathy. *BMC Nephrol* 15:89, 2014
  9. Tanaka T, Tahara-Hanaoka S, Nabekura T, Ikeda K, Jiang S, Tsutsumi S, Inagaki T, Magoori K, Higurashi T, Takahashi H, Tachibana K, Tsurutani Y, Raza S, Anai M, Minami T, Wada Y, Yokote K, Doi T, Hamakubo T, Auwerx J, Gonzalez FJ, Nakajima A, Aburatani H, Naito M, Shibuya A, Kodama T, Sakai J. PPARbeta/delta activation of CD300a controls intestinal immunity. *Sci Rep* 4:5412, 2014
  10. Totsuka N, Kim YG, Kanemaru K, Niizuma K, Umemoto E, Nagai K, Tahara-Hanaoka S, Nakahasi-Oda C, Honda S, Miyasaka M, Shibuya K, Shibuya A. Toll-like receptor 4 and MAIR-II/CLM-4/LMIR2 immunoreceptor regulate VLA-4-mediated inflammatory monocyte migration. *Nat Commun* 5:4710, 2014

## 2) 英文以外の論文

1. 金丸由美, 渋谷和子. 細胞内染色法を用いたサイトカイン産生の解析. 実験医学別冊 最強のステップUPシリーズ直伝! フローサイトメトリー面白いほど使いこなせる! 90-99, 2014
2. 佐藤和貴, 本多伸一郎, 渋谷彰. 【組織における免疫応答の特性】 濾胞樹状細胞のB細胞への抗原提示能の制御機構. 臨床免疫・アレルギー科 62(1):25-30, 2014
3. 渋谷彰. 抗生物質服用による腸内細菌バランスの乱れと喘息. メディカル朝日 43(12):32-33, 2014
4. 渋谷彰. DNAM-1(CD226)によるキラーリンパ球活性化と標的細胞傷害. 感染・炎症・免疫 43(4):296-306, 2014



5. 渋谷彰. 大発見！抗生物質を投与すると腸内でカビが大繁殖してぜんそくを悪化させる. あとぴナビ 5月号 38-39, 2014
6. 渋谷彰. 腸内細菌のバランスの乱れがぜん息を悪化させるメカニズムがわかった！ あとぴナビ 4月号 247:1-3, 2014
7. 渋谷彰. 大発見！抗生物質を投与すると腸内でカビが大繁殖してぜんそくを悪化させる. 腸の大掃除で病気は勝手に治る (『壮快』特別編集) 7月号 32-33, 2014
8. 永井恵, 渋谷彰. プライマリマスト細胞の単離と解析. 実験医学別冊 最強のステップ UP シリーズ 直伝！フローサイトメトリー 面白いほど使いこなせる！ 233-242, 2014
9. 藤山聡, 渋谷彰. 【腸内細菌と疾患】 腸管内真菌と気管支喘息. 医学のあゆみ 251(1):42-48, 2014

## 遺伝医学

### 1) 英文論文

1. Hawlader MD, Ma E, Noguchi E, Itoh M, Arifeen SE, Persson LA, Moore SE, Raqib R, Wagatsuma Y. Ascaris lumbricoids Infection as a Risk Factor for Asthma and Atopy in Rural Bangladeshi Children. *Trop Med Health* 42(2):77-85, 2014
2. Hayashi M, Hirota T, Saeki H, Nakagawa H, Ishiujji Y, Matsuzaki H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Tamari M. Genetic polymorphism in the TRAF3IP2 gene is associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* 73(3):264-265, 2014
3. Iriguchi S, Kikuchi N, Kaneko S, Noguchi E, Morishima Y, Matsuyama M, Yoh K, Takahashi S, Nakauchi H, Ishii Y. T-cell-restricted T-bet overexpression induces aberrant hematopoiesis of myeloid cells and impairs function of macrophages in the lung. *Blood* doi: 10.1182/blood-2014-05-575225, 2014
4. Nanatsue K, Ninomiya T, Tsuchiya M, Tahara-Hanaoka S, Shibuya A, Masuko H, Sakamoto T, Hizawa N, Arinami T, Noguchi E. Influence of MILR1 promoter polymorphism on expression levels and the phenotype of atopy. *J Hum Genet* 59(9):480-483, 2014
5. Sakata-Yanagimoto M, Enami T, Yoshida K, Shiraiishi Y, Ishii R, Miyake Y, Muto H, Tsuyama N, Sato-Otsubo A, Okuno Y, Sakata S, Kamada Y, Nakamoto-Matsubara R, Tran NB, Izutsu K, Sato Y, Ohta Y, Furuta J, Shimizu S, Komeno T, Sato Y, Ito T, Noguchi M, Noguchi E, Sanada M, Chiba K, Tanaka H, Suzukawa K, Nanmoku T, Hasegawa Y, Nureki O, Miyano S, Nakamura N, Takeuchi K, Ogawa S, Chiba S. Somatic RHOA mutation in angioimmunoblastic T cell lymphoma. *Nat Genet* 46(2):171-175, 2014
6. Sic H, Kraus H, Madl J, Flittner KA, von Munchow AL, Pieper K, Rizzi M, Kienzler AK, Ayata K,

- Rauer S, Kleuser B, Salzer U, Burger M, Zirlik K, Lougaris V, Plebani A, Romer W, Loeffler C, Scaramuzza S, Villa A, Noguchi E, Grimbacher B, Eibel H. Sphingosine-1-phosphate receptors control B-cell migration through signaling components associated with primary immunodeficiencies, chronic lymphocytic leukemia, and multiple sclerosis. *J Allergy Clin Immunol* 134(2):420-428, 2014
7. Takayama K, Morisaki Y, Kuno S, Nagamoto Y, Harada K, Furukawa N, Ohtaka M, Nishimura K, Imagawa K, Sakurai F, Tachibana M, Sumazaki R, Noguchi E, Nakanishi M, Hirata K, Kawabata K, Mizuguchi H. Prediction of interindividual differences in hepatic functions and drug sensitivity by using human iPS-derived hepatocytes. *Proc Natl Acad Sci U S A* 111(47):16772-16777, 2014
8. Tamari M, Saeki H, Hayashi M, Umezawa Y, Ito T, Fukuchi O, Nobeyama Y, Yanaba K, Nakagawa H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Fujieda S, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Hirota T. An association study of 36 psoriasis susceptibility loci for psoriasis vulgaris and atopic dermatitis in a Japanese population. *J Dermatol Sci* 76(2):156-157, 2014
9. Tanaka Y, Manabe A, Fukushima H, Suzuki R, Nakadate H, Kondoh K, Nakamura K, Koh K, Fukushima T, Tsuchida M, Koike K, Kiyokawa N, Noguchi E, Sumazaki R, Komiyama T. Multidrug resistance protein 4 (MRP4) polymorphisms impact the 6-mercaptopurine dose tolerance during maintenance therapy in Japanese childhood acute lymphoblastic leukemia. *Pharmacogenomics J* doi: 10.1038/tpj.2014.74, 2014
10. Yatagai Y, Sakamoto T, Yamada H, Masuko H, Kaneko Y, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Konno S, Nishimura M, Hizawa N. Genomewide association study identifies HAS2 as a novel susceptibility gene for adult asthma in a Japanese population. *Clin Exp Allergy* 44(11):1327-1334, 2014

## 2) 英文以外の論文

1. 坂下雅文, 牧野友香, 野口恵美子, 広田朝光, 玉利真由美, 藤枝重治. アレルギー性鼻炎治療効果に相関するバイオマーカー. *アレルギー* 63(6):767-774, 2014

## 分子遺伝疫学・社会健康医学

### 1) 英文論文

1. Chei CL, Yamagishi K, Ikeda A, Noda H, Maruyama M, Cui R, Imano H, Kiyama M, Kitamura A, Asada T, Iso H. C-reactive protein levels and risk of disabling dementia with and without stroke in Japanese: the Circulatory Risk in Communities Study (CIRCS). *Atherosclerosis* 236(2):438-443,

2014

2. Cui R, Yamagishi K, Imano H, Ohira T, Tanigawa T, Hitsumoto S, Kiyama M, Okada T, Kitamura A, Iso H. Relationship between the ankle-brachial index and the risk of coronary heart disease and stroke: the circulatory risk in communities study. *J Atheroscler Thromb* 21(12):1283-1289, 2014
3. Dang TN, Naka I, Sa-Ngasang A, Anantapreecha S, Chanama S, Wichukchinda N, Sawanpanyalert P, Patarapotikul J, Tsuchiya N, Ohashi J. A replication study confirms the association of GWAS-identified SNPs at MICB and PLCE1 in Thai patients with dengue shock syndrome. *BMC Med Genet* 15:58, 2014
4. Eshak ES, Iso H, Yamagishi K, Kokubo Y, Saito I, Yatsuya H, Sawada N, Inoue M, Tsugane S. Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. *Am J Clin Nutr* 100(1):199-207, 2014
5. Eshak ES, Iso H, Yamagishi K, Kokubo Y, Saito I, Yatsuya H, Sawada N, Inoue M, Tsugane S. Modification of the excess risk of coronary heart disease due to smoking by seafood/fish intake. *Am J Epidemiol* 179(10):1173-1181, 2014
6. Fujita A, Ishibe N, Yoshihara T, Ohashi J, Makino H, Ikeda M, Setoguchi H. Rapid reversal of neuromuscular blockade by sugammadex after continuous infusion of rocuronium in patients with liver dysfunction undergoing hepatic surgery. *Acta Anaesthesiol Taiwan* 52(2):54-58, 2014
7. Furukawa H, Kawasaki A, Oka S, Ito I, Shimada K, Sugii S, Hashimoto A, Komiyama A, Fukui N, Kondo Y, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Amano H, Nagai T, Hirohata S, Setoguchi K, Kono H, Okamoto A, Chiba N, Suematsu E, Katayama M, Migita K, Suda A, Ohno S, Hashimoto H, Takasaki Y, Sumida T, Nagaoka S, Tsuchiya N, Tohma S. Human leukocyte antigens and systemic lupus erythematosus: a protective role for the HLA-DR6 alleles DRB1\*13:02 and \*14:03. *PLoS One* 9(2):e87792, 2014
8. Furukawa H, Oka S, Shimada K, Sugii S, Hashimoto A, Komiyama A, Fukui N, Miyashita T, Migita K, Suda A, Nagaoka S, Tsuchiya N, Tohma S. HLA-DRB1\*08:02 Is Associated with Bucillamine-Induced Proteinuria in Japanese Rheumatoid Arthritis Patients. *Biomark Insights* 9:23-28, 2014
9. Gazal S, Sacre K, Allanore Y, Teruel M, Goodall AH, Tohma S, Alfredsson L, Okada Y, Xie G, Constantin A, Balsa A, Kawasaki A, Nicaise P, Amos C, Rodriguez-Rodriguez L, Chiochia G, Boileau C, Zhang J, Vittecoq O, Barnette T, Gay MA, Furukawa H, Cantagrel A, Le Loet X, Sumida T, Hurtado-Nedelec M, Richez C, Chollet-Martin S, Schaeffer T, Combe B, Khoryati L, Coustet B, El-Benna J, Siminovitch K, Plenge R, Padyukov L, Martin J, Tsuchiya N, Dieude P. Identification of secreted phosphoprotein 1 gene as a new rheumatoid arthritis susceptibility gene. *Ann Rheum Dis* doi: 10.1136/annrheumdis-2013-204581, 2014
10. Honma H, Hirai M, Nakamura S, Hakimi H, Kawazu S, Palacpac NM, Hisaeda H, Matsuoka H,

- Kawai S, Endo H, Yasunaga T, Ohashi J, Mita T, Horii T, Furusawa M, Tanabe K. Generation of rodent malaria parasites with a high mutation rate by destructing proofreading activity of DNA polymerase delta. *DNA Res* 21(4):439-446, 2014
11. Iso H, Imano H, Yamagishi K, Ohira T, Cui R, Noda H, Sato S, Kiyama M, Okada T, Hitsumoto S, Tanigawa T, Kitamura A. Fasting and non-fasting triglycerides and risk of ischemic cardiovascular disease in Japanese men and women: the Circulatory Risk in Communities Study (CIRCS). *Atherosclerosis* 237(1):361-368, 2014
  12. Kawasaki A, Furukawa H, Nishida N, Warabi E, Kondo Y, Ito S, Matsumoto I, Kusaoi M, Amano H, Suda A, Nagaoka S, Setoguchi K, Nagai T, Hirohata S, Shimada K, Sugii S, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Okamoto A, Kono H, Tokunaga K, Takasaki Y, Hashimoto H, Sumida T, Tohma S, Tsuchiya N. Association of functional polymorphisms in interferon regulatory factor 2 (IRF2) with susceptibility to systemic lupus erythematosus: a case-control association study. *PLoS One* 9(10):e109764, 2014
  13. Miyadera H, Ohashi J, Lernmark A, Kitamura T, Tokunaga K. Cell-surface MHC density profiling reveals instability of autoimmunity-associated HLA. *J Clin Invest* doi: 10.1172/JCI74961, 2014
  14. Murakoshi N, Xu D, Sairenchi T, Igarashi M, Irie F, Tomizawa T, Tada H, Sekiguchi Y, Yamagishi K, Iso H, Yamaguchi I, Ota H, Aonuma K. Prognostic impact of supraventricular premature complexes in community-based health checkups: the Ibaraki Prefectural Health Study. *Eur Heart J* doi: 10.1093/eurheartj/ehu407, 2014
  15. Naka I, Patarapotikul J, Hananantachai H, Imai H, Ohashi J. Association of the endothelial protein C receptor (PROCR) rs867186-G allele with protection from severe malaria. *Malar J* 13:105, 2014
  16. Naka I, Patarapotikul J, Hananantachai H, Ohashi J. Lack of association between BSG polymorphisms and cerebral malaria. *Jpn J Infect Dis* 67(6):432-435, 2014
  17. Nishida N, Sawai H, Kashiwase K, Minami M, Sugiyama M, Seto WK, Yuen MF, Posuwan N, Poovorawan Y, Ahn SH, Han KH, Matsuura K, Tanaka Y, Kurosaki M, Asahina Y, Izumi N, Kang JH, Hige S, Ide T, Yamamoto K, Sakaida I, Murawaki Y, Itoh Y, Tamori A, Orito E, Hiasa Y, Honda M, Kaneko S, Mita E, Suzuki K, Hino K, Tanaka E, Mochida S, Watanabe M, Eguchi Y, Masaki N, Murata K, Korenaga M, Mawatari Y, Ohashi J, Kawashima M, Tokunaga K, Mizokami M. New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia. *PLoS One* 9(2):e86449, 2014
  18. Nishida W, Nagata M, Imagawa A, Hanafusa T, Ohashi J, Takahashi K, Suehiro T, Yamada Y, Chujo D, Kawasaki E, Kawamura R, Onuma H, Osawa H, Makino H. Insulin administration may trigger type 1 diabetes in Japanese type 2 diabetes patients with type 1 diabetes high-risk HLA class II and the insulin gene VNTR genotype. *J Clin Endocrinol Metab* 99(9):E1793-1797, 2014
  19. Ohashi J, Suzuki Y, Naka I, Hananantachai H, Patarapotikul J. Diversifying selection on the thrombospondin-related adhesive protein (TRAP) gene of Plasmodium falciparum in Thailand.

*PLoS One* 9(2):e90522, 2014

20. Oka S, Furukawa H, Kawasaki A, Shimada K, Sugii S, Hashimoto A, Komiya A, Fukui N, Ito S, Nakamura T, Saisho K, Katayama M, Tsunoda S, Sano H, Migita K, Suda A, Nagaoka S, Tsuchiya N, Tohma S. Protective effect of the HLA-DRB1\*13:02 allele in Japanese rheumatoid arthritis patients. *PLoS One* 9(6):e99453, 2014
21. Sa-Ngasang A, Ohashi J, Naka I, Anantapreecha S, Sawanpanyalert P, Patarapotikul J. Association of IL1B -31C/T and IL1RA variable number of an 86-bp tandem repeat with dengue shock syndrome in Thailand. *J Infect Dis* 210(1):138-145, 2014
22. Sano F, Ohira T, Kitamura A, Imano H, Cui R, Kiyama M, Okada T, Yamagishi K, Sankai T, Tanigawa T, Kario K, Iso H. Heavy alcohol consumption and risk of atrial fibrillation. The Circulatory Risk in Communities Study (CIRCS). *Circ J* 78(4):955-961, 2014
23. Tsujimoto T, Sairenchi T, Iso H, Irie F, Yamagishi K, Watanabe H, Tanaka K, Muto T, Ota H. The dose-response relationship between body mass index and the risk of incident stage  $\geq 3$  chronic kidney disease in a general Japanese population: the Ibaraki prefectural health study (IPHS). *J Epidemiol* 24(6):444-451, 2014
24. Xu D, Murakoshi N, Sairenchi T, Irie F, Igarashi M, Nogami A, Tomizawa T, Yamaguchi I, Yamagishi K, Iso H, Ota H, Aonuma K. Anemia and reduced kidney function as risk factors for new onset of atrial fibrillation (from the Ibaraki prefectural health study). *Am J Cardiol* doi: 10.1016/j.amjcard.2014.10.041, 2014
25. Yamagishi K, Ikeda A, Moriyama Y, Chei CL, Noda H, Umesawa M, Cui R, Nagao M, Kitamura A, Yamamoto Y, Asada T, Iso H. Serum coenzyme Q10 and risk of disabling dementia: the Circulatory Risk in Communities Study (CIRCS). *Atherosclerosis* 237(2):400-403, 2014

## 2) 英文以外の論文

1. 佐野直樹, 田村孝史, 福永潔, 高野恵輔, 山岸良匡, 正田純一, 相川達也, 大河内信弘. 茨城県における肝細胞癌疫学調査. *肝臓* 55(12):767-770, 2014

## 4) 英文以外の著書

1. 土屋尚之. 環境因子と遺伝因子; "ANCA 関連血管炎の診療ガイドライン (2014年改訂版)" (編集 榎野博史, 松尾清一), 厚生労働省 難治性疾患克服研究事業 2014; pp10-14
2. 筑西市健康副読本編集委員. "筑西市健康副読本: めざせ! ず~っとけんこう!! (第8版)" (編集 磯博康, 山岸良匡), 筑西市 (筑西) 2014; pp1-30

## ゲノム生物学

### 1) 英文論文

1. Muratani M, Deng N, Ooi WF, Lin SJ, Xing M, Xu C, Qamra A, Tay ST, Malik S, Wu J, Lee MH, Zhang S, Tan LL, Chua H, Wong WK, Ong HS, Ooi LL, Chow PK, Chan WH, Soo KC, Goh LK, Rozen S, Teh BT, Yu Q, Ng HH, Tan P. Nanoscale chromatin profiling of gastric adenocarcinoma reveals cancer-associated cryptic promoters and somatically acquired regulatory elements. *Nat Commun* 5:4361, 2014

## 再生幹細胞生物学

### 1) 英文論文

1. Zhao Y, Matsuo-Takasaki M, Tsuboi I, Kimura K, Salazar GT, Yamashita T, Ohneda O. Dual functions of hypoxia-inducible factor 1 alpha for the commitment of mouse embryonic stem cells toward a neural lineage. *Stem Cells Dev* 23(18):2143-2155, 2014
2. Fukuda S, Ohneda O, and Oshika T. Oxidative stress retards vascular development before neural degeneration occurs in retinal degeneration rd1 mice. *Graefes Arch Clin Exp Ophthalmol*. 2014; **252**:411-416.

## 医工学

### 1) 英文論文

1. Miyoshi H, Morita M, Ohshima N, Sato C. Expansion of mouse hematopoietic progenitor cells in three-dimensional cocultures on frozen-thawed stromal cell layers formed within porous scaffolds. *Exp Hematol* doi:10.1016/j.exphem.2014.08.008, 2014

## 実験動物学

### 1) 英文論文

1. Amano H, Murata K, Matsunaga H, Tanaka K, Yoshioka K, Kobayashi T, Ishida J, Fukamizu A, Sugiyama F, Sudo T, Kimura S, Tatsumi K, Kasuya Y. p38 Mitogen-activated protein kinase accelerates emphysema in mouse model of chronic obstructive pulmonary disease. *J Recept Signal*

*Transduct Res* 34(4):299-306, 2014

2. Hasegawa Y, Daitoku Y, Mizuno S, Tanimoto Y, Mizuno-Iijima S, Matsuo M, Kajiwara N, Ema M, Oishi H, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Generation and characterization of Ins1-cre-driver C57BL/6N for exclusive pancreatic beta cell-specific Cre-loxP recombination. *Exp Anim* 63(2):183-191, 2014
3. Hatori M, Shimozawa N, Yasmin L, Suemori H, Nakatsuji N, Ogura A, Yagami K, Sankai T. Role of retinoic acid and fibroblast growth factor 2 in neural differentiation from cynomolgus monkey (*Macaca fascicularis*) embryonic stem cells. *Comp Med* 64(2):140-147, 2014
4. Mizuno S, Dinh TT, Kato K, Mizuno-Iijima S, Tanimoto Y, Daitoku Y, Hoshino Y, Ikawa M, Takahashi S, Sugiyama F, Yagami K. Simple generation of albino C57BL/6J mice with G291T mutation in the tyrosinase gene by the CRISPR/Cas9 system. *Mamm Genome* 25(7-8):327-334, 2014
5. Tanimoto K, Kanafusa S, Ushiki A, Matsuzaki H, Ishida J, Sugiyama F, Fukamizu A. A mouse renin distal enhancer is essential for blood pressure homeostasis in BAC-rescued renin-null mutant mice. *J Recept Signal Transduct Res* 34(5):401-409, 2014

## 2) 英文以外の論文

1. 八神健一. CIOMS 動物実験に関する国際原則の改訂とその影響. 実験動物医学 43:40-44, 2014

## 医学物理学

### 1) 英文論文

1. Aihara T, Morita N, Kamitani N, Kumada H, Ono K, Hiratsuka J, Harada T. BNCT for advanced or recurrent head and neck cancer. *Appl Radiat Isot* 88:12-15, 2014
2. Aoki-Nakano M, Furusawa Y, Uzawa A, Matsumoto Y, Hirayama R, Tsuruoka C, Ogino T, Nishio T, Kagawa K, Murakami M, Kagiya G, Kume K, Hatashita M, Fukuda S, Yamamoto K, Fuji H, Murayama S, Hata M, Sakae T, Matsumoto H. Relative biological effectiveness of therapeutic proton beams for HSG cells at Japanese proton therapy facilities. *J Radiat Res* 55(4):812-815, 2014
3. Fujibuchi T, Yonai S, Yoshida M, Sakae T, Watanabe H, Abe Y, Itami J. Measurement of activity distribution using photostimulable phosphor imaging plates in decommissioned 10 MV medical linear accelerator. *Health Phys* 107(2 Suppl 2):S158-162, 2014
4. Fukumitsu N, Ishikawa H, Ohnishi K, Terunuma T, Mizumoto M, Numajiri H, Aihara T, Okumura T, Tsuboi K, Sakae T, Sakurai H. Dose distribution resulting from changes in aeration of nasal cavity or paranasal sinus cancer in the proton therapy. *Radiother Oncol* 113(1):72-76, 2014

5. Fuse H, Suzuki K, Shida K, Mori Y, Takahashi H, Kobayashi D, Seki M, Isobe T, Okumura T, Sakae T, Sakurai H. Total skin electron beam therapy using an inclinable couch on motorized table and a compensating filter. *Rev Sci Instrum* 85(6):064301, 2014
6. Horiguchi H, Sato T, Kumada H, Yamamoto T, Sakae T. Estimation of relative biological effectiveness for boron neutron capture therapy using the PHITS code coupled with a microdosimetric kinetic model. *J Radiat Res* doi: 10.1093/jrr/rru109, 2014
7. Kageji T, Mizobuchi Y, Nagahiro S, Nakagawa Y, Kumada H. Correlation between radiation dose and histopathological findings in patients with glioblastoma treated with boron neutron capture therapy (BNCT). *Appl Radiat Isot* 88:20-22, 2014
8. Kageji T, Nagahiro S, Mizobuchi Y, Matsuzaki K, Nakagawa Y, Kumada H. Boron neutron capture therapy (BNCT) for newly-diagnosed glioblastoma: comparison of clinical results obtained with BNCT and conventional treatment. *J Med Invest* 61(3-4):254-263, 2014
9. Kanemoto A, Hirayama R, Moritake T, Furusawa Y, Sun L, Sakae T, Kuno A, Terunuma T, Yasuoka K, Mori Y, Tsuboi K, Sakurai H. RBE and OER within the spread-out Bragg peak for proton beam therapy: in vitro study at the Proton Medical Research Center at the University of Tsukuba. *J Radiat Res* 55(5):1028-1032, 2014
10. Kumada H, Matsumura A, Sakurai H, Sakae T, Yoshioka M, Kobayashi H, Matsumoto H, Kiyanagi Y, Shibata T, Nakashima H. Project for the development of the linac based NCT facility in University of Tsukuba. *Appl Radiat Isot* 88:211-215, 2014
11. Oh S, Shida T, Sawai A, Maruyama T, Eguchi K, Isobe T, Okamoto Y, Someya N, Tanaka K, Arai E, Tozawa A, Shoda J. Acceleration training for managing nonalcoholic fatty liver disease: a pilot study. *Ther Clin Risk Manag* 10:925-936, 2014
12. Ohkawa A, Mizumoto M, Ishikawa H, Abei M, Fukuda K, Hashimoto T, Sakae T, Tsuboi K, Okumura T, Sakurai H. Proton beam therapy for unresectable intrahepatic cholangiocarcinoma. *J Gastroenterol Hepatol* doi: 10.1111/jgh.12843, 2014
13. Ohno T, Oshiro Y, Mizumoto M, Numajiri H, Ishikawa H, Okumura T, Terunuma T, Sakae T, Sakurai H. Comparison of dose-volume histograms between proton beam and X-ray conformal radiotherapy for locally advanced non-small-cell lung cancer. *J Radiat Res* . doi: 10.1093/jrr/rru082, 2014
14. Okamoto Y, Kemp GJ, Isobe T, Sato E, Hirano Y, Shoda J, Minami M. Changes in diffusion tensor n imaging (DTI) eigenvalues of skeletal muscle due to hybrid exercise training. *Magn Reson Imaging* 32(10):1297-1300, 2014
15. Sato E, Yamamoto T, Shikano N, Ogura M, Nakai K, Yoshida F, Uemae Y, Takada T, Isobe T, Matsumura A. Intracellular boron accumulation in CHO-K1 cells using amino acid transport control. *Appl Radiat Isot* 88:99-103, 2014
16. Takada K, Kumada H, Isobe T, Terunuma T, Kamizawa S, Sakurai H, Sakae T, Matsumura A.



Whole-body dose evaluation with an adaptive treatment planning system for boron neutron capture therapy. *Radiat Prot Dosimetry* doi: 10.1093/rpd/ncu357, 2014

17. Isobe T, Fujibuchi T, Takada K, Mori S, Kato H, Kasahara T, Sato E, Sakae T. Measurement of dosedistribution during combined IVR procedure using the film method. *Progress in Nuclear Science and Technology* 4:816-819, 2014
18. Takada K, Isobe T, Kumada H, Yamamoto T, Shida K, Kobayashi D, Mori Y, Sakurai H, Sakae T. Evaluation of the radiation dose for whole body in boron neutron capture therapy. *Progress in Nuclear Science and Technology* 4:820-823, 2014

## 2) 英文以外の論文

1. 栗飯原輝人, 熊田博明, 石川仁, 福光延吉, 奥村敏之, 大西かよ子, 水本斉志, 沼尻晴子, 田中圭一, 和田哲郎, 原晃, 畚田猛真, 鈴木実, 櫻井英幸. 頭頸部がんに対するホウ素中性子捕捉療法の現状. 日本癌治療学会誌 49(3):2707, 2014
2. 栗飯原輝人, 森田倫正, 神谷伸彦, 熊田博明, 大西かよ子, 鈴木実, 平塚純一, 櫻井英幸, 原田保. BNCTによる頭頸部癌治療と頸動脈破裂症候群 BNCTを安全に行うために. 耳鼻咽喉科臨床 補冊 補冊 139:143, 2014
3. 栗飯原輝人, 和田哲郎, 石川仁, 福光延吉, 奥村敏之, 大西かよ子, 水本斉志, 沼尻晴子, 熊田博明, 平塚純一, 原晃, 櫻井英幸. 頭頸部進行がん新鮮例に対する新規粒子線治療の可能性 硼素中性子捕捉療法に対する筑波大学の取り組みと今後の展望. 茨城県立病院医学雑誌 30(2):28, 2014
4. 石田真也, 木村雅司, 佐藤勝, 宮本俊男, 吉村洋祐, 山梨宏一, 榮武二. 筑波大学における陽子線治療用 CT 値-水等価厚変換テーブルの作成. 日本放射線技術学会雑誌 70(9):974-975, 2014
5. 磯辺智範, 高田健太, 佐藤英介, 半村勝浩, 志田晃一, 松林史泰, 江川俊幸, 加藤英幸, 藤淵俊王, 笈田将皇, 千田浩一. 平成 24 年度学術調査研究班報告 放射線治療場で発生する二次中性子の簡易的評価システムの構築. 日本放射線技術学会雑誌 70(2):163-164, 2014
6. 岡本嘉一, 磯辺智範, 平野雄二. 【ROUTINE CLINICAL MRI 2015 BOOK】 骨格筋の MRI. 映像情報 Medical 46(14):71-78, 2014
7. 熊田博明. 加速器ベース BNCT 治療装置の開発における PHITS 技術の適用. RIST NEWS 56(14-24), 2014
8. 熊田博明. 次世代のがん放射線治療 BNCT の確立に向けて. CROSS T&T 48:19-22, 2014
9. 熊田博明. 次世代がん放射線治療: BNCT の確立に向けて. 長瀬ランダウア「NL だより」 440(8):1, 2014
10. 虎口大介, 布施拓, 藤崎達也, 猪平将也, 今泉美優, 神戸勇汰, 平谷尚暉. 陽子線治療における体内金属の検討. 日本放射線技術学会雑誌 70(9):1017, 2014
11. 櫻井英幸, 石川仁, 福光延吉, 栗飯原輝人, 大西かよ子, 水本斉志, 室伏景子, 沼尻晴子, 大城佳子, 林靖孝, 奥村敏之, 榮武二, 坪井康次. 【外科切除適応の境界領域-Borderline resectable

- cancer への対応】 診断/術前療法 難治性腫瘍における術前(化学)放射線治療の意義 外科をサポートするための周術期放射線治療を目指して. 臨床外科 69(12):1310-1314, 2014
12. 志田隆史, 小野塚太郎, 呉世昶, 上牧隆, 磯辺智範, 岡本嘉一, 矢藤繁, 島野仁, 正田純一. 肥満と糖尿病が肝脂肪化と線維化に及ぼす影響と病態関連因子の解析. 超音波医学 41(Suppl.):S598, 2014
  13. 志田隆史, 小野塚太郎, 呉世昶, 磯辺智範, 岡本嘉一, 矢藤繁, 島野仁, 正田純一. 非アルコール性脂肪性肝疾患における中高度肥満と糖尿病が肝病態に及ぼす影響と病態関連因子の解析. 肝臓 55(Suppl.1):A450, 2014
  14. 高田健太, 高橋昭久, 佐藤英介, 飯森隆志, 笈田将皇, 千田浩一, 磯辺智範. 班報告 温熱療法における効率的な加温技術の構築. 日本放射線技術学会雑誌 70(9):1019, 2014
  15. 田中圭一, 栗飯原輝人, 熊田博明, 福光延吉, 奥村敏之, 石川仁, 大西かよ子, 水本斉志, 沼尻晴子, 和田哲郎, 原晃, 碓田猛真, 鈴木実, 櫻井英幸. 筑波大学における BNCT 臨床研究再開計画について. 頭頸部癌 40(2):225, 2014
  16. 布施拓, 榮武二, 照沼利之, 神澤聡, 瀬川達矢, 吉村洋祐, 山梨宏一, 佐藤勝, 櫻井英幸. 陽子線治療装置におけるアイソセンタ検証ツールの使用経験. 医学物理 33(4):166-170, 2014
  17. 山梨宏一, 熊田博明, 高田健太, 小滝幸平, 瀬瀬純一, 榮武二. BNCT 治療計画システムの線量計算に使用するヒストリ数の検証. 日本放射線技術学会雑誌 70(9):969, 2014
- 3) 英文著書
1. Kumada H. Volume 8. Section 8.13 Nuutron Source; in "Comprehensive Biomedical Physics (1st edition)" (edited by Brahme A et al), Elsevier B.V (Netherlands) 2014; pp197-217
  2. Sakurai H, Okumura T, Fukumitsu N, Ishikawa H, Ohnishi K, Mizumoto M, Terunuma T, Kumada H, Sakae T. 7. Proton Beam Therapy for Hepatocellular Carcinoma; in "Thearapy for Hepatocellular Carcinoma Etiology and Treatment (1st edition)" (edited by Ohkohchi N), Nova Science Publishers (New York) 2014; pp243-308
- 4) 英文以外の著書
1. 磯辺智範. 若葉マークの画像解剖学. メディカルビュー社 (東京) 2014年 (全 650 ページ)
  2. "臨床工学技士 グリーン・ノート 基礎編 (第 1 版)" (企画協力 磯辺智範), メディカルビュー社 (東京) 2014 年
  3. "臨床工学技士 グリーン・ノート 臨床編 (第 1 版)" (企画協力 磯辺智範), メディカルビュー社 (東京) 2014 年
  4. 熊田博明. 第IV分冊. 3章 放射線利用・研究炉 3.2.5BNCT 用ビームの取出し、照射設備; "原子力・量子・核融合事典 (全VI分冊)" (編集 工藤和彦、他), 丸善出版 (東京) 2014; pp138-139

## 放射線生物学

### 1) 英文論文

1. Fukumitsu N, Ishikawa H, Ohnishi K, Terunuma T, Mizumoto M, Numajiri H, Aihara T, Okumura T, Tsuboi K, Sakae T, Sakurai H. Dose distribution resulting from changes in aeration of nasal cavity or paranasal sinus cancer in the proton therapy. *Radiother Oncol* 113(1):72-76, 2014
2. Kanemoto A, Hirayama R, Moritake T, Furusawa Y, Sun L, Sakae T, Kuno A, Terunuma T, Yasuoka K, Mori Y, Tsuboi K, Sakurai H. RBE and OER within the spread-out Bragg peak for proton beam therapy: in vitro study at the Proton Medical Research Center at the University of Tsukuba. *J Radiat Res* 55(5):1028-1032, 2014
3. Mizumoto M, Oshiro Y, Okumura T, Fukuda K, Fukumitsu N, Abei M, Ishikawa H, Ohnishi K, Numajiri H, Tsuboi K, Sakurai H. Association between pretreatment retention rate of indocyanine green 15 min after administration and life prognosis in patients with HCC treated by proton beam therapy. *Radiother Oncol* 113(1):54-59, 2014
4. Mizumoto M, Yamamoto T, Takano S, Ishikawa E, Matsumura A, Ishikawa H, Okumura T, Sakurai H, Miyatake S, Tsuboi K. Long-term survival after treatment of glioblastoma multiforme with hyperfractionated concomitant boost proton beam therapy. *Pract Radiat Oncol* doi: 10.1016/j.prro.2014.03.012, 2014
5. Ohkawa A, Mizumoto M, Ishikawa H, Abei M, Fukuda K, Hashimoto T, Sakae T, Tsuboi K, Okumura T, Sakurai H. Proton beam therapy for unresectable intrahepatic cholangiocarcinoma. *J Gastroenterol Hepatol* doi: 10.1111/jgh.12843, 2014
6. Sun L, Mizuno Y, Iwamoto M, Goto T, Koguchi Y, Miyamoto Y, Tsuboi K, Chida K, Moritake T. Direct measurement of a patient's entrance skin dose during pediatric cardiac catheterization. *J Radiat Res* 55(6):1122-1130, 2014
7. Gerelchuluun A, Zhu J, Su F, Asaithamby A, Chen DJ, Tsuboi K. Homologous recombination pathway may play a major role in high-LET radiation-induced DNA double-strand break repair. *J Radiat Res* 55(Suppl 1):i83-i84, 2014

### 2) 英文以外の論文

1. 櫻井英幸, 石川仁, 福光延吉, 栗飯原輝人, 大西かよ子, 水本斉志, 室伏景子, 沼尻晴子, 大城佳子, 林靖孝, 奥村敏之, 榮武二, 坪井康次. 【外科切除適応の境界領域-Borderline resectable cancer への対応】 診断/術前療法 難治性腫瘍における術前(化学)放射線治療の意義 外科をサポートするための周術期放射線治療を目指して. *臨床外科* 69(12):1310-1314, 2014
2. 福光延吉, 奥村敏之, 石川仁, 大西かよ子, 水本斉志, 沼尻晴子, 坪井康次, 櫻井英幸. 【肝がん: 診断と治療の進歩】 治療法の進歩 肝がんの放射線治療. *日本内科学会雑誌* 103(1):116-122, 2014

## 生命反応化学

### 1) 英文論文

1. Akiba H, Sumaoka J, Hamakubo T, Komiyama M. Conjugation-free, visual, and quantitative evaluation of inhibitors on protein tyrosine kinases and phosphatases with a luminescent Tb(III) complex. *Anal Bioanal Chem* 406(12):2957-2964, 2014
2. Ito K, Komiyama M. Site-selective scission of human genome using PNA-based artificial restriction DNA cutter. *Methods Mol Biol* 1050:111-120, 2014
3. Li X, Muneoka S, Shigi N, Sumaoka J, Komiyama M. Clipping of predetermined fragments from human genome by S1 nuclease-PNA combinations. *Chem. Commun.* 50(63):8674-8676, 2014
4. Sumaoka J, Komiyama M. Molecular Crowding Facilitates Double-duplex Invasion of Pseudo-complementary Peptide Nucleic Acid in High Salt Medium. *Chem. Lett.* 43(10):1581-1583, 2014
5. Tanaka M, Shigi N, Sumaoka J, Komiyama M. Thiazole orange-conjugated peptide nucleic acid for fluorescent detection of specific DNA sequences and site-selective photodamage. *RSC Adv.* 4:63533-63538, 2014
6. Xu Y, Suzuki Y, Ishizuka T, Xiao C-D, Liu X, Hayashi T, Komiyama M. Finding of a human telomere DNA-RNA hybrid G-quadruplex formed by human telomeric 6-mer RNA and 16-mer DNA using click chemistry: A protective structure for telomere end. *Bioorg. Med. Chem.* 22(16):4419-4421, 2014
7. Yamazaki T, Heddle JG, Kuzuya A, Komiyama M. Orthogonal enzyme arrays on a DNA origami scaffold bearing size-tunable wells. *Nanoscale* 6(15):9122-9126, 2014

## 環境生物学

### 1) 英文論文

1. Abiko Y, Mizokawa M, Kumagai Y. Activation of the Kelch-like ECH-associated protein 1 (Keap1)/NF-E2-related factor 2 (Nrf2) pathway through covalent modification of the 2-alkenal group of aliphatic electrophiles in *Coriandrum sativum* L. *J Agric Food Chem* 62(45):10936-10944, 2014
2. Asahi M, Kawai M, Toyama T, Kumagai Y, Chuesaard T, Tang N, Kameda T, Hayakawa K, Toriba A. Identification and quantification of in vivo metabolites of 9,10-phenanthrenequinone in human urine associated with producing reactive oxygen species. *Chem Res Toxicol* 27(1):76-85, 2014
3. Contu VR, Kotake Y, Toyama T, Okuda K, Miyara M, Sakamoto S, Samizo S, Sanoh S, Kumagai Y, Ohta S. Endogenous neurotoxic dopamine derivative covalently binds to Parkinson's

- disease-associated ubiquitin C-terminal hydrolase L1 and alters its structure and function. *J Neurochem* 130(6):826-838, 2014
4. Fujiwara Y, Yamamoto C, Yoshida E, Kumagai Y, Kaji T. Heparan sulfate chains potentiate cadmium cytotoxicity in cultured vascular endothelial cells. *Arch Toxicol* doi: 10.1007/s00204-014-1420-6, 2014
  5. Hagiya Y, Kamata S, Mitsuoka S, Okada N, Yoshida S, Yamamoto J, Ohkubo R, Abiko Y, Yamada H, Akahoshi N, Kasahara T, Kumagai Y, Ishii I. Hemizygoty of transsulfuration genes confers increased vulnerability against acetaminophen-induced hepatotoxicity in mice. *Toxicol Appl Pharmacol* doi: 10.1016/j.taap.2014.11.015, 2014
  6. Ida T, Sawa T, Ihara H, Tsuchiya Y, Watanabe Y, Kumagai Y, Suematsu M, Motohashi H, Fujii S, Matsunaga T, Yamamoto M, Ono K, Devarie-Baez NO, Xian M, Fukuto JM, Akaike T. Reactive cysteine persulfides and S-polythiolation regulate oxidative stress and redox signaling. *Proc Natl Acad Sci U S A* 111(21):7606-7611, 2014
  7. Kanda H, Shinkai Y, Kumagai Y. S-mercuration of cellular proteins by methylmercury and its toxicological implications. *J Toxicol Sci* 39(5):687-700, 2014
  8. Makino K, Okuda K, Sugino E, Nishiya T, Toyama T, Iwawaki T, Fujimura M, Kumagai Y, Uehara T. Correlation between attenuation of protein disulfide isomerase activity through S-mercuration and neurotoxicity induced by methylmercury. *Neurotox Res* doi: 10.1007/s12640-014-9494-8, 2014
  9. Ono K, Akaike T, Sawa T, Kumagai Y, Wink DA, Tantillo DJ, Hobbs AJ, Nagy P, Xian M, Lin J, Fukuto JM. Redox chemistry and chemical biology of H<sub>2</sub>S, hydropersulfides, and derived species: implications of their possible biological activity and utility. *Free Radic Biol Med* 77:82-94, 2014
  10. Toyama T, Shinkai Y, Yazawa A, Kakehashi H, Kaji T, Kumagai Y. Glutathione-mediated reversibility of covalent modification of ubiquitin carboxyl-terminal hydrolase L1 by 1,2-naphthoquinone through Cys152, but not Lys4. *Chem Biol Interact* 214:41-48, 2014
  11. Yoshida E, Abiko Y, Kumagai Y. Glutathione adduct of methylmercury activates the Keap1-Nrf2 pathway in SH-SY5Y cells. *Chem Res Toxicol* 27(10):1780-1786, 2014

## 2) 英文以外の論文

1. Fujie T, Naka H, Yamamoto C, Shinkai Y, Kumagai Y, Kaji T. Activation of cellular defense mechanism by organic-inorganic hybrid molecules. *Yakugaku Zasshi* 134(7):813-5, 2014
2. Nishida M, Toyama T, Kumagai Y, Numaga-Tomita T. Establishment of a novel therapeutic strategy for heart failure based on the mechanism underlying maintenance of redox homeostasis by reactive sulfur species. *Yakugaku Zasshi* 134(12):1239-43, 2014

## 4) 英文以外の著書

1. 熊谷嘉人. 19. 活性酸素による化学修飾とセンサータンパク質; "酸化ストレスの医学 (改訂

- 第2版)”(監修 吉川敏一, 編集 内藤裕二, 豊國伸哉), 診断と治療社(東京)2014; pp154-160
2. 澤智裕, 熊谷嘉人, 赤池孝章. 32. たくさん繋がる S; "実験医学増刊「驚愕の代謝システム」”(編集 末松誠, 杉浦悠毅), 羊土社(東京)2014; pp46-50

## 環境分子生物学

### 1) 英文論文

1. Kawasaki A, Furukawa H, Nishida N, Warabi E, Kondo Y, Ito S, Matsumoto I, Kusaoi M, Amano H, Suda A, Nagaoka S, Setoguchi K, Nagai T, Hirohata S, Shimada K, Sugii S, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Okamoto A, Kono H, Tokunaga K, Takasaki Y, Hashimoto H, Sumida T, Tohma S, Tsuchiya N. Association of functional polymorphisms in interferon regulatory factor 2 (IRF2) with susceptibility to systemic lupus erythematosus: a case-control association study. *PLoS One* 9(10):e109764, 2014
2. Kurosawa M, Matsumoto G, Kino Y, Okuno M, Kurosawa-Yamada M, Washizu C, Taniguchi H, Nakaso K, Yanagawa T, Warabi E, Shimogori T, Sakurai T, Hattori N, Nukina N. Depletion of p62 reduces nuclear inclusions and paradoxically ameliorates disease phenotypes in Huntington's model mice. *Hum Mol Genet* doi: 10.1093/hmg/ddu522, 2014
3. Seto K, Shoda J, Horibe T, Warabi E, Kohno M, Yanagawa T, Bukawa H, Nakanuma Y, Kawakami K. Targeting interleukin-4 receptor alpha by hybrid Peptide for novel biliary tract cancer therapy. *Int J Hepatol* 2014:584650, 2014
4. Tanji K, Odagiri S, Miki Y, Maruyama A, Nikaido Y, Mimura J, Mori F, Warabi E, Yanagawa T, Ueno S, Itoh K, Wakabayashi K. p62 Deficiency Enhances alpha-Synuclein Pathology in Mice. *Brain Pathol* doi: 10.1111/bpa.12214, 2014

### 2) 英文以外の論文

1. 蕨栄治. p62/Sequestosomel の生理機能. 生化学 86(6):783-787, 2014

## 環境微生物学

### 1) 英文論文

1. Konishi M, Ohkura T, Shimizu M, Akiyama M, Kameyama K, Takeuchi K. Complete genome sequence of the first isolate of genotype C bovine parainfluenza virus type 3 in Japan. *Genome Announc* 2(6): e01215-14, 2014
2. Ohkura T, Minakuchi M, Sagai M, Kokuho T, Konishi M, Kameyama K, Takeuchi K. Infection of the

- upper respiratory tract of hamsters by the bovine parainfluenza virus type 3 BN-1 strain expressing enhanced green fluorescent protein. *Virology* doi: 10.1016/j.virol.2014.12.015, 2014
3. Ohkura T, Momose F, Ichikawa R, Takeuchi K, Morikawa Y. Influenza A virus hemagglutinin and neuraminidase mutually accelerate their apical targeting through clustering of lipid rafts. *J Virol* 88(17):10039-10055, 2014
  4. Onuki K, Sugiyama H, Ishige K, Kawamoto T, Ota T, Ariizumi S, Yamato M, Kadota S, Takeuchi K, Ishikawa A, Onodera M, Onizawa K, Yamamoto M, Miyoshi E, Shoda J. Expression of N-acetylglucosaminyltransferase V in the subserosal layer correlates with postsurgical survival of pathological tumor stage 2 carcinoma of the gallbladder. *J Gastroenterol* 49(4):702-714, 2014
  5. Oshiro Y, Yasue H, Takahashi K, Hattori S, Ideno S, Urayama T, Chiba M, Osari S, Naito T, Takeuchi K, Nagata K, Ohkohchi N. Mode of swine hepatitis E virus infection and replication in primary human hepatocytes. *J Gen Virol* 95(Pt 12):2677-2682, 2014
  6. Otani S, Ayata M, Takeuchi K, Takeda M, Shintaku H, Ogura H. Biased hypermutation occurred frequently in a gene inserted into the IC323 recombinant measles virus during its persistence in the brains of nude mice. *Virology* 462-463:91-97, 2014

## 分子発生生物学

### 2) 英文以外の論文

1. 田中佐代子, 小林麻己人, 三輪佳宏. 「科学者のためのビジュアルデザインハンドブック」の有用性と問題点. 芸術研究報 34:35-46, 2014

## 環境保健学（産業精神医学・宇宙医学）

### 1) 英文論文

1. Doki S, Sasahara S, Matsuzaki I. Psychological approach of occupational health service to sick leave due to mental problems: a systematic review and meta-analysis. *Int Arch Occup Environ Health* doi: 10.1007/s00420-014-0996-8, 2014
2. Doki S, Sasahara S, Suzuki S, Hirai Y, Matsuzaki I. Health habits and stress coping among Japanese local government workers: A cross-sectional study. *Journal of physical fitness nutrition and immunology* 24(2):64-69, 2014
3. Hirai Y, Kobayashi N, Oi Y, Usami K, Sasahara S, Matsuzaki I. Changes of readiness to return to work of users' in a Japanese social firm: a longitudinal study. *Journal of physical fitness nutrition and immunology* 24(2):70-78, 2014

## 2) 英文以外の論文

1. 平井康仁, 小林直紀, 友常祐介, 関昭宏, 大井雄一, 宇佐見和哉, 笹原信一郎, 松崎一葉. 心の健康問題による休業者の復職支援:事業規模別の事業場外資源に対する認知について. 体力・栄養・免疫学雑誌 24(2):90-98, 2014
2. 平井康仁, 鈴木瞬, 道喜将太郎, 金子秀敏, 小林直紀, 関昭宏, 商真哲, 羽岡健史, 大井雄一, 梅田忠敬, 宇佐見和哉, 友常祐介, 吉野聡, 笹原信一郎, 松崎一葉. 筑波研究学園都市の労働者を対象とした主観的健康感の実態調査. 厚生指標 61(2):22-28, 2014

## 4) 英文以外の著書

1. 宇佐見和哉. 事例でなっとく! 精神科産業医が教える 障害年金請求に必要な精神障害の知識と具体的対応. 日本法令 2014年 (全 273 ページ)