

2012年業績

【原著】

NO.1 Date A, Yamagata K, Onizawa K, Yanagawa T, Karube R, Ishibashi N, Bukawa H:Inflammatory pseudotumor: report of a case in the mandible. Oral Maxillofac Surg 16 (1): 65-68, 2012

NO.2 Goto M, Onizawa K, Yanagawa T, Yamagata K, Shinozuka K, Nishikii H, Koganemaru H, Chiba S, Bukawa H:Human immunodeficiency virus-associated Burkitt's lymphoma in oral cavity of Japanese patient. J Oral Maxillofac Surg 70 (8): 1885-1890, 2012

NO.3 Ishibashi N, Yamagata K, Sasaki H, Seto K, Shinya Y, Ito H, Shinozuka K, Yanagawa T, Onizawa, K, Bukawa H:Real-time tissue elastography for the diagnosis of lymph node metastasis in oral squamous cell carcinoma. Ultrasound Med Biol 38 (3): 389-395, 2012

NO.4 Ishibashi N, Yanagawa T, Yamagata K, Karube R, Shinozuka K, Nagata C, Noguchi M, Onizawa K, Bukawa H:Basal cell adenoma arising in a minor salivary gland of the palate. Oral Maxillofac Surg 16 (1): 111-114, 2012

NO.5 Ishii T, Warabi E, Yanagawa T:Novel roles of peroxiredoxins in inflammation, cancer and innate immunity. J Clin Biochem Nutr 50 (2): 91-105, 2012

NO.6 Karube R, Sasaki H, Shinozuka K, Fujisawa Y, Yanagawa T, Yamagata K, Onizawa K, Otsuka F, Bukawa H: Angiosarcoma of the scalp diagnosed by the presence of neck inflammation: a case report. Int J Oral Sci 4 (3): 166-169, 2012

NO.7 Karube R, Sasaki H, Togashi S, Yanagawa T, Nakane S, Ishibashi N, Yamagata K, Onizawa K, Adachi K, Tabuchi K, Sekido M, Bukawa H:A novel method for evaluating postsurgical results of unilateral cleft lip and palate with the use of Hausdorff distance: presurgical orthopedic treatment improves nasal symmetry after primary cheiloplasty. Oral Surg Oral Med Oral Pathol Oral Radiol 114 (6): 704-711, 2012

NO.8 Sasaki H, Togashi S, Karube R, Yanagawa T, Nakane S, Tabuchi K, Ishibashi N,

Shinya Y, Ito H, Yamagata K, Onizawa K, Adachi K, Sekido M, Bukawa H: Presurgical nasoalveolar molding orthopedic treatment improves the outcome of primary cheiloplasty of unilateral complete cleft lip and palate, as assessed by nasal morphology and cleft gap. *J Craniofac Surg* 23 (6): 1596–1601, 2012

NO. 10 Shichita T, Hasegawa E, Kimura A, Morita R, Sakaguchi R, Takada I, Sekiya T, Ooboshi H, Kitazono T, Yanagawa T, Ishii T, Takahashi H, Mori S, Nishibori M, Kuroda K, Akira S, Miyake K, Yoshimura A: Peroxiredoxin family proteins are key initiators of post-ischemic inflammation in the brain. *Nat Med* 18 (6): 911–917, 2012

NO. 11 Uchida F, Uzawa K, Kasamatsu A, Takatori H, Sakamoto Y, Ogawara K, Shiiba M, Tanzawa H, Bukawa H: Overexpression of cell cycle regulator CDCA3 promotes oral cancer progression by enhancing cell proliferation with prevention of G1 phase arrest. *BMC Cancer* 12: 321, 2012

NO. 12 Uzawa K, Baba T, Uchida F, Yamatoji M, Kasamatsu A, Sakamoto Y, Ogawara K, Shiiba M, Bukawa H, Tanzawa H: Circulating tumor-derived mutant mitochondrial DNA: a predictive biomarker of clinical prognosis in human squamous cell carcinoma. *Oncotarget* 3 (7): 670–677, 2012

NO. 13 Yamagata K, Arai C, Sasaki H, Takeuchi Y, Onizawa K, Yanagawa T, Ishibashi N, Karube R, Shinozuka K, Hasegawa Y, Chiba S, Bukawa H: The effect of oral management on the severity of oral mucositis during hematopoietic SCT. *Bone Marrow Transplant* 47 (5): 725–730, 2012

NO. 14 Yanagisawa R, Warabi E, Inoue K, Yanagawa T, Koike E, Ichinose T, Takano H, Ishii T: Peroxiredoxin I null mice exhibits reduced acute lung inflammation following ozone exposure. *J Biochem* 152 (6): 595–601, 2012

NO. 15 武内保敏, 後藤麻希子, 鬼澤浩司郎, 山縣憲司, 柳川徹, 武川寛樹: 抗血栓療法継続

下にインプラント治療を行った5例の検討. 日本先進インプラント医療学会誌 3 (1): 45-47, 2012

NO. 16 若月俊典, 山縣憲司, 柳川 徹, 鬼澤浩司郎, 吉田 廣, 武川寛樹:抜歯後 PT-INR 上昇に伴い後出血を生じたワルファリン内服患者の2例. 茨城県歯科医学会誌 20: 3-6, 2012

【著書】

NO. 1 Yamagata K, Bukawa H: Chapter 4. Docetaxel in the Management of Patients with Head and Neck Squamous Cell Carcinoma; in "Horizons in Cancer Research Volume 50" (edited by Hiroto S Watanabe), Nova Science Publishers (New York) 2012; pp77-100