

<リサーチユニット・リサーチグループ>

<リサーチユニット・リサーチグループ>

感染生物学	3
神経分子病態解析学	5
難治性免疫疾患・アレルギー	8
腫瘍特異的ヘムポルフィリン代謝を利用した診断・治療法開発	16
次世代型粒子線がん治療の確立研究	24
ゲノム医科学	35
分子スピトロロジー	43
脂質エネルギー代謝	46
ヘルスサービス	60
生体機能制御・再生研究グループ	75
筑波発ナノ粒子の包括的臨床応用	81
先端医療技術・生体材料・医療機器臨床応用	88
絆社会継続発展モデルとしての小児難病総合	91
血小板による新規肝疾患治療法開発	107
シグナル伝達と疾患	110
前臨床がん研究	114
3D-CGバーチャル手術シミュレーションシステム	124
神経生理学	127
行動決定の脳内情報処理機構	129
統合的神経回路	131
基礎・社会・臨床医学の連携による健康長寿の実現	134
心臓血管	148
女性の健康と母性看護学に関連する研究	165
聴覚障害発症機序の解明に関する検討	167
がん看護・緩和ケア	169
レギュラトリーサイエンス	170
心肺脳蘇生	173
ソーシャルインクルージョン	174
ニュートリゲノミクス	177
脳腫瘍研究	179
放射線基礎医学	181
肺高血圧症・肺循環障害	186
脊髄脊椎疾患	188
角化制御因子	189
気候変動と健康	195

感染生物学

1) 英文論文

1. Binh NT, Wakai C, Kawaguchi A, Nagata K. The N-terminal region of influenza virus polymerase PB1 adjacent to the PA binding site is involved in replication but not transcription of the viral genome. *Front Microbiol* 4:398, 2013
2. Binh NT, Wakai C, Kawaguchi A, Nagata K. Involvement of the N-terminal portion of influenza virus RNA polymerase subunit PB1 in nucleotide recognition. *Biochem Biophys Res Commun* doi: 10.1016/j.bbrc.2013.12.071, 2013
3. Czene A, Nemeth E, Zoka IG, Jakab-Simon NI, Kortvelyesi T, Nagata K, Christensen HE, Gyurcsik B. The role of the N-terminal loop in the function of the colicin E7 nuclease domain. *J Biol Inorg Chem* 18(3):309-321, 2013
4. Czene A, Toth E, Gyurcsik B, Otten H, Poulsen JC, Lo Leggio L, Larsen S, Christensen HE, Nagata K. Crystallization and preliminary crystallographic analysis of an Escherichia coli-selected mutant of the nuclease domain of the metallo-nuclease colicin E7. *Acta Crystallogr Sect F Struct Biol Cryst Commun* 69(Pt 5):551-554, 2013
5. Haruyama T, Nagata K. Anti-influenza virus activity of Ginkgo biloba leaf extracts. *J Nat Med* 67(3):636-642, 2013
6. Hisaoka M, Nagata K, Okuwaki M. Intrinsically disordered regions of nucleophosmin/B23 regulate its RNA binding activity through their inter- and intra-molecular association. *Nucleic Acids Res* doi: 10.1093/nar/gkt897, 2013
7. Komaki-Yasuda K, Okuwaki M, Nagata K, Kawazu S, Kano S. Identification of a novel and unique transcription factor in the intraerythrocytic stage of Plasmodium falciparum. *PLoS One* 8(9):e74701, 2013
8. Komatsu T, Sekiya T, Nagata K. DNA replication-dependent binding of CTCF plays a critical role in adenovirus genome functions. *Sci Rep* 3:2187, 2013
9. Matsubara K, Fujino M, Takeuchi K, Iwata S, Nakayama T. A new method for the detection of neutralizing antibodies against mumps virus. *PLoS One* 8(7):e65281, 2013
10. Nagata S, Maedera T, Nagata N, Kidokoro M, Takeuchi K, Kuranaga M, Takeda M, Kato A. Comparison of the live attenuated mumps vaccine (Miyahara strain) with its preattenuated parental strain. *J Vaccines Immun* 1(2):13-21, 2013
11. Oaks JJ, Santhanam R, Walker CJ, Roof S, Harb JG, Ferencak G, Eisfeld AK, Van Brocklyn JR, Briesewitz R, Saddoughi SA, Nagata K, Bittman R, Caligiuri MA, Abdel-Wahab O, Levine R, Arlinghaus RB, Quintas-Cardama A, Goldman JM, Apperley J,

- Reid A, Milojkovic D, Ziolo MT, Marcucci G, Ogretmen B, Neviani P, Perrotti D. Antagonistic activities of the immunomodulator and PP2A-activating drug FTY720 (Fingolimod, Gilenya) in Jak2-driven hematologic malignancies. *Blood* 122(11):1923-1934, 2013
12. Ohkura T, Kokuho T, Konishi M, Kameyama K, Takeuchi K. Complete Genome Sequences of Bovine Parainfluenza Virus Type 3 Strain BN-1 and Vaccine Strain BN-CE. *Genome Announc* 1(1): e00247-12, 2013
 13. Ohniwa RL, Muchaku H, Saito S, Wada C, Morikawa K. Atomic force microscopy analysis of the role of major DNA-binding proteins in organization of the nucleoid in Escherichia coli. *PLoS One* 8(8):e72954, 2013
 14. Ueshima S, Nagata K, Okuwaki M. Upstream binding factor-dependent and pre-rRNA transcription-independent association of pre-rRNA processing factors with rRNA gene. *Biochem Biophys Res Commun* doi: 10.1016/j.bbrc.2013.11.039, 2013
 15. Ueta M, Wada C, Daifuku T, Sako Y, Bessho Y, Kitamura A, Ohniwa RL, Morikawa K, Yoshida H, Kato T, Miyata T, Namba K, Wada A. Conservation of two distinct types of 100S ribosome in bacteria. *Genes Cells* 18(7):554-574, 2013
 16. Vong LB, Yoshitomi T, Morikawa K, Saito S, Matsui H, Nagasaki Y. Oral nanotherapeutics: effect of redox nanoparticle on microflora in mice with dextran sodium sulfate-induced colitis. *J Gastroenterol* doi: 10.1007/s00535-013-0836-8, 2013
 17. Wakimoto H, Shimodo M, Satoh Y, Kitagawa Y, Takeuchi K, Gotoh B, Itoh M. F-actin modulates measles virus cell-cell fusion and assembly by altering the interaction between the matrix protein and the cytoplasmic tail of hemagglutinin. *J Virol* 87(4):1974-1984, 2013
 18. Yageta Y, Ishii Y, Morishima Y, Ano S, Ohtsuka S, Matsuyama M, Takeuchi K, Itoh K, Yamamoto M, Hizawa N. Carbocysteine Reduces Viral-Induced Pulmonary Inflammation in Mice Exposed to Cigarette Smoke. *Am J Respir Cell Mol Biol* doi: 10.1165/rcmb.2012-0292OC, 2013

神経分子病態解析学

1) 英文論文

1. Akamatsu M, Takuma H, Yamashita T, Okada T, Keino-Masu K, Ishii K, Kwak S, Masu M, Tamaoka A. A unique mouse model for investigating the properties of amyotrophic lateral sclerosis-associated protein TDP-43, by in utero electroporation. *Neurosci Res* 77(4):234-241, 2013
2. Baba O, Yamagata K, Tomidokoro Y, Tamaoka A, Itoh H, Yanagawa T, Onizawa K, Bukawa H. Neuroleptic malignant syndrome in a patient with tongue cancer: a report of a rare case. *Case Rep Dent* 2013:542130, 2013
3. Egawa N, Kitaoka S, Tsukita K, Naitoh M, Takahashi K, Yamamoto T, Adachi F, Kondo T, Okita K, Asaka I, Aoi T, Watanabe A, Yamada Y, Morizane A, Takahashi J, Ayaki T, Ito H, Yoshikawa K, Yamawaki S, Suzuki S, Watanabe D, Hioki H, Kaneko T, Makioka K, Okamoto K, Takuma H, Tamaoka A, Hasegawa K, Nonaka T, Hasegawa M, Kawata A, Yoshida M, Nakahata T, Takahashi R, Marchetto MC, Gage FH, Yamanaka S, Inoue H. Response to comment on "Drug screening for ALS using patient-specific induced pluripotent stem cells". *Sci Transl Med* 5(188):188r182, 2013
4. Hosaka A, Araki W, Oda A, Tomidokoro Y, Tamaoka A. Statins reduce amyloid β -peptide production by modulating amyloid precursor protein maturation and phosphorylation through a cholesterol-independent mechanism in cultured neurons. *Neurochem Res* 38(3):589-600, 2013
5. Hoshino S, Sakamoto K, Vassilopoulos S, Camus SM, Griffin CA, Esk C, Torres JA, Ohkoshi N, Ishii A, Tamaoka A, Funke BH, Kucherlapati R, Margeta M, Rando TA, Brodsky FM. The CHC22 clathrin-GLUT4 transport pathway contributes to skeletal muscle regeneration. *PLoS One* 8(10):e77787, 2013
6. Hosokawa M, Arai T, Yamashita M, Tsuji H, Nonaka T, Masuda-Suzukake M, Tamaoka A, Hasegawa M, Akiyama H. Differential diagnosis of amyotrophic lateral sclerosis from Guillain-Barre syndrome by quantitative determination of TDP-43 in cerebrospinal fluid. *Int J Neurosci* doi: 10.3109/00207454.2013.848440, 2013
7. Ishii A, Ohkoshi N, Yoshida M, Tamaoka A. The effect of water-soluble fullerene with different number of hydroxyl groups in muscle regeneration process of experimental murine skeletal muscle. *Neuromuscular Disorders* 23(9-10):838, 2013
8. Ichikawa Y, Ishiura H, Mitsui J, Takahashi Y, Kobayashi S, Takuma H, Kanazawa I, Doi K, Yoshimura J, Morishita S, Goto J, Tsuji S. Exome analysis reveals a Japanese family with

- spinocerebellar ataxia, autosomal recessive 1. *J Neurol Sci* 331(1-2):158-160, 2013
9. Iwata A, Nagata K, Hatsuta H, Takuma H, Bundo M, Iwamoto K, Tamaoka A, Murayama S, Saido T, Tsuji S. Altered CpG methylation in sporadic Alzheimer's disease is associated with APP and MAPT dysregulation. *Hum Mol Genet* doi: 10.1093/hmg/ddt451, 2013
 10. Nakamagoe K, Fujizuka N, Koganezawa T, Shimizu K, Takiguchi S, Horaguchi T, Ishii K, Tamaoka A. Residual central nervous system damage due to organoarsenic poisoning. *Neurotoxicol Teratol* 37:33-38, 2013
 11. Nakamagoe K, Fujizuka N, Koganezawa T, Yamaguchi T, Tamaoka A. Downbeat nystagmus associated with damage to the medial longitudinal fasciculus of the pons: a vestibular balance control mechanism via the lower brainstem paramedian tract neurons. *J Neurol Sci* 328(1-2):98-101, 2013
 12. Umeda T, Yamashita T, Kimura T, Ohnishi K, Takuma H, Ozeki T, Takashima A, Tomiyama T, Mori H. Neurodegenerative disorder FTDP-17-related tau intron 10 +16C --> T mutation increases tau exon 10 splicing and causes tauopathy in transgenic mice. *Am J Pathol* 183(1):211-225, 2013

2) 英文以外の論文

1. 塩谷彩子, 詫間浩, 石井亜紀子, 山口清次, 玉岡晃. 緩徐進行性の筋力低下を主訴とし、ETFDH 遺伝子に変異を認めた成人発症グルタル酸尿症 2 型の 31 歳男性例. *臨床神経学* 53(2):167, 2013
2. 山口哲人, 石井一弘, 河野豊, 玉岡晃. 歩行開始困難を認めた Orthostatic tremor の 75 歳男性例. *運動障害* 23(1):15-19, 2013
3. 山本詞子, 山口哲人, 玉岡晃. 多彩な自己抗体陽性を示した抗グルタミン酸受容体抗体陽性辺縁系脳炎の 1 例. *日本内科学会雑誌* 102(8):2057-2059, 2013

4) 英文以外の著書

1. 玉岡晃. Part 4. アルツハイマー病の症状、検査、診断. アルツハイマー病による認知症の診断; "からだの科学 (2013 SUMMER)" (山田正仁 編), 日本評論社 (東京) 2013; pp27878-27883
2. 玉岡晃. J. 神経・精神・運動器疾患. Alzheimer 病; "イヤート TOPICS 2013-2014 内科・外科疾患 (第 3 版)" (編集 岡庭豊, 荒瀬康司, 三角和雄), MEDICMEDIA (東京) 2013; pp296-298
3. 玉岡晃. II. 本年の動向. 新しいアルツハイマー病の診断基準; "Annual Review 2013 神

- 経” (編集 鈴木則宏, 祖父江元, 荒木信夫, 宇川義一, 川原信隆), 中外医学社 (東京) 2013; pp81-91
4. 玉岡晃, 第 14 章. 代謝性疾患. 葉酸欠乏; "今日の神経疾患治療指針 (第 2 版)" (編集 水澤英洋, 鈴木則宏, 梶龍兒, 吉良潤一, 神田隆, 斉藤延人), 医学書院 (東京) 2103 pp761-763
 5. 山本詞子, 石井亜紀子, 玉岡晃. 小児-9. 骨格筋画像検査が診断に有用であった小児型ポンペ病の 1 例; "ポンペ病症例集 早期診断・早期治療のために (第 1 版)" (編集 埜中征哉), Medical Tribune (東京) 2013; pp60-64

難治性免疫疾患・アレルギー

1) 英文論文

1. Ano S, Morishima Y, Ishii Y, Kawaguchi M, Matsuno Y, Hizawa N. Defecation-related asthma. *Intern Med* 52(6):685-687, 2013
2. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and RORgammat are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
3. Arai S, Maehara N, Iwamura Y, Honda S, Nakashima K, Kai T, Ogishi M, Morita K, Kurokawa J, Mori M, Motoi Y, Miyake K, Matsubashi N, Yamamura K, Ohara O, Shibuya A, Wakeland EK, Li QZ, Miyazaki T. Obesity-associated autoantibody production requires AIM to retain the immunoglobulin M immune complex on follicular dendritic cells. *Cell Rep* 3(4):1187-1198, 2013
4. Danisch S, Qiu Q, Seth S, Ravens I, Dorsch M, Shibuya A, Shibuya K, Forster R, Bernhardt G. CD226 interaction with CD155 impacts on retention and negative selection of CD8 positive thymocytes as well as T cell differentiation to follicular helper cells in Peyer's Patches. *Immunobiology* 218(2):152-158, 2013
5. Fujishiro SH, Nakano K, Mizukami Y, Azami T, Arai Y, Matsunari H, Ishino R, Nishimura T, Watanabe M, Abe T, Furukawa Y, Umeyama K, Yamanaka S, Ema M, Nagashima H, Hanazono Y. Generation of naive-like porcine-induced pluripotent stem cells capable of contributing to embryonic and fetal development. *Stem Cells Dev* 22(3):473-482, 2013
6. Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R. Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies. *Leuk Res Treatment* 2013:238528, 2013
7. Furukawa H, Kawasaki A, Oka S, Shimada K, Matsui T, Ikenaka T, Hashimoto A, Okazaki Y, Takaoka H, Futami H, Komiya A, Kondo Y, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Nagai T, Hirohata S, Setoguchi K, Suda A, Nagaoka S, Kono H, Okamoto A, Chiba N, Suematsu E, Fukui N, Hashimoto H, Sumida T, Ono M, Tsuchiya N, Tohma S. Association of a single nucleotide polymorphism in the SH2D1A intronic region with systemic lupus erythematosus. *Lupus* 22(5):497-503, 2013
8. Furukawa H, Oka S, Matsui T, Hashimoto A, Arinuma Y, Komiya A, Fukui N, Tsuchiya N,

- Tohma S. Genome, epigenome and transcriptome analyses of a pair of monozygotic twins discordant for systemic lupus erythematosus. *Hum Immunol* 74(2):170-175, 2013
9. Furukawa H, Oka S, Shimada K, Rheumatoid Arthritis-Interstitial Lung Disease Study C, Tsuchiya N, Tohma S. HLA-A*31:01 and methotrexate-induced interstitial lung disease in Japanese rheumatoid arthritis patients: a multidrug hypersensitivity marker? *Ann Rheum Dis* 72(1):153-155, 2013
 10. Furukawa H, Oka S, Shimada K, Sugii S, Hashimoto A, Komiya A, Fukui N, Nagai T, Hirohata S, Setoguchi K, Okamoto A, Chiba N, Suematsu E, Miyashita T, Migita K, Suda A, Nagaoka S, Tsuchiya N, Tohma S. Association of increased frequencies of HLA-DPB1*05:01 with the presence of anti-Ro/SS-A and anti-La/SS-B antibodies in Japanese rheumatoid arthritis and systemic lupus erythematosus patients. *PLoS One* 8(1):e53910, 2013
 11. Furukawa H, Oka S, Takehana K, Muramatsu T, Shimada K, Komiya A, Fukui N, Tsuchiya N, Tohma S. Plasma amino acid profiles in collagen disease patients with interstitial lung disease. *Immunome Research* 9:64, 2013
 12. Furukawa M, Tochigi M, Otowa T, Arinami T, Inada T, Ujike H, Watanabe Y, Iwata N, Itokawa M, Kunugi H, Hashimoto R, Ozaki N, Kakiuchi C, Kasai K, Sasaki T. An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population. *Psychiatr Genet* 23(4):179-180, 2013
 13. Furusawa T, Naka I, Yamauchi T, Natsuhara K, Eddie R, Kimura R, Nakazawa M, Ishida T, Inaoka T, Matsumura Y, Ataka Y, Ohtsuka R, Ohashi J. Hypertension-susceptibility gene prevalence in the Pacific Islands and associations with hypertension in Melanesia. *J Hum Genet* 58(3):142-149, 2013
 14. Genin E, Coustet B, Allanore Y, Ito I, Teruel M, Constantin A, Schaefferbeke T, Ruysen-Witrand A, Tohma S, Cantagrel A, Vittecoq O, Barnette T, Le Loet X, Fardellone P, Furukawa H, Meyer O, Fernandez-Gutierrez B, Balsa A, Gonzalez-Gay MA, Chiochia G, Tsuchiya N, Martin J, Dieude P. Epistatic interaction between BANK1 and BLK in rheumatoid arthritis: results from a large trans-ethnic meta-analysis. *PLoS One* 8(4):e61044, 2013
 15. Georgiev H, Danisch S, Chambers BJ, Shibuya A, Forster R, Bernhardt G. To the editor: TIGIT versus CD226: hegemony or coexistence? *Eur J Immunol* doi: 10.1002/eji.201343925, 2013
 16. Hamanaka S, Ooehara J, Morita Y, Ema H, Takahashi S, Miyawaki A, Otsu M, Yamaguchi T, Onodera M, Nakauchi H. Generation of transgenic mouse line expressing Kusabira Orange

- throughout body, including erythrocytes, by random segregation of provirus method. *Biochem Biophys Res Commun* 435(4):586-591, 2013
17. Hasegawa Y, Daitoku Y, Sekiguchi K, Tanimoto Y, Mizuno-Iijima S, Mizuno S, Kajiwara N, Ema M, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Novel ROSA26 Cre-reporter knock-in C57BL/6N mice exhibiting green emission before and red emission after Cre-mediated recombination. *Exp Anim* 62(4):295-304, 2013
 18. Hayashi M, Hirota T, Saeki H, Nakagawa H, Ishiuiji Y, Matsuzaki H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Tamari M. Genetic polymorphism in the TRAF3IP2 gene is associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* doi: 10.1016/j.jdermsci.2013.11.012, 2013
 19. Hizawa N. Pharmacogenetics of chronic obstructive pulmonary disease. *Pharmacogenomics* 14(10):1215-1225, 2013
 20. Horiuchi Y, Ishikawa M, Kaito N, Iijima Y, Tanabe Y, Ishiguro H, Arinami T. Experimental evidence for the involvement of PDLIM5 in mood disorders in hetero knockout mice. *PLoS One* 8(4):e59320, 2013
 21. Iijima H, Kaneko Y, Yamada H, Yatagai Y, Masuko H, Sakamoto T, Naito T, Hirota T, Tamari M, Konno S, Nishimura M, Noguchi E, Hizawa N. A distinct sensitization pattern associated with asthma and the thymic stromal lymphopoietin (TSLP) genotype. *Allergol Int* 62(1):123-130, 2013
 22. Imoto Y, Tokunaga T, Matsumoto Y, Hamada Y, Ono M, Yamada T, Ito Y, Arinami T, Okano M, Noguchi E, Fujieda S. Cystatin SN upregulation in patients with seasonal allergic rhinitis. *PLoS One* 8(8):e67057, 2013
 23. Inoue Y, Nakagawara R, Kambara T, Tanaka K, Seki K, Enomoto H, Noguchi E, Aihara M, Ikezawa Z. Prevalence of atopic dermatitis in Japanese infants treated with moisturizer since birth and its relation to FLG mutations. *Eur J Dermatol* 23(2):288-289, 2013
 24. Jimbo T, Masumoto K, Urita Y, Takayasu H, Shinkai T, Uesugi T, Gotoh C, Sakamoto N, Sasaki T, Oto T, Fukushima T, Noguchi E, Nakano Y. Nevoid basal cell carcinoma syndrome with a unilateral giant ovarian fibroma in a Japanese 6-year-old girl. *Eur J Pediatr* doi: 10.1007/s00431-013-2200-7, 2013
 25. Kaneko Y, Masuko H, Sakamoto T, Iijima H, Naito T, Yatagai Y, Yamada H, Konno S, Nishimura M, Noguchi E, Hizawa N. Asthma phenotypes in Japanese adults - their associations with the CCL5 and ADRB2 genotypes. *Allergol Int* 62(1):113-121, 2013

26. Kaneko Y, Yatagai Y, Yamada H, Iijima H, Masuko H, Sakamoto T, Hizawa N. The search for common pathways underlying asthma and COPD. *Int J Chron Obstruct Pulmon Dis* 8:65-78, 2013
27. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of beta cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
28. Kawaku S, Sato R, Song H, Bando Y, Arinami T, Noguchi E. Functional analysis of BRCA1 missense variants of uncertain significance in Japanese breast cancer families. *J Hum Genet* 58(9):618-621, 2013
29. Kawasaki A, Inoue N, Ajimi C, Sada KE, Kobayashi S, Yamada H, Furukawa H, Sumida T, Tohma S, Miyasaka N, Matsuo S, Ozaki S, Hashimoto H, Makino H, Harigai M, Tsuchiya N. Association of IRF5 polymorphism with MPO-ANCA-positive vasculitis in a Japanese population. *Genes Immun* 14(8):527-529, 2013
30. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galt1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
31. Kurokawa M, Matsukura S, Kawaguchi M, Ieki K, Suzuki S, Watanabe S, Homma T, Yamaguchi M, Takeuchi H, Adachi M. Interleukin-33-activated dendritic cells induce the production of thymus and activation-regulated chemokine and macrophage-derived chemokine. *Int Arch Allergy Immunol* 161 Suppl 2:52-57, 2013
32. Matsukura S, Kurokawa M, Homma T, Watanabe S, Suzuki S, Ieki K, Takeuchi H, Notomi K, Schleimer RP, Kawaguchi M, Kokubu F. Basic research on virus-induced asthma exacerbation: inhibition of inflammatory chemokine expression by fluticasone propionate. *Int Arch Allergy Immunol* 161 Suppl 2:84-92, 2013
33. Morishima Y, Ano S, Ishii Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Hizawa N. Th17-associated cytokines as a therapeutic target for steroid-insensitive asthma. *Clin Dev Immunol* 2013:609395, 2013
34. Nagai K, Tahara-Hanaoka S, Morishima Y, Tokunaga T, Imoto Y, Noguchi E, Kanemaru K, Imai M, Shibayama S, Hizawa N, Fujieda S, Yamagata K, Shibuya A. Expression and function of Allergin-1 on human primary mast cells. *PLoS One* 8(10):e76160, 2013
35. Naka I, Hikami K, Nakayama K, Koga M, Nishida N, Kimura R, Furusawa T, Natsuhara K, Yamauchi T, Nakazawa M, Ataka Y, Ishida T, Inaoka T, Iwamoto S, Matsumura Y, Ohtsuka

- R, Tsuchiya N, Ohashi J. A functional SNP upstream of the beta-2 adrenergic receptor gene (ADRB2) is associated with obesity in Oceanic populations. *Int J Obes (Lond)* 37(9):1204-1210, 2013
36. Naka I, Ohashi J, Kimura R, Inaoka T, Matsumura Y. Association of ADRB2 polymorphism with triglyceride levels in Tongans. *Lipids Health Dis* 12(1):110, 2013
37. Nishimoto M, Katano M, Yamagishi T, Hishida T, Kamon M, Suzuki A, Hirasaki M, Nabeshima Y, Nabeshima Y, Katsura Y, Satta Y, Deakin JE, Graves JA, Kuroki Y, Ono R, Ishino F, Ema M, Takahashi S, Kato H, Okuda A. In vivo function and evolution of the eutherian-specific pluripotency marker UTF1. *PLoS One* 8(7):e68119, 2013
38. Noguchi S, Hijikata M, Hamano E, Matsushita I, Ito H, Ohashi J, Nagase T, Keicho N. MxA transcripts with distinct first exons and modulation of gene expression levels by single-nucleotide polymorphisms in human bronchial epithelial cells. *Immunogenetics* 65(2):107-114, 2013
39. Oishi H, Tsubaki T, Miyazaki T, Ono M, Nose M, Takahashi S. A bacterial artificial chromosome transgene with polymorphic Cd72 inhibits the development of glomerulonephritis and vasculitis in MRL-Faslpr lupus mice. *J Immunol* 190(5):2129-2137, 2013
40. Oka S, Furukawa H, Kashiwase K, Tsuchiya N, Tohma S. A novel HLA-DQB1*04 allele, DQB1*04:10, identified in a Japanese individual. *Tissue Antigens* 82(2):148-149, 2013
41. Oka S, Furukawa H, Shimada K, Hayakawa H, Fukui N, Tsuchiya N, Tohma S. Serum biomarker analysis of collagen disease patients with acute-onset diffuse interstitial lung disease. *BMC Immunol* 14:9, 2013
42. Onuma H, Tabara Y, Kawamura R, Ohashi J, Nishida W, Takata Y, Ochi M, Nishimiya T, Kawamoto R, Kohara K, Miki T, Osawa H. Plasma resistin is associated with single nucleotide polymorphisms of a possible resistin receptor, the decorin gene, in the general Japanese population. *Diabetes* 62(2):649-652, 2013
43. Saeki H, Hirota T, Nakagawa H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Nakamura Y, Tamari M. Genetic polymorphisms in the IL22 gene are associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* 71(2):148-150, 2013
44. Sakurai H, Morishima Y, Itoguchi N, Ohtsuka S, Yamadori I, Oto T, Ishii Y, Sakamoto T, Noguchi M, Hizawa N. Broncho-bronchiolitis obliterans after living-donor lung transplantation: a unique manifestation of chronic allograft rejection. *Transplantation*

- 96(4):e29-30, 2013
45. Satoh H, Kagohashi K, Ohara G, Sato S, Miyazaki K, Nakazawa K, Tamura T, Kurishima K, Kawaguchi M, Hizawa N. Use of tiotropium in patients with COPD aged 80 years and older. *Exp Ther Med* 5(4):997-1000, 2013
 46. Shibata H, Yamamoto K, Sun Z, Oka A, Inoko H, Arinami T, Inada T, Ujike H, Itokawa M, Tochigi M, Watanabe Y, Someya T, Kunugi H, Suzuki T, Iwata N, Ozaki N, Fukumaki Y. Genome-wide association study of schizophrenia using microsatellite markers in the Japanese population. *Psychiatr Genet* 23(3):117-123, 2013
 47. Shimbo M, Ando S, Sugiura N, Kimata K, Ichijo H. Moderate repulsive effects of E-unit-containing chondroitin sulfate (CSE) on behavior of retinal growth cones. *Brain Res* 1491:34-43, 2013
 48. Suzuki T, Iyoda M, Shibata T, Ohtaki H, Matsumoto K, Shindo-Hirai Y, Kuno Y, Wada Y, Yamamoto Y, Kawaguchi M, Shioda S, Akizawa T. Therapeutic effects of human mesenchymal stem cells in Wistar-Kyoto rats with anti-glomerular basement membrane glomerulonephritis. *PLoS One* 8(6):e67475, 2013
 49. Takagaki K, Satoh K, Honda S, Shibuya A. Molecular characterization of the dimer formation of Fc α /mu receptor (CD351). *Mol Immunol* 56(1-2):23-27, 2013
 50. Taniguchi N, Konno S, Hattori T, Isada A, Shimizu K, Shimizu K, Shijubo N, Huang SK, Hizawa N, Nishimura M. The CC16 A38G polymorphism is associated with asymptomatic airway hyper-responsiveness and development of late-onset asthma. *Ann Allergy Asthma Immunol* 111(5):376-381 e371, 2013
 51. Teramoto S, Hida N, Ishikawa H, Hizawa N. Inverse U shape of the trachea during an asthma attack. *Intern Med* 52(19):2289-2290, 2013
 52. Terao C, Ohmura K, Kawaguchi Y, Nishimoto T, Kawasaki A, Takehara K, Furukawa H, Kochi Y, Ota Y, Ikari K, Sato S, Tohma S, Yamada R, Yamamoto K, Kubo M, Yamanaka H, Kuwana M, Tsuchiya N, Matsuda F, Mimori T. PLD4 as a novel susceptibility gene for systemic sclerosis in a Japanese population. *Arthritis Rheum* 65(2):472-480, 2013
 53. Tomita K, Sakashita M, Hirota T, Tanaka S, Masuyama K, Yamada T, Fujieda S, Miyatake A, Hizawa N, Kubo M, Nakamura Y, Tamari M. Variants in the 17q21 asthma susceptibility locus are associated with allergic rhinitis in the Japanese population. *Allergy* 68(1):92-100, 2013
 54. Tsuchiya N. Genetics of ANCA-associated vasculitis in Japan: a role for HLA-DRB1*09:01 haplotype. *Clin Exp Nephrol* 17(5):628-630, 2013

55. Umeda N, Matsumoto I, Ito I, Kawasaki A, Tanaka Y, Inoue A, Tsuboi H, Suzuki T, Hayashi T, Ito S, Tsuchiya N, Sumida T. Anti-citrullinated glucose-6-phosphate isomerase peptide antibodies in patients with rheumatoid arthritis are associated with HLA-DRB1 shared epitope alleles and disease activity. *Clin Exp Immunol* 172(1):44-53, 2013
56. Watanabe Y, Iijima Y, Egawa J, Nunokawa A, Kaneko N, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Itokawa M, Sasaki T, Ozaki N, Hashimoto R, Shibuya M, Igeta H, Someya T. Replication in a Japanese population that a MIR30E gene variation is associated with schizophrenia. *Schizophr Res* 150(2-3):596-597, 2013
57. Yageta Y, Ishii Y, Morishima Y, Ano S, Ohtsuka S, Matsuyama M, Takeuchi K, Itoh K, Yamamoto M, Hizawa N. Carbocysteine Reduces Viral-Induced Pulmonary Inflammation in Mice Exposed to Cigarette Smoke. *Am J Respir Cell Mol Biol* doi: 10.1165/rcmb.2012-0292OC, 2013
58. Yamashita Y, Abe F, Hirochika R, Tahara-Hanaoka S, Shibuya A, Shibuya K. Establishment and characterization of a novel anti-DNAM-1 monoclonal antibody. *Monoclon Antib Immunodiagn Immunother* 32(1):60-64, 2013
59. Yatagai Y, Sakamoto T, Masuko H, Kaneko Y, Yamada H, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Imoto Y, Tokunaga T, Fujieda S, Konno S, Nishimura M, Hizawa N. Genome-wide association study for levels of total serum IgE identifies HLA-C in a Japanese population. *PLoS One* 8(12):e80941, 2013
60. Yoon JH, Jung SM, Park SH, Kato M, Yamashita T, Lee IK, Sudo K, Nakae S, Han JS, Kim OH, Oh BC, Sumida T, Kuroda M, Ju JH, Jung KC, Park SH, Kim DK, Mamura M. Activin receptor-like kinase5 inhibition suppresses mouse melanoma by ubiquitin degradation of Smad4, thereby derepressing eomesodermin in cytotoxic T lymphocytes. *EMBO Mol Med* 5(11):1720-1739, 2013
61. Yoshizawa Y, Honda S, Shibuya A. Involvement of Fc α μ R (CD351) in autoantibody production. *Mol Immunol* doi: 10.1016/j.molimm.2013.10.002, 2013

2) 英文以外の論文

1. 阿野哲士, 森島祐子, 石井幸雄, 大塚茂男, 松山政史, 中澤健介, 川口未央, 坂本透, 檜澤伸之. 気管支喘息 動物モデル OVA 誘導性好中球性気道炎症に対する抗 IL-6 受容体抗体の抑制効果に関する検討. 日本呼吸器学会誌 2(増刊):133, 2013
2. 飯島弘晃, 山田英恵, 谷田貝洋平, 金子美子, 坂本透, 内藤隆志, 今野哲, 西村正治, 檜澤伸之. 吸入抗原感作数からみた喘息フェノタイプ分類について. 日本呼吸器学会誌

- 2(増刊):283, 2013
3. 籠橋克紀, 熊谷亮, 糸井覚, 宮崎邦彦, 大原元, 金本幸司, 栗島浩一, 石川博一, 佐藤浩昭, 檜澤伸之. BUD/FM の長期投与時の安全性に関する検討. 日本内科学会雑誌 102(Suppl.):228, 2013
 4. 金子美子, 山田英恵, 谷田貝洋平, 増子裕典, 飯島弘晃, 内藤隆志, 坂本透, 広田朝光, 玉利真由美, 檜澤伸之. 健常成人の総 IgE 値、一秒量における MUC5B 遺伝子の役割. 日本呼吸器学会誌 2(増刊):251, 2013
 5. 坪井洋人, 飯塚麻菜, 浅島弘充, 住田孝之. 【自己抗体】抗 M3 ムスカリン作働性アセチルコリン受容体抗体とシェーグレン症候群. 日本臨床免疫学会会誌 36(2):77-85, 2013
 6. 檜澤伸之. 【気管支喘息:診断と治療の進歩】 病因と病態 喘息関連遺伝子. 日本内科学会雑誌 102(6):1365-1369, 2013
 7. 檜澤伸之. 気管支喘息・COPD 治療へのアプローチ ICS/LABA 配合剤の可能性 Phenotype に基づく喘息診療. 日本呼吸器学会誌 2(増刊):102, 2013
 8. 檜澤伸之. 長びく咳への対応. 日本耳鼻咽喉科学会会報 116(4):380, 2013
 9. 藤田純一, 川口未央, 國分二三男, 松倉聡, 黒川真嗣, 太田恭子, 阿野哲士, 金子美子, 森島祐子, 石井幸雄, 坂本透, 佐藤浩昭, 檜澤伸之. 気道平滑筋細胞からの IL-17F による IL-6、IL-8 産生. 日本呼吸器学会誌 2(増刊):236, 2013
 10. 谷田貝洋平, 金子美子, 飯島弘晃, 山田英恵, 坂本透, 今野哲, 西村正治, 檜澤伸之. 気管支喘息 病態 成人気管支喘息患者 phenotype と ADRB 2 遺伝子多型の検討. 日本呼吸器学会誌 2(増刊):139, 2013
 11. 山田英恵, 谷田貝洋平, 増子裕典, 金子美子, 飯島弘晃, 内藤隆志, 坂本透, 野口恵美子, 広田朝光, 玉利真由美, 檜澤伸之. 日本人における閉塞性換気障害に影響を与える遺伝因子. 日本呼吸器学会誌 2(増刊):270, 2013

腫瘍特異的ヘム－ポルフィリン代謝を利用した診断・治療法開発

1) 英文論文

1. Akimoto K, Kimura K, Nagano M, Takano S, To'a Salazar G, Yamashita T, Ohneda O. Umbilical cord blood-derived mesenchymal stem cells inhibit, but adipose tissue-derived mesenchymal stem cells promote, glioblastoma multiforme proliferation. *Stem Cells Dev* 22(9):1370-1386, 2013
2. Aoki T, Nishikawa R, Sugiyama K, Nonoguchi N, Kawabata N, Mishima K, Adachi JI, Kurisu K, Yamasaki F, Tominaga T, Kumabe T, Ueki K, Higuchi F, Yamamoto T, Ishikawa E, Takeshima H, Yamashita S, Arita K, Hirano H, Yamada S, Matsutani M. A Multicenter Phase I/II Study of the BCNU Implant (Gliadel Wafer) for Japanese Patients with Malignant Gliomas. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.0a2013-0112, 2013
3. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42:1029-1031, 2013
4. Fujimoto H, Nakanishi H, Miki T, Kanayama HO, Ohyama C, Suzuki K, Nishiyama H, Eto M, Naito S, Fukumori T, Kubota Y, Takahashi S, Homma Y, Kamoi K. Oncological outcomes of renal pelvic and ureteral cancer patients registered in 2005: The first large population report from the Cancer Registration Committee of the Japanese Urological Association. *Int J Urol* doi: 10.1111/iju.12367, 2013
5. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov(?):1-4, 2013
6. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
7. Hinotsu S, Kawai K, Ozono S, Tsushima T, Tokuda N, Nomata K, Naito S, Akaza H. Randomized controlled study of natural interferon α as adjuvant treatment for stage II or III renal cell carcinoma. *Int J Clin Oncol* 18(1):68-74, 2013
8. Hirohata T, Asano K, Ogawa Y, Takano S, Amano K, Isozaki O, Iwai Y, Sakata K, Fukuhara N, Nishioka H, Yamada S, Fujio S, Arita K, Takano K, Tominaga A, Hizuka N, Ikeda H, Osamura RY, Tahara S, Ishii Y, Kawamata T, Shimatsu A, Teramoto A, Matsuno A. DNA mismatch repair protein (MSH6) correlated with the responses of atypical pituitary adenomas and pituitary carcinomas to temozolomide: the national cooperative study by the Japan

- Society for Hypothalamic and Pituitary Tumors. *J Clin Endocrinol Metab* 98(3):1130-1136, 2013
9. Inai H, Kawai K, Ikeda A, Ando S, Kimura T, Oikawa T, Onozawa M, Miyazaki J, Uchida K, Nishiyama H. Risk factors for chronic kidney disease after chemotherapy for testicular cancer. *Int J Urol* 20(7):716-722, 2013
 10. Inai H, Kawai K, Kojima T, Joraku A, Shimazui T, Yamauchi A, Miyagawa T, Endo T, Fukuhara Y, Miyazaki J, Uchida K, Nishiyama H. Oncological outcomes of metastatic testicular cancers under centralized management through regional medical network. *Jpn J Clin Oncol* 43(12):1249-1254, 2013
 11. Indo H, Nakanishi I, Yen H, Nyui M, Manda S, Matsumoto K, Anzai K, Ikota N, Matsui H, Minamiyama Y, Nakajima A, Ichikawa I, Ozawa T, Mukai C, HJ. M. Comparison of in Vivo and in Vitro Antioxidative Parameters for Eleven Food Factors.,. *RSC Adv* 3:4535-4538, 2013
 12. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
 13. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
 14. Kajita Y, Kato T, Jr., Tamaki S, Furu M, Takahashi R, Nagayama S, Aoyama T, Nishiyama H, Nakamura E, Katagiri T, Nakamura Y, Ogawa O, Toguchida J. The transcription factor Sp3 regulates the expression of a metastasis-related marker of sarcoma, actin filament-associated protein 1-like 1 (AFAP1L1). *PLoS One* 8(1):e49709, 2013
 15. Kaneko MK, Morita S, Tsujimoto Y, Yanagiya R, Nasu K, Sasaki H, Hozumi Y, Goto K, Natsume A, Watanabe M, Kumabe T, Takano S, Kato Y. Establishment of novel monoclonal antibodies KMab-1 and MMab-1 specific for IDH2 mutations. *Biol Biophys Res Commun* 432:40-45, 2013
 16. Kawai K, Ichioka D, Inai H, Miyazaki J, Nishiyama H. Assessment and management of renal impairment in chemotherapy for urogenital cancer. *Jpn J Clin Oncol* 43(11):1055-1063, 2013
 17. Kawai K, Miyazaki J, Joraku A, Nishiyama H, Akaza H. Bacillus Calmette-Guerin (BCG) immunotherapy for bladder cancer: current understanding and perspectives on engineered BCG vaccine. *Cancer Sci* 104(1):22-27, 2013

18. Kimura T, Onozawa M, Miyazaki J, Kawai K, Nishiyama H, Hinotsu S, Akaza H. Validation of the prognostic grouping of the seventh edition of the tumor-nodes-metastasis classification using a large-scale prospective cohort study database of prostate cancer treated with primary androgen deprivation therapy. *Int J Urol* 20(9):880-888, 2013
19. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
20. Matsubara T, Ayuzawa S, Aoki T, Fujimoto A, Osuka S, Matsumura A. The patient had a normal magnetic resonance imaging and temporal lobe epilepsy secondary to a porencephalic cyst but showed structural lesions (hippocampal sclerosis). *Epilepsy & Behavior Case Reports* 1:153-156, 2013
21. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. *Neurol Med Chir (Tokyo)* doi:20.2176/nmc.cr.2012-0312, 2013
22. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.2013-0067, 2013
23. Miyazaki J, Hinotsu S, Ishizuka N, Naito S, Ozono S, Akaza H, Nishiyama H. Adverse reactions related to treatment compliance during BCG maintenance therapy for non-muscle-invasive bladder cancer. *Jpn J Clin Oncol* 43(8):827-834, 2013
24. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
25. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T, Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
26. Nakajima J, Hitomi S, Koganemaru H, Nakai Y. Isolation of Staphylococcus epidermidis intermediately resistant to vancomycin in a case of central venous catheter-associated

- bloodstream infection. *J Infect Chemother* 19(5):983-986, 2013
27. Nakamura T, Fukiage M, Higuchi M, Nakaya A, Yano I, Miyazaki J, Nishiyama H, Akaza H, Ito T, Hosokawa H, Nakayama T, Harashima H. Nanoparticulation of BCG-CWS for application to bladder cancer therapy. *J Control Release* doi: 10.1016/j.jconrel.2013.12.027, 2013
28. Nguyen TNH, Akutsu H, Nouguch iS, Tsunoda T, Sasak iM, Tsurushima H, Matsumura A. Reversible focal radiological changes due to non-convulsive status epilepticus of the right parietooccipital lobe. *Turk Neurosurg* 23(2):278-281, 2013
29. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
30. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
31. Ota T, Komori H, Rii J, Ochi A, Suzuki K, Shiga N, Nishiyama H. Soft coagulation in partial nephrectomy without renorrhaphy: Feasibility of a new technique and early outcomes. *Int J Urol* doi: 10.1111/iju.12276, 2013
32. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
33. Saito R, Nonaka S, Fujinami Y, Matsuoka S, Nakajima S, Nishiyama H, Okamura N. The frequency of BRO beta-lactamase and its relationship to antimicrobial susceptibility and serum resistance in Moraxella catarrhalis. *J Infect Chemother* doi: 10.1016/j.jiac.2013.06.003, 2013
34. Saito R, Suzuki H, Yamada T, Endo S, Moriwaki T, Ueno T, Hirose M, Hirai S, Yamato K, Mizokami Y, Hyodo I. Predicting skin toxicity according to EGFR polymorphisms in patients with colorectal cancer receiving antibody against EGFR. *Anticancer Res* 33(11):4995-4998, 2013
35. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
36. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes

- of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033, 2013
37. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
38. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
39. Sha S, Vong LB, Chonpathompikunlert P, Yoshitomi T, Matsui H, Nagasaki Y. Suppression of NSAID-induced small intestinal inflammation by orally administered redox nanoparticles. *Biomaterials* 34(33):8393-8400, 2013
40. Shibui S, Narita Y, Mizusawa J, Beppu T, Ogasawara K, Sawamura Y, Kobayashi H, Nishikawa R, Mishima K, Muragaki Y, Maruyama T, Kuratsu J, Nakamura H, Kochi M, Minamida Y, Yamaki T, Kumabe T, Tominaga T, Kayama T, Sakurada K, Nagane M, Kobayashi K, Nakamura H, Ito T, Yazaki T, Sasaki H, Tanaka K, Takahashi H, Asai A, Todo T, Wakabayashi T, Takahashi J, Takano S, Fujimaki T, Sumi M, Miyakita Y, Nakazato Y, Sato A, Fukuda H, Nomura K. Randomized trial of chemoradiotherapy and adjuvant chemotherapy with nimustine (ACNU) versus nimustine plus procarbazine for newly diagnosed anaplastic astrocytoma and glioblastoma (JCOG0305). *Cancer Chemother Pharmacol* 71(2):511-521, 2013
41. Shimazui T, Yoshikawa K, Miyazaki J, Kojima T, Inai H, Ando S, Uemura H, Uchida K, Nishiyama H. Systemic transduction of p16INK4A antitumor peptide inhibits the growth of MBT-2 mouse bladder tumor cell line grafts. *Int J Oncol* 42(2):543-548, 2013
42. Suzuki H, Kaneko T, Mizokami Y, Narasaka T, Endo S, Matsui H, Yanaka A, Hirayama A, Hyodo I. Therapeutic efficacy of the Qing Dai in patients with intractable ulcerative colitis. *World J Gastroenterol* 19(17):2718-2722, 2013
43. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
44. Takaoka E, Matsui Y, Inoue T, Miyazaki J, Nakashima M, Kimura T, Oikawa T, Kawai K, Yoshimura K, Habuchi T, Ogawa O, Nishiyama H. Risk factors for intravesical recurrence in patients with high-grade T1 bladder cancer in the second TUR era. *Jpn J Clin Oncol*

- 43(4):404-409, 2013
45. Tamura M, Matsui H, Kaneko T, Hyodo I. Alcohol is an oxidative stressor for gastric epithelial cells: detection of superoxide in living cells. *J Clin Biochem Nutr* 53(2):75-80, 2013
46. Tamura M, Matsui H, Nagano YN, Kaneko T, Indo HP, Majima HJ, Hyodo I. Salt is an oxidative stressor for gastric epithelial cells. *J Physiol Pharmacol* 64(1):89-94, 2013
47. Tamura M, Matsui H, Tomita T, Sadakata H, Indo HP, Majima HJ, Kaneko T, Hyodo I. Mitochondrial reactive oxygen species accelerate gastric cancer cell invasion. *J Clin Biochem Nutr* doi: 10.3164/jcbrn.13-36, 2013
48. Tamura M, Yanagawa F, Sugiura S, Takagi T, Sumaru K, Matsui H, Kanamori T. Optical cell picking in photodegradable hydrogels based on cellular morphology in 3D culture environment. *Proc mTAS*:1929–1931, 2013
49. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A. Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
50. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1:817-819, 2013
51. Tsuruta W, Matsumaru Y, Hamada Y, Hayakawa M, Kamiya Y. Analysis of closed-cell intracranial stent characteristics using cone-beam computed tomography with contrast material. *Neurol Med Chir (Tokyo)* 53(6):403-408, 2013
52. Vong LB, Yoshitomi T, Morikawa K, Saito S, Matsui H, Nagasaki Y. Oral nanotherapeutics: effect of redox nanoparticle on microflora in mice with dextran sodium sulfate-induced colitis. *J Gastroenterol* doi: 10.1007/s00535-013-0836-8, 2013
53. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
54. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2:80-86, 2013
55. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
56. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura

A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013

57. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. 池田剛, 園部眞, 加藤徳之, 山崎友郷, 粕谷泰道, 中居康展, 松村明. 脳動脈瘤コイル塞栓術後の破裂・再治療と Volume Embolization Ratio(VER)の関連性. 脳卒中の外科 41(6):440-446, 2013
2. 伊藤嘉朗, 加藤徳之, 中居康展, 松村明, 園部眞. Closed-cell stent を用いた頸動脈ステント留置術における頸動脈の屈曲度と微小脳塞栓の関係. JNET: Journal of Neuroendovascular Therapy 7(2):75-80, 2013
3. 伊藤嘉朗, 加藤徳之, 松村明, 園部眞. ドーナツ型巨大脳動脈瘤に対してコイルとラッピング術を施行した 1 例. 脳神経外科 41(5):415-420, 2013
4. 小松洋治, 中村和弘, 伊藤嘉朗, 益子良太, 上村和也, 松村明. 【光線力学診断・治療の最新動向】 脳神経外科手術におけるインドシアニンググリーン術中蛍光血管撮影の有用性と課題. 日本レーザー医学会誌 34(2):141-147, 2013
5. 鶴田和太郎, 松丸祐司, 上坂義和, 松村明. 神経放射線診断 進行する脊髄症状を呈し、MRI にて上部頸髄に異常を認めた症例. 脳神経外科ジャーナル 22(11):873-877, 2013
6. 益子良太, 中居康展, 原拓真, 今井資, 松原鉄平, 松田真秀, 上村和也, 小松洋治, 松村明. 錐体骨部特発性内頸動脈解離に対するステント留置術の 1 例. 脳神経外科ジャーナル 22(7):557-561, 2013
7. 松丸祐司, 原貴行, 松村明. 【血管奇形の基礎と臨床】 脊髄動静脈シャント 何が治せて何が治療困難か. 脳神経外科ジャーナル 22(1):44-51, 2013
8. 三木俊一郎, 山崎友郷, 加藤徳之, 池田剛, 粕谷泰道, 園部眞, 中居康展, 松村明. Double catheter technique を応用した coil-assist technique で治療を行ったブレブをネック近傍に伴う破裂脳動脈瘤の 1 例. JNET: Journal of Neuroendovascular Therapy 7(3):186-191, 2013

4) 英文以外の著書

1. 阿久津博義. 第 7 章. 神経内視鏡における止血・凝固機器; "先端医療シリーズ 45 臨床医のための最新脳神経外科 シリーズ 45" (編集 橋本信夫, 寺本明, 小川彰, 嘉山孝

- 正), (株) 寺田国際事務所/先端医療技術研究所 (東京) 2013; pp151-154
2. 河合弘二, 西山博之. 章.分子生物学の基盤的手法と泌尿器科領域への応用 3. 遺伝子発現の解析法とその応用; "ベッドサイド泌尿器科学 (第4版)" (編集 小川修, 岡田裕作, 荒井陽一, 寺地敏郎, 松田公志, 笈善行, 羽瀨友則/吉田修), 南江堂 (東京) 2013; pp146-148
 3. 中居康展. 3(5). ②セットアップ "特集 よくわかる脳血管内治療. BRAIN 3(5)" 医学出版 (東京) 2013; pp 366-70
 4. 西山博之, 宮崎淳. . 症例と病理カンファレンス編 B.尿路上皮癌 CPC 症例 2. . CIS (primary,concomitant) の診断と治療について; "実践的泌尿器腫瘍病理診断—カンファレンス形式で学ぶ (第1版)" (編集 笈善行, 賀本敏行), 中山書店 (東京) 2013; pp66-72
 5. 松村明, 松田真秀. 17. 脳神経外科分野における陽子線治療の適用; "定位的放射線治療学会" 2013; pp11-19
 6. 松村明, 山本哲哉. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック (第1版)" (編集 新井一, 伊達裕昭, 西本博) メジカルビュー社 (東京) 2013; pp14-21
 7. 宮崎淳, 西山博之, 松本光司. 子宮頸部腫瘍. 前方骨盤除臓術: CCRT 後の再発—膀胱・尿管の手術; "OGS NOW 14 婦人科がん手術 こんなときどうする?がんの根治とQOL の改善をめざして (第1版)" (編集 小西郁生), メジカルビュー社 (東京) 2013; pp74-79
 8. 室井愛. 3(4). 頭部外傷 (偶発性) ; "小児科学レクチャー 読影の極意を学ぶ 小児の画像診断—頭部・頭頸部編—Q&A 3(4)" (編集 河野達夫), 総合医学社 (東京) 2013; pp 822-828

次世代型粒子線がん治療の確立研究

1) 英文論文

1. Abei M, Okumura T, Fukuda K, Hashimoto T, Araki M, Ishige K, Hyodo I, Kanemoto A, Numajiri H, Mizumoto M, Sakae T, Sakurai H, Zenkoh J, Ariungerel G, Sogo Y, Ito A, Ohno T, Tsuboi K. A phase I study on combined therapy with proton-beam radiotherapy and in situ tumor vaccination for locally advanced recurrent hepatocellular carcinoma. *Radiat Oncol* 8:239, 2013
2. Aihara T, Morita N, Kamitani N, Kumada H, Ono K, Hiratsuka J, Harada T. Boron neutron capture therapy for advanced salivary gland carcinoma in head and neck. *Int J Clin Oncol* doi: 10.1007/s10147-013-0580-3, 2013
3. Bialek-Pietras M, Olejniczak AB, Tachikawa S, Nakamura H, Lesnikowski ZJ. Towards new boron carriers for boron neutron capture therapy: metallacarboranes bearing cobalt, iron and chromium and their cholesterol conjugates. *Bioorg Med Chem* 21(5):1136-1142, 2013
4. Furumoto T, Ozawa N, Inami Y, Toyoshima M, Fujita K, Zaiki K, Sahara S, Akita M, Kitamura K, Nakaoji K, Hamada K, Tamai K, Kaneda Y, Maeda A. Mallotus philippinensis bark extracts promote preferential migration of mesenchymal stem cells and improve wound healing in mice. *Phytomedicine* doi: 10.1016/j.phymed.2013.09.003, 2013
5. Fushiki H, Miyoshi S, Noda A, Murakami Y, Sasaki H, Jitsuoka M, Mitsuoaka K, Matsunari I, Nishimura S. Pre-clinical validation of orthotopically-implanted pulmonary tumor by imaging with 18F-fluorothymidine-positron emission tomography/computed tomography. *Anticancer Res* 33(11):4741-4749, 2013
6. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
7. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
8. Hashii H, Hashimoto T, Okawa A, Shida K, Isobe T, Hanmura M, Nishimura T, Aonuma K, Sakae T, Sakurai H. Comparison of the effects of high-energy photon beam irradiation (10 and 18 MV) on 2 types of implantable cardioverter-defibrillators. *Int J Radiat Oncol Biol Phys* 85(3):840-845, 2013
9. Hatano K, Yamaguchi S, Nimura K, Murakami K, Nagahara A, Fujita K, Uemura M, Nakai Y, Tsuchiya M, Nakayama M, Nonomura N, Kaneda Y. Residual prostate cancer cells after

- docetaxel therapy increase the tumorigenic potential via constitutive signaling of CXCR4, ERK1/2 and c-Myc. *Mol Cancer Res* 11(9):1088-1100, 2013
10. Hong Z, Kase Y, Moritake T, Gerelchuluun A, Sun L, Suzuki K, Terunuma T, Yasuoka K, Kumada H, Anzai K, Sakurai H, Sakae T, Tsuboi K. Lineal energy-based evaluation of oxidative DNA damage induced by proton beams and X-rays. *Int J Radiat Biol* 89(1):36-43, 2013
 11. Horiguchi Y, Miyachi S, Nagasaki Y. High-performance surface acoustic wave immunosensing system on a PEG/aptamer hybridized surface. *Langmuir* 29(24):7369-7376, 2013
 12. Hossain MA, Ikeda Y, Hara T, Nagasaki Y. Novel biocompatible nanoreactor for silica/gold hybrid nanoparticles preparation. *Colloids Surf B Biointerfaces* 102:778-782, 2013
 13. Ikeda Y, Katamachi J, Kawasaki H, Nagasaki Y. Novel protein PEGylation chemistry via glutalaldehyde-functionalized PEG. *Bioconjug Chem* 24(11):1824-1827, 2013
 14. Ikeda Y, Kawasaki H, Ichinohe S, Nagasaki Y. Facile solid-phase synthesis of a highly stable poly(ethylene glycol)-oligonucleotide conjugate. *J Mater Chem B* 1:529-535, 2013
 15. Ikeda Y, Kubota D, Nagasaki Y. Design of sugar-oligonucleotide conjugates installed gold nanoparticle for effective delivery to hepatic parenchymal cells. *Colloid Polym Sci* 291(12):2959-2964, 2013
 16. Ikeda Y, Nagasaki Y. Impacts of PEGylation on the gene and oligonucleotide delivery system. *J Appl Polym Sci* doi:10.1002/app.40293, 2013
 17. Isobe T, Mori Y, Takada K, Sato E, Sakurai H, Sakae T. Robust technique using an imaging plate to detect environmental radioactivity. *Health Phys* 104(4):362-365, 2013
 18. Isobe T, Mori Y, Takada K, Sato E, Takahashi H, Sekiguchi T, Yoshimura Y, Sakurai H, Sakae T. Evaluation of vegetables in Tsukuba for contamination with radioactive materials from the accident at Fukushima Daiichi nuclear power plant. *Health Phys* 105(4):311-317, 2013
 19. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
 20. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
 21. Kamimura M, Furukawa T, Akiyama S, Nagasaki Y. pH-sensitive doxorubicin/poly(ethylene

- glycol)-block-poly(4-vinylbenzylphosphonate) nanoparticles in multi-drug resistant human epidermoid KB carcinoma cells. *Biomaterials Science* 1(4):361-367, 2013
22. Kaneda Y. The RIG-I/MAVS signaling pathway in cancer cell-selective apoptosis. *Oncoimmunology* 2(4):e23566, 2013
 23. Kanemoto A, Mizumoto M, Okumura T, Takahashi H, Hashimoto T, Oshiro Y, Fukumitsu N, Moritake T, Tsuboi K, Sakae T, Sakurai H. Dose-volume histogram analysis for risk factors of radiation-induced rib fracture after hypofractionated proton beam therapy for hepatocellular carcinoma. *Acta Oncol* 52(3):538-544, 2013
 24. Kanemoto A, Okumura T, Ishikawa H, Mizumoto M, Oshiro Y, Kurishima K, Homma S, Hashimoto T, Ohkawa A, Numajiri H, Ohno T, Moritake T, Tsuboi K, Sakae T, Sakurai H. Outcomes and prognostic factors for recurrence after high-dose proton beam therapy for centrally and peripherally located stage I non-small-cell lung cancer. *Clin Lung Cancer* doi: 10.1016/j.clcc.2013.11.002, 2013
 25. Kase Y, Yamashita W, Matsufuji N, Takada K, Sakae T, Furusawa Y, Yamashita H, Murayama S. Microdosimetric calculation of relative biological effectiveness for design of therapeutic proton beams. *J Radiat Res* 54(3):485-493, 2013
 26. Kato M, Konishi S, Matsumura A, Hayashi K, Tamai K, Shintani K, Kazuki K, Nakamura H. Clinical characteristics of intraspinal facet cysts following microsurgical bilateral decompression via a unilateral approach for treatment of degenerative lumbar disease. *Eur Spine J* 22(8):1750-1757, 2013
 27. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
 28. Koganei H, Ueno M, Tachikawa S, Tasaki L, Ban HS, Suzuki M, Shiraishi K, Kawano K, Yokoyama M, Maitani Y, Ono K, Nakamura H. Development of high boron content liposomes and their promising antitumor effect for neutron capture therapy of cancers. *Bioconjug Chem* 24(1):124-132, 2013
 29. Lakshmi Priya T, Fujimaki M, Gopinath SC, Awazu K, Horiguchi Y, Nagasaki Y. A high-performance waveguide-mode biosensor for detection of factor IX using PEG-based blocking agents to suppress non-specific binding and improve sensitivity. *Analyst* 138(10):2863-2870, 2013
 30. Makishima H, Ishikawa H, Terunuma T, Hashimoto T, Yamanashi K, Sekiguchi T,

- Mizumoto M, Okumura T, Tsuboi K, Sakurai H. Comparison of adverse effects of proton and X-ray chemoradiotherapy for oesophageal cancer using an adaptive dose-volume histogram analysis. *Eur J Cancer* 49(2):S576, 2013
31. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2012-0312, 2013
32. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2013-0067, 2013
33. Minegishi H, Fukashiro S, Ban HS, Nakamura H. Discovery of Indenopyrazoles as a New Class of Hypoxia Inducible Factor (HIF)-1 Inhibitors. *ACS Med Chem Lett* 4:297-301, 2013
34. Minegishi H, Matsukawa T, Nakamura H. Synthesis and biological evaluation of diaryl-substituted carboranes as inhibitors of hypoxia inducible factor (HIF)-1 transcriptional activity. *Chem Med Chem* 8(2):265-271, 2013
35. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
36. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T, Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
37. Murakami Y, Matsuya T, Kita A, Yamanaka K, Noda A, Mitsuoka K, Nakahara T, Miyoshi S, Nishimura S. Radiosynthesis, biodistribution and imaging of [11C]YM155, a novel survivin suppressant, in a human prostate tumor-xenograft mouse model. *Nucl Med Biol* 40(2):221-226, 2013
38. Nakamura H. Boron Cluster Lipid Liposomes as New Vehicles for Boron Delivery System of Neutron Capture Therapy. *Future Med Chem* 5(6):715-730 2013
39. Nakamura H, Minegishi H. HSP60 as a drug target. *Curr Pharm Des* 19(3):441-451, 2013
40. Nakamura H, Yasui Y, Ban HS. Synthesis and Biological Evaluation of ortho-Carborane Containing Benzoxazole as an Inhibitor of Hypoxia Inducible Factor (HIF)-1Transcriptional

- Activity. *J Organomet Chem* 747(special issue):189-194, 2013
41. Nakamura H, Yasui Y, Maruyama M, Minegishi H, Ban HS, Sato S. Development of hypoxia-inducible factor (HIF)-1 α inhibitors: effect of ortho-carborane substituents on HIF transcriptional activity under hypoxia. *Bioorg Med Chem Lett* 23(3):806-810, 2013
 42. Nomura M, Shimbo T, Miyamoto Y, Fukuzawa M, Kaneda Y. 13-Cis retinoic acid can enhance the antitumor activity of non-replicating Sendai virus particle against neuroblastoma. *Cancer Sci* 104(2):238-244, 2013
 43. Nomura M, Ueno A, Saga K, Fukuzawa M, Kaneda Y. Accumulation of cytosolic calcium induces necroptotic cell death in human neuroblastoma. *Cancer Res* doi: 10.1158/0008-5472.CAN-13-1283, 2013
 44. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
 45. Oshiro Y, Mizumoto M, Okumura T, Sugahara S, Fukushima T, Ishikawa H, Nakao T, Hashimoto T, Tsuboi K, Ohkawa H, Kaneko M, Sakurai H. Clinical results of proton beam therapy for advanced neuroblastoma. *Radiat Oncol* 8(1):142, 2013
 46. Oshiro Y, Okumura T, Mizumoto M, Fukushima T, Ishikawa H, Hashimoto T, Tsuboi K, Kaneko M, Sakurai H. Proton beam therapy for unresectable hepatoblastoma in children: survival in one case. *Acta Oncol* 52(3):600-603, 2013
 47. Oshiro Y, Sakurai H. The use of proton-beam therapy in the treatment of non-small-cell lung cancer. *Expert Rev Med Devices* 10(2):239-245, 2013
 48. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
 49. Pua ML, Yoshitomi T, Chonpathompikunlert P, Hirayama A, Nagasaki Y. Redox-active injectable gel using thermo-responsive nanoscale polyion complex flower micelle for noninvasive treatment of local inflammation. *J Control Release* 172(3):914-920, 2013
 50. Rodriguez-Araujo G, Nakagami H, Hayashi H, Mori M, Shiuchi T, Minokoshi Y, Nakaoka Y, Takami Y, Komuro I, Morishita R, Kaneda Y. Alpha-synuclein elicits glucose uptake and utilization in adipocytes through the Gab1/PI3K/Akt transduction pathway. *Cell Mol Life Sci* 70(6):1123-1133, 2013
 51. Saga K, Kaneda Y. Virosome presents multimodel cancer therapy without viral replication.

- Biomed Res Int* 2013:764706, 2013
52. Saga K, Tamai K, Yamazaki T, Kaneda Y. Systemic administration of a novel immune-stimulatory pseudovirion suppresses lung metastatic melanoma by regionally enhancing IFN- γ production. *Clin Cancer Res* 19(3):668-679, 2013
53. Saito Y, Matsuzaki Y, Honda A, Iwamoto J, Ikegami T, Chiba T, Sugahara S, Okumura T, Tsujii H, Doy M, Tokuyue K. Post-therapeutic needle biopsy in patients with hepatocellular carcinoma is a useful tool to evaluate response to proton irradiation. *Hepatol Res* doi: 10.1111/hepr.12133, 2013
54. Saito Y, Nakagami H, Kaneda Y, Morishita R. Lymphedema and therapeutic lymphangiogenesis. *Biomed Res Int* 2013:804675, 2013
55. Sakakura K, Akutsu H, Yamamoto T, Masuda Y, Ishikawa E, Matsumura A. Trigeminal Neuralgia in a Patient with Marfan Syndrome: Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2013-0072, 2013
56. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
57. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033, 2013
58. Sato E, Yamamoto T, Shikano N, Ogura M, Nakai K, Yoshida F, Uemae Y, Takada T, Isoobe T, Matsumura A. Intracellular boron accumulation in CHO-K1 cells using amino acid transport control. *Appl Radiat Isot* doi: 10.1016/j.apradiso.2013.12.015, 2013
59. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
60. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
61. Sato S, Nakamura H. Ligand-directed selective protein modification based on local single-electron-transfer catalysis. *Angew Chem Int Ed Engl* 52(33):8681-8684, 2013
62. Satoh T, Matsumoto K, Tanaka YO, Akiyama A, Nakao S, Sakurai M, Ochi H, Onuki M, Minaguchi T, Sakurai H, Yoshikawa H. Incidence of venous thromboembolism before treatment in cervical cancer and the impact of management on venous thromboembolism

- after commencement of treatment. *Thromb Res* 131(4):e127-132, 2013
63. Sha S, Vong LB, Chonpathompikunlert P, Yoshitomi T, Matsui H, Nagasaki Y. Suppression of NSAID-induced small intestinal inflammation by orally administered redox nanoparticles. *Biomaterials* 34(33):8393-8400, 2013
64. Shashni B, Sakharkar KR, Nagasaki Y, Sakharkar MK. Glycolytic enzymes PGK1 and PKM2 as novel transcriptional targets of PPARgamma in breast cancer pathophysiology. *J Drug Target* 21(2):161-174, 2013
65. Shashni B, Sharma K, Singh R, Sakharkar KR, Dhillon SK, Nagasaki Y, Sakharkar MK. Coffee component hydroxyl hydroquinone (HHQ) as a putative ligand for PPAR gamma and implications in breast cancer. *BMC Genomics* 14 Suppl 5:S6, 2013
66. Shirai K, Tamaki Y, Kitamoto Y, Murata K, Satoh Y, Higuchi K, Ishikawa H, Nonaka T, Takahashi T, Nakano T. Prognosis was not deteriorated by multiple primary cancers in esophageal cancer patients treated by radiotherapy. *J Radiat Res* 54(4):706-711, 2013
67. Sun L, Moritake T, Zheng YW, Suzuki K, Gerelchuluun A, Hong Z, Zenkoh J, Taniguchi H, Tsuboi K. In vitro stemness characterization of radio-resistant clones isolated from a medulloblastoma cell line ONS-76. *J Radiat Res* 54(1):61-69, 2013
68. Takada T, Tamura M, Yamamoto T, Matsui H, Matsumura A. Selective accumulation of hematoporphyrin derivative in glioma through proton-coupled folate transporter SLC46A1. *J Clin Biochem Nutr* doi: 10.3164/jcbrn.13-87, 2013
69. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
70. Takehara Y, Satoh T, Nishizawa A, Saeki K, Nakamura M, Masuzawa M, Kaneda Y, Katayama I, Yokozeki H. Anti-tumor effects of inactivated Sendai virus particles with an IL-2 gene on angiosarcoma. *Clin Immunol* 149(1):1-10, 2013
71. Takeichi M, Nimura K, Mori M, Nakagami H, Kaneda Y. The transcription factors Tbx18 and Wt1 control the epicardial epithelial-mesenchymal transition through bi-directional regulation of Slug in murine primary epicardial cells. *PLoS One* 8(2):e57829, 2013
72. Takizawa D, Oshiro Y, Okumura T, Mizumoto M, Fukushima T, Ishikawa H, Tsuboi K, Kaneko M, Sakurai H. Proton beam therapy for a patient with large rhabdomyosarcoma of the body trunk. *Pediatr Blood Cancer* 60(3):93, 2013
73. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A.

- Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
74. Yabu M, Korekane H, Hatano K, Kaneda Y, Nonomura N, Sato C, Kitajima K, Miyamoto Y. Occurrence of free deaminoneuraminic acid (KDN)-containing complex-type N-glycans in human prostate cancers. *Glycobiology* 23(6):634-642, 2013
75. Yamaoka M, Akiyama M, Yokokawa Y, Terao Y, Yokoi K, Kato T, Fukushima T, Sakurai H, Ida H. Multidisciplinary therapy including proton beam radiotherapy for a Ewing sarcoma family tumor of maxillary sinus in a 4-year-old girl. *Head Neck* 35(12):E386-390, 2013
76. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
77. Yoshitomi T, Ozaki Y, Thangavel S, Nagasaki Y. Redox nanoparticle therapeutics to cancer--increase in therapeutic effect of doxorubicin, suppressing its adverse effect. *J Control Release* 172(1):137-143, 2013
78. Zaboronok A, Isoobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013

2) 英文以外の論文

1. Ito Y, Kato N, Matsumura A, Sonobe M. Internal coil trapping for a doughnut-shaped giant intracranial aneurysm: a case report. *No Shinkei Geka* 41(5):415-420, 2013
2. Kawamura H, Shinoda K, Miyamoto K, Sakae T, Monma M, Matsumura A. Investigation of polymer gel dosimetry for small circular irradiated fields. *Nihon Hoshasen Gijutsu Gakkai Zasshi* 69(9):933-943, 2013
3. Nakamura H. Development of high boron content liposomes and their promising antitumor effect for neutron capture therapy. *Yakugaku Zasshi* 133(12):1297-1306, 2013
4. Nishimura S. Positron emission tomography as a research tool for translational science. *Nihon Yakurigaku Zasshi* 141(3):136-140, 2013
5. Suzuki R., Nakamura H. Toward development of innovative diagnostic/therapeutic system (theranostics) using nanotechnologies. *Yakugaku Zasshi* 133(12):1261-1262, 2013
6. 阿部孝憲, 江原威, 原田耕作, 白井克幸, 塩谷真里子, 鈴木義行, 櫻井英幸, 中野隆史. A Case of Recurrent Pleomorphic Liposarcoma that Exhibited a Remarkable Response to

Hyperthermoradiotherapy. Thermal Medicine 29(3):63-67, 2013

7. 磯辺智範, 榮武二, 高田健太, 森祐太郎, 山本哲哉. 環境中における放射性物質の簡易型リアルタイムモニタリングシステムの開発. 大和証券ヘルス財団研究業績集 36:185-193, 2013
8. 大久保英樹, 中山雅博, 廣瀬由紀, 田中秀峰, 西村文吾, 星野朝文, 上前泊功, 飛田忠道, 辻茂希, 田淵経司, 和田哲郎, 原晃, 橋井晴子, 石川仁, 水本齊志, 奥村敏之, 櫻井英幸. 過去10年間に当科で陽子線治療を行った頭頸部癌に関する検討. 耳鼻咽喉科展望 56(補冊 1):118-122, 2013
9. 大城佳子, 水本齊志, 石川仁, 奥村敏之, 坪井康次, 榮武二, 福島敬, 須磨崎亮, 増本幸二, 金子道夫, 櫻井英幸. 固形腫瘍の治療の進歩 小児固形がんに対する陽子線治療. 日本小児血液・がん学会雑誌 50(3):331-334, 2013
10. 川村拓, 篠田和哉, 宮本勝美, 榮武二, 門間正彦, 松村明. ポリマーゲル線量計を用いた球状小照射野線量測定に関する検討. 日本放射線技術学会雑誌 69(9):933-943, 2013
11. 熊田博明. 加速器中性子源の研究開発による BNCT の確立に向けて. 医学物理 32(3):104-110, 2013
12. 竹内秀輔, 鈴木涼子, 福島敬, 福島紘子, 岩淵敦, 中尾朋平, 山口玲子, 工藤寿子, 杉田真太郎, 稲留征典, 佐藤豊実, 櫻井英幸, 金子道夫, 須磨崎亮. 進行期卵巣小細胞癌に対して集学的治療を施行した女児例. 日本小児血液・がん学会雑誌 50(2):269-273, 2013
13. 田中浩喜, 兵行義, 與田茂利, 宇野雅子, 栗飯原輝人, 原田保. 降下性壊死性縦隔炎2例. 耳鼻咽喉科臨床 106(8):739-746, 2013
14. 長崎幸夫. 【光線力学診断・治療の最新動向】 がん光線力学療法を目指した光 NO 発生ナノ粒子の設計. 日本レーザー医学会誌 34(2):138-140, 2013

3) 英文著書

1. Tamura A, Nagasaki Y. Chapter 10. Environmentally-Responsive Nanogels for siRNA Delivery; in "Advanced Delivery and Therapeutic Applications of RNAi (1st edition)" (edited by Cheng K, Mahato RI), Wiley (Hoboken) 2013; pp207-224

4) 英文以外の著書

1. 井垣浩, 櫻井英幸. 【肝胆膵領域への放射線療法 as of 2013】 肝臓領域の放射線療法 肝細胞癌治療アルゴリズムからみた放射線治療; "肝・胆・膵 67(2)" 2013; pp211-219
2. 石川仁. 9章. 管腔臓器 A 食道; "密封小線源治療 診療・物理 QA マニュアル (第1版)" (編集 小線源治療部会), 金原出版 (東京) 2013; pp141-146

3. 石川仁, 橋本孝之, 牧島弘和, 水本齊志, 奥村敏之, 櫻井英幸. 高精度放射線治療の現状と Adaptive Therapy の展望 前立腺がんに対する放射線治療を中心に; "医学物理 32(3)" 2013; pp138-147
4. 石川仁, 牧島弘和, 加藤弘之, 櫻井英幸. 【アップデートシリーズ 前立腺がんの治療】放射線療法; "泌尿器ケア 18(6)" 2013; pp653-658
5. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 1. 新機能検査; "若葉マーク 臨床検査学エッセンス・ノート 1 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp2-13
6. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 2. 呼吸機能検査; "若葉マーク 臨床検査学エッセンス・ノート 2 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp48-63
7. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 5. 感覚器検査; "若葉マーク 臨床検査学エッセンス・ノート 3 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp117-134
8. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 6. 超音波検査; "若葉マーク 臨床検査学エッセンス・ノート 4 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp136-161
9. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 7. 眼底検査; "若葉マーク 臨床検査学エッセンス・ノート 5 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp164-169
10. 磯辺智範, 藤原恵子, 鎌田知子, 安藤浩樹, 富田哲也, 山田真子, 森祐太郎, 高田健太, 佐藤英介, 小見正太郎, 吉村洋祐. 9. 熱画像検査; "若葉マーク 臨床検査学エッセンス・ノート 6 臨床生理機能検査 (第1版)" (編集 磯辺智範), メディカルビュー社 (東京) 2013; pp222-231
11. 奥村敏之, 水本齊志, 福光延吉, 大西かよ子, 沼尻晴子, 石川仁, 栗飯原輝人, 坪井康次, 柴武二, 櫻井英幸. 【肝胆膵領域への放射線療法 as of 2013】 肝臓領域の放射線療法 肝腫瘍に対する陽子線療法の現状と成績; "肝・胆・膵 67(2)" 2013; pp271-278
12. 川端信司, 栗飯原輝人. 【放射線治療の進歩】 硼素中性子捕捉療法の現状と今後; "PET

Journal (22)” 2013; pp16-19

13. 熊田博明. つくば国際戦略総合特区における次世代がん治療(BNCT)の開発実用化プロジェクトについて; "バイオサイエンスとインダストリー 71(1)" 2013; pp63-66
14. 櫻井英幸. 【婦人科腫瘍に対する三次元画像誘導小線源治療】 小線源治療と粒子線治療に関する事例と考察; "臨床放射線 58(3)" 2013; pp425-431
15. 櫻井英幸, 大川綾子, 沼尻晴子, 菅原香織, 瀧澤大地, 牧島弘和, 大野豊然貴, 石川仁, 奥村敏之. 【婦人科がん放射線治療の最新知見】 放射線治療の最新技術 陽子線治療の概要と婦人科腫瘍への応用について; "産婦人科の実際 62(7)" 2013; pp943-949
16. 櫻井英幸, 奥村敏之, 石川仁, 福光延吉, 栗飯原輝人, 大西かよ子, 水本斉志, 大城佳子, 沼尻晴子, 盛武敬, 高田健太, 照沼利之, 安岡聖, 磯辺智範, 熊田博明, 坪井康次, 榮武二. 【Radiotherapy Today 2013 粒子線治療最前線-進化する粒子線治療の現況と展望-】 粒子線治療の現状と展望 粒子線治療実施施設からの報告 筑波大学陽子線医学利用研究センター PMRC; "INNERVISION 28(7)" 2013; pp19-21
17. 坪井康次, 水本斉志. 【悪性脳腫瘍の治療-最新のトピックス】 放射線治療のトピックス 陽子線・重粒子線治療; "Clinical Neuroscience 31(10)" 2013; pp1169-1172
18. 長崎幸夫. 第12章 2. 大腸粘膜に対する経口型レドックスナノ粒子の集積と潰瘍性大腸炎治療効果の増強; "非経口投与製剤の開発と応用—次世代型医薬品の新規投与形態の開拓を目指して— (第1版)" (編集 山本昌), シーエムシー出版 (東京) 2013; pp147-151
19. 中村浩之, 柳衛宏宣. 第7章 7.1 中性子捕捉療法にける薬剤送達システム; "医学物理の理工学 (下巻) (第1版)" (編集 上坂充, 中川恵一, 金井達明, 西尾禎治), 養賢堂 (東京) 2013; pp153-164
20. 水本斉志. 第7章. 放射線治療; "肝臓診療ガイドライン 2013年版 (第3版)" (編集 日本肝臓学会), 金原出版 (東京) 2013; pp160-171

ゲノム医科学

1) 英文論文

1. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and ROR γ are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
2. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42:1029-1031, 2013
3. Doki K, Homma M, Kuga K, Aonuma K, Kohda Y. SCN5A promoter haplotype affects the therapeutic range for serum flecainide concentration in Asian patients. *Pharmacogenet Genomics* 23(7):349-354, 2013
4. Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R. Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies. *Leuk Res Treatment* 2013:238528, 2013
5. Furukawa H, Kawasaki A, Oka S, Shimada K, Matsui T, Ikenaka T, Hashimoto A, Okazaki Y, Takaoka H, Futami H, Komiya A, Kondo Y, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Takasaki Y, Nagai T, Hirohata S, Setoguchi K, Suda A, Nagaoka S, Kono H, Okamoto A, Chiba N, Suematsu E, Fukui N, Hashimoto H, Sumida T, Ono M, Tsuchiya N, Tohma S. Association of a single nucleotide polymorphism in the SH2D1A intronic region with systemic lupus erythematosus. *Lupus* 22(5):497-503, 2013
6. Furukawa H, Oka S, Matsui T, Hashimoto A, Arinuma Y, Komiya A, Fukui N, Tsuchiya N, Tohma S. Genome, epigenome and transcriptome analyses of a pair of monozygotic twins discordant for systemic lupus erythematosus. *Hum Immunol* 74(2):170-175, 2013
7. Furukawa H, Oka S, Shimada K, Rheumatoid Arthritis-Interstitial Lung Disease Study C, Tsuchiya N, Tohma S. HLA-A*31:01 and methotrexate-induced interstitial lung disease in Japanese rheumatoid arthritis patients: a multidrug hypersensitivity marker? *Ann Rheum Dis* 72(1):153-155, 2013
8. Furukawa H, Oka S, Shimada K, Sugii S, Hashimoto A, Komiya A, Fukui N, Nagai T, Hirohata S, Setoguchi K, Okamoto A, Chiba N, Suematsu E, Miyashita T, Migita K, Suda A, Nagaoka S, Tsuchiya N, Tohma S. Association of increased frequencies of HLA-DPB1*05:01

- with the presence of anti-Ro/SS-A and anti-La/SS-B antibodies in Japanese rheumatoid arthritis and systemic lupus erythematosus patients. *PLoS One* 8(1):e53910, 2013
9. Furukawa H, Oka S, Takehana K, Muramatsu T, Shimada K, Komiyama A, Fukui N, Tsuchiya N, Tohma S. Plasma amino acid profiles in collagen disease patients with interstitial lung disease. *Immunome Research* 9:64, 2013
 10. Furukawa M, Tochigi M, Otowa T, Arinami T, Inada T, Ujike H, Watanabe Y, Iwata N, Itokawa M, Kunugi H, Hashimoto R, Ozaki N, Kakiuchi C, Kasai K, Sasaki T. An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population. *Psychiatr Genet* 23(4):179-180, 2013
 11. Furusawa T, Naka I, Yamauchi T, Natsuhara K, Eddie R, Kimura R, Nakazawa M, Ishida T, Inaoka T, Matsumura Y, Ataka Y, Ohtsuka R, Ohashi J. Hypertension-susceptibility gene prevalence in the Pacific Islands and associations with hypertension in Melanesia. *J Hum Genet* 58(3):142-149, 2013
 12. Genin E, Coustet B, Allanore Y, Ito I, Teruel M, Constantin A, Schaevebeke T, Ruysse-Witrand A, Tohma S, Cantagrel A, Vittecoq O, Barnette T, Le Loet X, Fardellone P, Furukawa H, Meyer O, Fernandez-Gutierrez B, Balsa A, Gonzalez-Gay MA, Chiochia G, Tsuchiya N, Martin J, Dieude P. Epistatic interaction between BANK1 and BLK in rheumatoid arthritis: results from a large trans-ethnic meta-analysis. *PLoS One* 8(4):e61044, 2013
 13. Hayashi M, Hirota T, Saeki H, Nakagawa H, Ishiuchi Y, Matsuzaki H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Tamari M. Genetic polymorphism in the TRAF3IP2 gene is associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* doi: 10.1016/j.jdermsci.2013.11.012, 2013
 14. Hizawa N. Pharmacogenetics of chronic obstructive pulmonary disease. *Pharmacogenomics* 14(10):1215-1225, 2013
 15. Honda K. The Ashikaga case of Japan--Y-STR testing used as the exculpatory evidence to free a convicted felon after 17.5 years in prison. *Forensic Sci Int Genet* 7(1):e1-2, 2013
 16. Honda K, Yano S, Nishi T, Iwabuchi Y, Kurosu A, Sugano Y. Selective blood-DNA extraction from mixed stain using ABO antibody for short tandem repeat typing. *FSIGSS* 4(1):e326-e327, 2013
 17. Horiuchi Y, Ishikawa M, Kaito N, Iijima Y, Tanabe Y, Ishiguro H, Arinami T. Experimental evidence for the involvement of PDLIM5 in mood disorders in hetero knockout mice. *PLoS*

One 8(4):e59320, 2013

18. Iijima H, Kaneko Y, Yamada H, Yatagai Y, Masuko H, Sakamoto T, Naito T, Hirota T, Tamari M, Konno S, Nishimura M, Noguchi E, Hizawa N. A distinct sensitization pattern associated with asthma and the thymic stromal lymphopoietin (TSLP) genotype. *Allergol Int* 62(1):123-130, 2013
19. Ikeda T, Ishii KA, Saito Y, Miura M, Otagiri A, Kawakami Y, Shimano H, Hara H, Takekoshi K. Inhibition of autophagy enhances sunitinib-induced cytotoxicity in rat pheochromocytoma PC12 cells. *J Pharmacol Sci* 121(1):67-73, 2013
20. Imoto Y, Tokunaga T, Matsumoto Y, Hamada Y, Ono M, Yamada T, Ito Y, Arinami T, Okano M, Noguchi E, Fujieda S. Cystatin SN upregulation in patients with seasonal allergic rhinitis. *PLoS One* 8(8):e67057, 2013
21. Inoue Y, Nakagawara R, Kambara T, Tanaka K, Seki K, Enomoto H, Noguchi E, Aihara M, Ikezawa Z. Prevalence of atopic dermatitis in Japanese infants treated with moisturizer since birth and its relation to FLG mutations. *Eur J Dermatol* 23(2):288-289, 2013
22. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
23. Jimbo T, Masumoto K, Urita Y, Takayasu H, Shinkai T, Uesugi T, Gotoh C, Sakamoto N, Sasaki T, Oto T, Fukushima T, Noguchi E, Nakano Y. Nevroid basal cell carcinoma syndrome with a unilateral giant ovarian fibroma in a Japanese 6-year-old girl. *Eur J Pediatr* 1 doi: 10.1007/s00431-013-2200-7, 2013
24. Kaminiwa J, Honda K, Kurosu A, Nishi T, Sugano Y, Yano S. Application of trace element measurement for diagnosis of metabolic disorders. *Rom J Leg Med* 21(2):259-262, 2013
25. Kaminiwa J, Honda K, Sugano Y, Yano S, Nishi T, Sekine Y. Vanadium accelerates polymerase chain reaction and expands the applicability of forensic DNA testing. *J Forensic Leg Med* 20(4):326-333, 2013
26. Kaneko Y, Masuko H, Sakamoto T, Iijima H, Naito T, Yatagai Y, Yamada H, Konno S, Nishimura M, Noguchi E, Hizawa N. Asthma phenotypes in Japanese adults - their associations with the CCL5 and ADRB2 genotypes. *Allergol Int* 62(1):113-121, 2013
27. Kaneko Y, Yatagai Y, Yamada H, Iijima H, Masuko H, Sakamoto T, Hizawa N. The search for common pathways underlying asthma and COPD. *Int J Chron Obstruct Pulmon Dis* 8:65-78, 2013
28. Kawaku S, Sato R, Song H, Bando Y, Arinami T, Noguchi E. Functional analysis of BRCA1

- missense variants of uncertain significance in Japanese breast cancer families. *J Hum Genet* 58(9):618-621, 2013
29. Kawasaki A, Inoue N, Ajimi C, Sada KE, Kobayashi S, Yamada H, Furukawa H, Sumida T, Tohma S, Miyasaka N, Matsuo S, Ozaki S, Hashimoto H, Makino H, Harigai M, Tsuchiya N. Association of IRF5 polymorphism with MPO-ANCA-positive vasculitis in a Japanese population. *Genes Immun* 14(8):527-529, 2013
30. Kurihara Y, Hitomi S, Oishi T, Kondo T, Ebihara T, Funayama Y, Kawakami Y. Characteristics of bacteremia caused by extended-spectrum beta-lactamase-producing *Proteus mirabilis*. *J Infect Chemother* 19(5):799-805, 2013
31. Maie K, Okoshi Y, Takaiwa N, Kurita N, Hasegawa Y, Homma M, Ishii K, Kohda Y, Chiba S. Aprepitant does not alter prednisolone pharmacokinetics in patients treated with R-CHOP. *Ann Oncol* doi: 10.1093/annonc/mdt477, 2013
32. Momo K, Homma M, Kohda Y. Lower metabolic clearance of tizanidine in Japanese subjects. *Int J Clin Pharmacol Ther* 51(12):986-988, 2013
33. Nagai K, Tahara-Hanaoka S, Morishima Y, Tokunaga T, Imoto Y, Noguchi E, Kanemaru K, Imai M, Shibayama S, Hizawa N, Fujieda S, Yamagata K, Shibuya A. Expression and function of Allergin-1 on human primary mast cells. *PLoS One* 8(10):e76160, 2013
34. Naka I, Hikami K, Nakayama K, Koga M, Nishida N, Kimura R, Furusawa T, Natsuhara K, Yamauchi T, Nakazawa M, Ataka Y, Ishida T, Inaoka T, Iwamoto S, Matsumura Y, Ohtsuka R, Tsuchiya N, Ohashi J. A functional SNP upstream of the beta-2 adrenergic receptor gene (ADRB2) is associated with obesity in Oceanic populations. *Int J Obes (Lond)* 37(9):1204-1210, 2013
35. Naka I, Ohashi J, Kimura R, Inaoka T, Matsumura Y. Association of ADRB2 polymorphism with triglyceride levels in Tongans. *Lipids Health Dis* 12(1):110, 2013
36. Nishi T, Kurosu A, Sugano Y, Kaminiwa J, Sekine Y, Yano S, Honda K. Application of a novel multiplex polymerase chain reaction system for 12 X-chromosomal short tandem repeats to a Japanese population study. *Leg Med (Tokyo)* 15(1):43-46, 2013
37. Noguchi S, Hijikata M, Hamano E, Matsushita I, Ito H, Ohashi J, Nagase T, Keicho N. MxA transcripts with distinct first exons and modulation of gene expression levels by single-nucleotide polymorphisms in human bronchial epithelial cells. *Immunogenetics* 65(2):107-114, 2013
38. Oka S, Furukawa H, Kashiwase K, Tsuchiya N, Tohma S. A novel HLA-DQB1*04 allele, DQB1*04:10, identified in a Japanese individual. *Tissue Antigens* 82(2):148-149, 2013

39. Oka S, Furukawa H, Shimada K, Hayakawa H, Fukui N, Tsuchiya N, Tohma S. Serum biomarker analysis of collagen disease patients with acute-onset diffuse interstitial lung disease. *BMC Immunol* 14:9, 2013
40. Onuma H, Tabara Y, Kawamura R, Ohashi J, Nishida W, Takata Y, Ochi M, Nishimiya T, Kawamoto R, Kohara K, Miki T, Osawa H. Plasma resistin is associated with single nucleotide polymorphisms of a possible resistin receptor, the decorin gene, in the general Japanese population. *Diabetes* 62(2):649-652, 2013
41. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
42. Saeki H, Hirota T, Nakagawa H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Nakamura Y, Tamari M. Genetic polymorphisms in the IL22 gene are associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* 71(2):148-150, 2013
43. Saito R, Suzuki H, Yamada T, Endo S, Moriwaki T, Ueno T, Hirose M, Hirai S, Yamato K, Mizokami Y, Hyodo I. Predicting skin toxicity according to EGFR polymorphisms in patients with colorectal cancer receiving antibody against EGFR. *Anticancer Res* 33(11):4995-4998, 2013
44. Shibata H, Yamamoto K, Sun Z, Oka A, Inoko H, Arinami T, Inada T, Ujike H, Itokawa M, Tochigi M, Watanabe Y, Someya T, Kunugi H, Suzuki T, Iwata N, Ozaki N, Fukumaki Y. Genome-wide association study of schizophrenia using microsatellite markers in the Japanese population. *Psychiatr Genet* 23(3):117-123, 2013
45. Suzuki Y, Homma M, Abei M, Hyodo I, Kohda Y. Impact of solute carrier family 29 member 1 (SLC29A1) single nucleotide polymorphisms on mRNA expression in peripheral blood mononuclear cells. *Biol Pharm Bull* 36(1):144-146, 2013
46. Suzuki Y, Homma M, Abei M, Hyodo I, Kohda Y. Effects of dipyridamole coadministration on the pharmacokinetics of ribavirin in healthy volunteers. *Drug Metab Pharmacokinet* 28(5):406-410, 2013
47. Taniguchi N, Konno S, Hattori T, Isada A, Shimizu K, Shimizu K, Shijubo N, Huang SK, Hizawa N, Nishimura M. The CC16 A38G polymorphism is associated with asymptomatic airway hyper-responsiveness and development of late-onset asthma. *Ann Allergy Asthma Immunol* 111(5):376-381 e371, 2013
48. Terao C, Ohmura K, Kawaguchi Y, Nishimoto T, Kawasaki A, Takehara K, Furukawa H,

- Kochi Y, Ota Y, Ikari K, Sato S, Tohma S, Yamada R, Yamamoto K, Kubo M, Yamanaka H, Kuwana M, Tsuchiya N, Matsuda F, Mimori T. PLD4 as a novel susceptibility gene for systemic sclerosis in a Japanese population. *Arthritis Rheum* 65(2):472-480, 2013
49. Tomita K, Sakashita M, Hirota T, Tanaka S, Masuyama K, Yamada T, Fujieda S, Miyatake A, Hizawa N, Kubo M, Nakamura Y, Tamari M. Variants in the 17q21 asthma susceptibility locus are associated with allergic rhinitis in the Japanese population. *Allergy* 68(1):92-100, 2013
50. Tsuchiya N. Genetics of ANCA-associated vasculitis in Japan: a role for HLA-DRB1*09:01 haplotype. *Clin Exp Nephrol* 17(5):628-630, 2013
51. Umeda N, Matsumoto I, Ito I, Kawasaki A, Tanaka Y, Inoue A, Tsuboi H, Suzuki T, Hayashi T, Ito S, Tsuchiya N, Sumida T. Anti-citrullinated glucose-6-phosphate isomerase peptide antibodies in patients with rheumatoid arthritis are associated with HLA-DRB1 shared epitope alleles and disease activity. *Clin Exp Immunol* 172(1):44-53, 2013
52. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
53. Watanabe Y, Iijima Y, Egawa J, Nunokawa A, Kaneko N, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Itokawa M, Sasaki T, Ozaki N, Hashimoto R, Shibuya M, Igeta H, Someya T. Replication in a Japanese population that a MIR30E gene variation is associated with schizophrenia. *Schizophr Res* 150(2-3):596-597, 2013
54. Yatagai Y, Sakamoto T, Masuko H, Kaneko Y, Yamada H, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Imoto Y, Tokunaga T, Fujieda S, Konno S, Nishimura M, Hizawa N. Genome-wide association study for levels of total serum IgE identifies HLA-C in a Japanese population. *PLoS One* 8(12):e80941, 2013

2) 英文以外の論文

1. 坂本透, 檜澤伸之. 【変貌する肺の生活習慣病 COPD-早期診断で併存症にも好影響】疾患理解の変遷 COPD と遺伝素因. *Modern Physician* 33(11):1359-1361, 2013
2. 土屋尚之. 【血管炎-基礎と臨床のクロストーク-】 ANCA 関連血管炎の病因・病理、診断・治療 ANCA 関連血管炎(AAV)の基礎研究から臨床へのアプローチ ゲノミクスと遺伝子解析 ANCA 関連血管炎疾患感受性遺伝子. *日本臨床* 71(増刊 1 血管炎):208-213, 2013
3. 土屋尚之. 【全身性エリテマトーデス-免疫異常と腎症の最近の知見】 全身性エリテマ

- トードスの疾患感受性遺伝子. 腎と透析 74(1):15-20, 2013
4. 土屋尚之. GPA と MPA の遺伝学的相違. リウマチ科 49(5):611-615, 2013
 5. 土屋尚之. 話題の疾患と治療 ANCA 関連血管炎の遺伝因子. 感染・炎症・免疫 42(4):345-348, 2013
 6. 土屋尚之. 【全身性エリテマトーデスの up to date】 SLE 疾患感受性遺伝子研究 2013. リウマチ科 50(5):517-524, 2013
 7. 檜澤伸之. 【呼吸器疾患-state of arts Ver.6】 (第1章)病態生理に関する最新の基礎的研究 喘息・COPD の phenotype. 医学のあゆみ 別冊(呼吸器疾患-state of arts Ver.6):11-13, 2013
 8. 檜澤伸之. 【疾患感受性遺伝子解析による呼吸器疾患の病態解析】 ゲノム解析と COPD. 呼吸と循環 61(10):914-918, 2013
 9. 檜澤伸之. 【咳と痰のサイエンス】 慢性咳嗽に関わる遺伝子. THE LUNG-perspectives 21(4):348-350, 2013
 10. 檜澤伸之. 【気管支喘息の研究 アップデート】 気管支喘息のフェノタイプ・エンドタイプ. アレルギー・免疫 20(7):1036-1042, 2013
 11. 檜澤伸之. 【喘息病態の修飾因子・難治化因子】 遺伝素因. 呼吸と循環 61(6):516-522, 2013
 12. 檜澤伸之. 【気管支喘息:診断と治療の進歩】 病因と病態 喘息関連遺伝子. 日本内科学会雑誌 102(6):1365-1369, 2013
 13. 檜澤伸之. ゲノム解析からみた喘息難治化要因. 呼吸器内科 23(2):223-227, 2013
 14. 檜澤伸之. 【喘息・アレルギーと遺伝子 Up-To-Date】 $\beta 2$ 受容体変異と喘息病態との関連. 喘息 26(1):27-31, 2013
 15. 檜澤伸之. 診断の進歩 GWAS ゲノムワイド関連解析. Annual Review 呼吸器 2013:200-205, 2013
 16. 百賢二, 本間真人, 松本早矢香, 佐々木忠徳, 幸田幸直. チザニジンの副作用に関する実態調査 Cytochrome P450 1A2 に影響する薬剤の併用との関連. 薬学雑誌 133(2):275-281, 2013
 17. 松本 和彦, 荒川 義弘, 小池 竜司, 中村 哲也, 花岡 英紀, 本間真人, 吉澤 弘久, 大学病院臨床試験アライアンス共同 IRB 推進検討作業班. 大学病院間の共同 IRB 等の体制 大学病院臨床試験アライアンスにおける検討. 臨床薬理 44(3):207-215, 2013
- 4) 英文以外の著書
1. 本田克也. 特別企画. DNA鑑定の有用性と課題; "刑事弁護" (編集 成澤壽信), 現代

人文社 (東京) 2013; pp109-120

分子スプロロジー

1) 英文論文

1. Baba O, Yamagata K, Tomidokoro Y, Tamaoka A, Itoh H, Yanagawa T, Onizawa K, Bukawa H. Neuroleptic malignant syndrome in a patient with tongue cancer: a report of a rare case. *Case Rep Dent* 2013;542130, 2013
2. Doi H, Adachi H, Katsuno M, Minamiyama M, Matsumoto S, Kondo N, Miyazaki Y, Iida M, Tohnai G, Qiang Q, Tanaka F, Yanagawa T, Warabi E, Ishii T, Sobue G. p62/SQSTM1 differentially removes the toxic mutant androgen receptor via autophagy and inclusion formation in a spinal and bulbar muscular atrophy mouse model. *J Neurosci* 33(18):7710-7727, 2013
3. Harada H, Warabi E, Matsuki T, Yanagawa T, Okada K, Uwayama J, Ikeda A, Nakaso K, Kirii K, Noguchi N, Bukawa H, Siow RC, Mann GE, Shoda J, Ishii T, Sakurai T. Deficiency of p62/Sequestosome 1 causes hyperphagia due to leptin resistance in the brain. *J Neurosci* 33(37):14767-14777, 2013
4. Higashino R, Miyaki A, Kumagai H, Choi Y, Akazawa N, Ra SG, Tanabe Y, Eto M, So R, Tanaka K, Ajisaka R, Maeda S. Effects of lifestyle modification on central blood pressure in overweight and obese men. *Blood Press Monit* 18(6):311-315, 2013
5. Hotta K, Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A. Replication study of 15 recently published Loci for body fat distribution in the Japanese population. *J Atheroscler Thromb* 20(4):336-350, 2013
6. Ishii T, Warabi E, Siow RC, Mann GE. Sequestosome1/p62: a regulator of redox-sensitive voltage-activated potassium channels, arterial remodeling, inflammation, and neurite outgrowth. *Free Radic Biol Med* 65:102-116, 2013
7. Kitamoto A, Kitamoto T, Mizusawa S, Teranishi H, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Nakao K, Sekine A, Hotta K. NUDT3 rs206936 is associated with body mass index in obese Japanese women. *Endocr J* 60(8):991-1000, 2013
8. Maeda S, Miyaki A, Kumagai H, Eto M, So R, Tanaka K, Ajisaka R. Lifestyle modification

- decreases arterial stiffness and plasma asymmetric dimethylarginine level in overweight and obese men. *Coron Artery Dis* 24(7):583-588, 2013
9. Miyaki A, Maeda S, Choi Y, Akazawa N, Eto M, Tanaka K, Ajisaka R. Association of plasma pentraxin 3 with arterial stiffness in overweight and obese individuals. *Am J Hypertens* 26(10):1250-1255, 2013
 10. Oh S, Tanaka K, Warabi E, Shoda J. Exercise reduces inflammation and oxidative stress in obesity-related liver diseases. *Med Sci Sports Exerc* 45(12):2214-2222, 2013
 11. Okubo Y, Sairenchi T, Irie F, Yamagishi K, Iso H, Watanabe H, Muto T, Tanaka K, Ota H. Association of alcohol consumption with incident hypertension among middle-aged and older Japanese population: the Ibarakai Prefectural Health Study (IPHS). *Hypertension* doi: 10.1161/HYPERTENSIONAHA.113.01585, 2013
 12. Onuki K, Sugiyama H, Ishige K, Kawamoto T, Ota T, Ariizumi S, Yamato M, Kadota S, Takeuchi K, Ishikawa A, Onodera M, Onizawa K, Yamamoto M, Miyoshi E, Shoda J. Expression of N-acetylglucosaminyltransferase V in the subserosal layer correlates with postsurgical survival of pathological tumor stage 2 carcinoma of the gallbladder. *J Gastroenterol* doi: 10.1007/s00535-013-0813-2, 2013
 13. Seino S, Yabushita N, Kim MJ, Nemoto M, Jung S, Osuka Y, Okubo Y, Figueroa R, Matsuo T, Tanaka K. Physical performance measures as a useful indicator of multiple geriatric syndromes in women aged 75 years and older. *Geriatr Gerontol Int* 13(4):901-10, 2013
 14. Seto K, Shoda J, Horibe T, Warabi E, Ishige K, Yamagata K, Kohno M, Yanagawa T, Bukawa H, Kawakami K. Interleukin-4 receptor α -based hybrid peptide effectively induces antitumor activity in head and neck squamous cell carcinoma. *Oncol Rep* 29(6):2147-2153, 2013
 15. Seto K, Uchida F, Baba O, Yamatoji M, Karube R, Warabi E, Sakai S, Hasegawa S, Yamagata K, Yanagawa T, Onizawa K, Miyoshi E, Shoda J, Bukawa H. Negative expression of N-acetylglucosaminyltransferase V in oral squamous cell carcinoma correlates with poor prognosis. *Springerplus* 2:657, 2013
 16. Seto K, Yamagata K, Uchida F, Yanagawa T, Onizawa K, Bukawa H. Radiation-induced carotid artery stenosis in a patient with carcinoma of the oral floor. *Case Rep Oncol Med* 2013:379039, 2013
 17. Yamagata K, Ito H, Onizawa K, Yamatoji M, Yanagawa T, Bukawa H. Prognosis for gingival carcinomas with a delayed diagnosis after dental extraction. *J Oral Maxillofac Surg* 71(12):2189-2194, 2013

4)英文以外の著書

1. 正田純一. I 基礎編 2. 胆道の炎症; "内科学書第 8 版 Vol.4 肝・胆道・膵疾患 (第 8 版)" (編集 小川聡), 中山書店 (東京) pp349-351
2. 正田純一. 第 2 章. トピックス:胆石形成の分子機序; "専門医のための消化器病学 (第 2 版)" (編集 下瀬川徹, 渡辺守, 木下芳一, 金子周一, 檜田博史), 医学書院 (東京) 2013; pp494-496

脂質エネルギー代謝

1) 英文論文

1. Ali WH, Chen Q, Delgiorno KE, Su W, Hall JC, Hongu T, Tian H, Kanaho Y, Di Paolo G, Crawford HC, Frohman MA. Deficiencies of the lipid-signaling enzymes phospholipase D1 and D2 alter cytoskeletal organization, macrophage phagocytosis, and cytokine-stimulated neutrophil recruitment. *PLoS One* 8(1):e55325, 2013
2. Amano H, Ito Y, Ogawa F, Eshima K, Suzuki T, Oba K, Matsui Y, Kato S, Fukui T, Nakamura M, Kitasato H, Fukamizu A, Majima M. Angiotensin II type 1A receptor signaling facilitates tumor metastasis formation through P-selectin-mediated interaction of tumor cells with platelets and endothelial cells. *Am J Pathol* 182(2):553-564, 2013
3. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and RORgammat are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
4. Arase Y, Kawamura Y, Seko Y, Kobayashi M, Suzuki F, Suzuki Y, Akuta N, Kobayashi M, Sezaki H, Saito S, Hosaka T, Ikeda K, Kumada H, Ohmoto-Sekine Y, Hsieh SD, Amakawa K, Ogawa K, Matsumoto N, Iwao A, Tsuji H, Hara S, Mori Y, Okubo M, Sone H, Kobayashi T. Efficacy and safety in sitagliptin therapy for diabetes complicated by non-alcoholic fatty liver disease. *Hepatol Res* 43(11):1163-1168, 2013
5. Asano L, Ito I, Kuwabara N, Waku T, Yanagisawa J, Miyachi H, Shimizu T. Structural basis for vitamin D receptor agonism by novel non-secosteroidal ligands. *FEBS Lett* 587(7):957-963, 2013
6. Chang I, Bramall AN, Baynash AG, Rattner A, Rakheja D, Post M, Joza S, McKerlie C, Stewart DJ, McInnes RR, Yanagisawa M. Endothelin-2 deficiency causes growth retardation, hypothermia, and emphysema in mice. *J Clin Invest* 123(6):2643-2653, 2013
7. Chujo Y, Fujii N, Okita N, Konishi T, Narita T, Yamada A, Haruyama Y, Tashiro K, Chiba T, Shimokawa I, Higami Y. Caloric restriction-associated remodeling of rat white adipose tissue: effects on the growth hormone/insulin-like growth factor-1 axis, sterol regulatory element binding protein-1, and macrophage infiltration. *Age (Dordr)* 35(4):1143-1156, 2013
8. Fujihara K, Kodama S, Horikawa C, Yoshizawa S, Sugawara A, Hirasawa R, Shimano H, Yachi Y, Suzuki A, Hanyu O, Sone H. The Relationship between Diabetic Neuropathy and Sleep Apnea Syndrome: A Meta-Analysis. *Sleep Disord* 2013:150371, 2013
9. Fujihara K, Suzuki H, Sato A, Kodama S, Heianza Y, Saito K, Iwasaki H, Kobayashi K,

- Yatoh S, Takahashi A, Yamada N, Sone H, Shimano H. Carotid artery plaque and LDL-to-HDL cholesterol ratio predict atherosclerotic status in coronary arteries in asymptomatic patients with type 2 diabetes mellitus. *J Atheroscler Thromb* 20(5):452-464, 2013
10. Fujimoto Y, Nakagawa Y, Satoh A, Okuda K, Shingyouchi A, Naka A, Matsuzaka T, Iwasaki H, Kobayashi K, Yahagi N, Shimada M, Yatoh S, Suzuki H, Yogosawa S, Izumi T, Sone H, Urayama O, Yamada N, Shimano H. TFE3 controls lipid metabolism in adipose tissue of male mice by suppressing lipolysis and thermogenesis. *Endocrinology* 154(10):3577-3588, 2013
11. Fukuzawa T, Ishida J, Kato A, Ichinose T, Ariestanti DM, Takahashi T, Ito K, Abe J, Suzuki T, Wakana S, Fukamizu A, Nakamura N, Hirose S. Lung surfactant levels are regulated by Ig-Hepta/GPR116 by monitoring surfactant protein D. *PLoS One* 8(7):e69451, 2013
12. Furutani N, Hondo M, Kageyama H, Tsujino N, Mieda M, Yanagisawa M, Shioda S, Sakurai T. Neurotensin co-expressed in orexin-producing neurons in the lateral hypothalamus plays an important role in regulation of sleep/wakefulness states. *PLoS One* 8(4):e62391, 2013
13. Hamanaka S, Ooehara J, Morita Y, Ema H, Takahashi S, Miyawaki A, Otsu M, Yamaguchi T, Onodera M, Nakauchi H. Generation of transgenic mouse line expressing Kusabira Orange throughout body, including erythrocytes, by random segregation of provirus method. *Biochem Biophys Res Commun* 435(4):586-591, 2013
14. Harada H, Warabi E, Matsuki T, Yanagawa T, Okada K, Uwayama J, Ikeda A, Nakaso K, Kirii K, Noguchi N, Bukawa H, Siow RC, Mann GE, Shoda J, Ishii T, Sakurai T. Deficiency of p62/Sequestosome 1 causes hyperphagia due to leptin resistance in the brain. *J Neurosci* 33(37):14767-14777, 2013
15. Hasegawa Y, Daitoku Y, Sekiguchi K, Tanimoto Y, Mizuno-Iijima S, Mizuno S, Kajiwara N, Ema M, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Novel ROSA26 Cre-reporter knock-in C57BL/6N mice exhibiting green emission before and red emission after Cre-mediated recombination. *Exp Anim* 62(4):295-304, 2013
16. Hayashi T, Araki A, Kawashima S, Sone H, Watanabe H, Ohru T, Yokote K, Takemoto M, Kubota K, Noda M, Noto H, Ina K, Nomura H. Metabolic predictors of ischemic heart disease and cerebrovascular attack in elderly diabetic individuals: difference in risk by age. *Cardiovasc Diabetol* 12:10, 2013
17. Heianza Y, Arase Y, Kodama S, Hsieh SD, Tsuji H, Saito K, Shimano H, Hara S, Sone H. Effect of postmenopausal status and age at menopause on type 2 diabetes and prediabetes in

- Japanese individuals: Toranomon Hospital Health Management Center Study 17 (TOPICS 17). *Diabetes Care* 36(12):4007-4014, 2013
18. Heianza Y, Arase Y, Kodama S, Hsieh SD, Tsuji H, Saito K, Shimano H, Hara S, Sone H. Association of living alone with the presence of undiagnosed diabetes in Japanese men: the role of modifiable risk factors for diabetes: Toranomon Hospital Health Management Center Study 13 (TOPICS 13). *Diabet Med* 30(11):1355-1359, 2013
 19. Heianza Y, Arase Y, Saito K, Hsieh SD, Tsuji H, Kodama S, Tanaka S, Ohashi Y, Shimano H, Yamada N, Hara S, Sone H. Development of a screening score for undiagnosed diabetes and its application in estimating absolute risk of future type 2 diabetes in Japan: Toranomon Hospital Health Management Center Study 10 (TOPICS 10). *J Clin Endocrinol Metab* 98(3):1051-1060, 2013
 20. Heianza Y, Arase Y, Saito K, Tsuji H, Fujihara K, Hsieh SD, Kodama S, Shimano H, Yamada N, Hara S, Sone H. Role of alcohol drinking pattern in type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 11 (TOPICS 11). *Am J Clin Nutr* 97(3):561-568, 2013
 21. Hirasawa R, Yachi Y, Yoshizawa S, Horikawa C, Heianza Y, Sugawara A, Sone Y, Kondo K, Shimano H, Saito K, Kodama S, Sone H. Quality and accuracy of Internet information concerning a healthy diet. *Int J Food Sci Nutr* 64(8):1007-1013, 2013
 22. Horie T, Nishino T, Baba O, Kuwabara Y, Nakao T, Nishiga M, Usami S, Izuhara M, Sowa N, Yahagi N, Shimano H, Matsumura S, Inoue K, Marusawa H, Nakamura T, Hasegawa K, Kume N, Yokode M, Kita T, Kimura T, Ono K. MicroRNA-33 regulates sterol regulatory element-binding protein 1 expression in mice. *Nat Commun* 4:2883, 2013
 23. Horiguchi Y, Miyachi S, Nagasaki Y. High-performance surface acoustic wave immunosensing system on a PEG/aptamer hybridized surface. *Langmuir* 29(24):7369-7376, 2013
 24. Horikawa C, Kodama S, Tanaka S, Fujihara K, Hirasawa R, Yachi Y, Shimano H, Yamada N, Saito K, Sone H. Diabetes and risk of hearing impairment in adults: a meta-analysis. *J Clin Endocrinol Metab* 98(1):51-58, 2013
 25. Hossain MA, Ikeda Y, Hara T, Nagasaki Y. Novel biocompatible nanoreactor for silica/gold hybrid nanoparticles preparation. *Colloids Surf B Biointerfaces* 102:778-782, 2013
 26. Ikeda T, Ishii KA, Saito Y, Miura M, Otagiri A, Kawakami Y, Shimano H, Hara H, Takekoshi K. Inhibition of autophagy enhances sunitinib-induced cytotoxicity in rat pheochromocytoma PC12 cells. *J Pharmacol Sci* 121(1):67-73, 2013

27. Ikeda Y, Katamachi J, Kawasaki H, Nagasaki Y. Novel protein PEGylation chemistry via glutalaldehyde-functionalized PEG. *Bioconjug Chem* 24(11):1824-1827, 2013
28. Ikeda Y, Kawasaki H, Ichinohe S, Nagasaki Y. Facile solid-phase synthesis of a highly stable poly(ethylene glycol)-oligonucleotide conjugate. *Journal of Materials Chemistry B* 1:529-535, 2013
29. Ikeda Y, Kubota D, Nagasaki Y. Design of sugar-oligonucleotide conjugates installed gold nanoparticle for effective delivery to hepatic parenchymal cells. *Colloid and Polymer Science* 291(12):2959-2964, 2013
30. Ikeda Y, Kumagai H, Skach A, Sato M, Yanagisawa M. Modulation of circadian glucocorticoid oscillation via adrenal opioid-CXCR7 signaling alters emotional behavior. *Cell* 155(6):1323-1336, 2013
31. Ishida T, Ohta M, Nakakuki M, Kami H, Uchiyama R, Kawano H, Notsu T, Imada K, Shimano H. Distinct regulation of plasma LDL cholesterol by eicosapentaenoic acid and docosahexaenoic acid in high fat diet-fed hamsters: participation of cholesterol ester transfer protein and LDL receptor. *Prostaglandins Leukot Essent Fatty Acids* 88(4):281-288, 2013
32. Ito I, Waku T, Aoki M, Abe R, Nagai Y, Watanabe T, Nakajima Yoh Kido I, Yokoyama K, Miyachi H, Shimizu T, Murayama A, Kishimoto H, Nagasawa K, Yanagisawa J. A nonclassical vitamin D receptor pathway suppresses renal fibrosis. *J Clin Invest* 123(11):4579-4594, 2013
33. Iwai M, Sone H, Kanno H, Moritani T, Horiuchi M. Reciprocal regulation of cholesterol excretion in apolipoprotein E-null mice by angiotensin II type 1 and type 2 receptor deficiency. *Life Sci* 92(4-5):276-281, 2013
34. Izumida Y, Yahagi N, Takeuchi Y, Nishi M, Shikama A, Takarada A, Masuda Y, Kubota M, Matsuzaka T, Nakagawa Y, Iizuka Y, Itaka K, Kataoka K, Shioda S, Nijima A, Yamada T, Katagiri H, Nagai R, Yamada N, Kadowaki T, Shimano H. Glycogen shortage during fasting triggers liver-brain-adipose neurocircuitry to facilitate fat utilization. *Nat Commun* 4:2316, 2013
35. Kamimura M, Furukawa T, Akiyama S, Nagasaki Y. pH-sensitive doxorubicin/poly(ethylene glycol)-block-poly(4-vinylbenzylphosphonate) nanoparticles in multi-drug resistant human epidermoid KB carcinoma cells. *Biomaterials Science* 1(4):361-367, 2013
36. Kanaho Y, Sato T, Hongu T, Funakoshi Y. Molecular mechanisms of fMLP-induced superoxide generation and degranulation in mouse neutrophils. *Adv Biol Regul* 53(1):128-134, 2013

37. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of beta cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
38. Kawasaki R, Tanaka S, Tanaka S, Abe S, Sone H, Yokote K, Ishibashi S, Katayama S, Ohashi Y, Akanuma Y, Yamada N, Yamashita H. Risk of cardiovascular diseases is increased even with mild diabetic retinopathy: the Japan Diabetes Complications Study. *Ophthalmology* 120(3):574-582, 2013
39. Kodama S, Horikawa C, Fujihara K, Hirasawa R, Yachi Y, Yoshizawa S, Tanaka S, Sone Y, Shimano H, Iida KT, Saito K, Sone H. Use of high-normal levels of haemoglobin A(1C) and fasting plasma glucose for diabetes screening and for prediction: a meta-analysis. *Diabetes Metab Res Rev* 29(8):680-692, 2013
40. Kodama S, Horikawa C, Yoshizawa S, Fujihara K, Yachi Y, Tanaka S, Suzuki A, Hanyu O, Yagyū H, Sone H. Body weight change and type 2 diabetes. *Epidemiology* 24(5):778-779, 2013
41. Kodama S, Tanaka S, Heianza Y, Fujihara K, Horikawa C, Shimano H, Saito K, Yamada N, Ohashi Y, Sone H. Association between physical activity and risk of all-cause mortality and cardiovascular disease in patients with diabetes: a meta-analysis. *Diabetes Care* 36(2):471-479, 2013
42. Kohlmeier KA, Tyler CJ, Kalogiannis M, Ishibashi M, Kristensen MP, Gumenchuk I, Chemelli RM, Kisanuki Y, Yanagisawa M, Leonard CS. Differential actions of orexin receptors in brainstem cholinergic and monoaminergic neurons revealed by receptor knockouts: implications for orexinergic signaling in arousal and narcolepsy. *Front Neurosci* 7:246, 2013
43. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galt1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
44. Lakshmipriya T, Fujimaki M, Gopinath SC, Awazu K, Horiguchi Y, Nagasaki Y. A high-performance waveguide-mode biosensor for detection of factor IX using PEG-based blocking agents to suppress non-specific binding and improve sensitivity. *Analyst* 138(10):2863-2870, 2013
45. Matsuo T, Miyata Y, Sagara Y, Higami Y, Tobu S, Matsuo M, Noguchi M, Shimokawa I, Kanetake H, Sakai H. Renoprotective effects of telmisartan after unilateral renal ablation in

- rats. *Int J Nephrol Renovasc Dis* 6:207-214, 2013
46. Mizuno S, Tra DT, Mizobuchi A, Iseki H, Mizuno-Iijima S, Kim JD, Ishida J, Matsuda Y, Kunita S, Fukamizu A, Sugiyama F, Yagami K. Truncated Cables1 causes agenesis of the corpus callosum in mice. *Lab Invest* doi: 10.1038/labinvest.2013.146, 2013
47. Moriya T, Tanaka S, Kawasaki R, Ohashi Y, Akanuma Y, Yamada N, Sone H, Yamashita H, Katayama S. Diabetic retinopathy and microalbuminuria can predict macroalbuminuria and renal function decline in Japanese type 2 diabetic patients: Japan Diabetes Complications Study. *Diabetes Care* 36(9):2803-2809, 2013
48. Murata K, Saito C, Ishida J, Hamada J, Sugiyama F, Yagami K, Fukamizu A. Effect of lactation on postpartum cardiac function of pregnancy-associated hypertensive mice. *Endocrinology* 154(2):597-602, 2013
49. Nagano K, Ishida J, Unno M, Matsukura T, Fukamizu A. Apelin elevates blood pressure in ICR mice with LNAME-induced endothelial dysfunction. *Mol Med Rep* 7(5):1371-1375, 2013
50. Naka A, Iida KT, Nakagawa Y, Iwasaki H, Takeuchi Y, Satoh A, Matsuzaka T, Ishii KA, Kobayashi K, Yatoh S, Shimada M, Yahagi N, Suzuki H, Sone H, Yamada N, Shimano H. TFE3 inhibits myoblast differentiation in C2C12 cells via down-regulating gene expression of myogenin. *Biochem Biophys Res Commun* 430(2):664-669, 2013
51. Nguyen TT, Kim YM, Kim TD, Le OT, Kim JJ, Kang HC, Hasegawa H, Kanaho Y, Jou I, Lee SY. Phosphatidylinositol 4-phosphate 5-kinase α facilitates Toll-like receptor 4-mediated microglial inflammation through regulation of the Toll/interleukin-1 receptor domain-containing adaptor protein (TIRAP) location. *J Biol Chem* 288(8):5645-5659, 2013
52. Nishimoto M, Katano M, Yamagishi T, Hishida T, Kamon M, Suzuki A, Hirasaki M, Nabeshima Y, Nabeshima Y, Katsura Y, Satta Y, Deakin JE, Graves JA, Kuroki Y, Ono R, Ishino F, Ema M, Takahashi S, Kato H, Okuda A. In vivo function and evolution of the eutherian-specific pluripotency marker UTF1. *PLoS One* 8(7):e68119, 2013
53. Nishimura R, Sone H, Nakagami T, Tajima N. Importance of high-density lipoprotein cholesterol control during pravastatin treatment in hypercholesterolemic Japanese with type 2 diabetes mellitus: a post hoc analysis of MEGA study. *Diabetes Res Clin Pract* 100(2):e31-33, 2013
54. Oh S, Kim M, Eto M, Kim B, Shoda J, Tanaka K. New approach for obesity treatment incorporating individual self- management education. *J Obesity & Weight Loss Therapy* 3(2): 1000164, 2013

55. Oh S, Tanaka K, Warabi E, Shoda J. Exercise training decreases elevated serum ferritin and lipid peroxidation marker levels in middle-aged obese men with non-alcoholic fatty liver disease. *Medicine & Science in Sports & Exercise* 45:2214-2222, 2013
56. Ohara N, Hanyu O, Hirayama S, Nakagawa O, Aizawa Y, Ito S, Sone H. Hypertension increases urinary excretion of immunoglobulin G, ceruloplasmin and transferrin in normoalbuminuric patients with type 2 diabetes mellitus. *J Hypertens* doi: 10.1097/HJH.000000000000019, 2013
57. Oishi H, Tsubaki T, Miyazaki T, Ono M, Nose M, Takahashi S. A bacterial artificial chromosome transgene with polymorphic Cd72 inhibits the development of glomerulonephritis and vasculitis in MRL-Fas^{lpr} lupus mice. *J Immunol* 190(5):2129-2137, 2013
58. Okamura E, Matsuzaki H, Fukamizu A, Tanimoto K. The chicken HS4 insulator element does not protect the H19 ICR from differential DNA methylation in yeast artificial chromosome transgenic mouse. *PLoS One* 8(9):e73925, 2013
59. Okamura E, Matsuzaki H, Sakaguchi R, Takahashi T, Fukamizu A, Tanimoto K. The H19 imprinting control region mediates preimplantation imprinted methylation of nearby sequences in yeast artificial chromosome transgenic mice. *Mol Cell Biol* 33(4):858-871, 2013
60. Okita N, Yoshimura M, Watanabe K, Minato S, Kudo Y, Higami Y, Tanuma S. CHK1 cleavage in programmed cell death is intricately regulated by both caspase and non-caspase family proteases. *Biochim Biophys Acta* 1830(1):2204-2213, 2013
61. Ono W, Akaogi K, Waku T, Kuroda T, Yokoyama W, Hayashi Y, Kimura K, Kishimoto H, Yanagisawa J. Nucleolar protein, Myb-binding protein 1A, specifically binds to nonacetylated p53 and efficiently promotes transcriptional activation. *Biochem Biophys Res Commun* 434(3):659-663, 2013
62. Ono W, Hayashi Y, Yokoyama W, Kuroda T, Kishimoto H, Ito I, Kimura K, Akaogi K, Waku T, Yanagisawa J. The nucleolar protein Myb-binding protein 1A (MYBBP1A) enhances p53 tetramerization and acetylation in response to nucleolar disruption. *J Biol Chem* doi: 10.1074/jbc.M113.474049, 2013
63. Onuki K, Sugiyama H, Ishige K, Kawamoto T, Ota T, Ariizumi S, Yamato M, Kadota S, Takeuchi K, Ishikawa A, Onodera M, Onizawa K, Yamamoto M, Miyoshi E, Shoda J. Expression of N-acetylglucosaminyltransferase V in the subserosal layer correlates with postsurgical survival of pathological tumor stage 2 carcinoma of the gallbladder. *J*

Gastroenterol doi: 10.1007/s00535-013-0813-2, 2013

64. Orimo H, Ueno T, Yoshida H, Sone H, Tanaka A, Itakura H. Nutrition education in Japanese medical schools: a follow-up survey. *Asia Pac J Clin Nutr* 22(1):144-149, 2013
65. Pua ML, Yoshitomi T, Chonpathompikunlert P, Hirayama A, Nagasaki Y. Redox-active injectable gel using thermo-responsive nanoscale polyion complex flower micelle for noninvasive treatment of local inflammation. *J Control Release* 172(3):914-920, 2013
66. Sakaguchi R, Okamura E, Matsuzaki H, Fukamizu A, Tanimoto K. Sox-Oct motifs contribute to maintenance of the unmethylated H19 ICR in YAC transgenic mice. *Hum Mol Genet* 22(22):4627-4637, 2013
67. Sanematsu F, Nishikimi A, Watanabe M, Hongu T, Tanaka Y, Kanaho Y, Cote JF, Fukui Y. Phosphatidic acid-dependent recruitment and function of the Rac activator DOCK1 during dorsal ruffle formation. *J Biol Chem* 288(12):8092-8100, 2013
68. Sato T, Hongu T, Sakamoto M, Funakoshi Y, Kanaho Y. Molecular mechanisms of N-formyl-methionyl-leucyl-phenylalanine-induced superoxide generation and degranulation in mouse neutrophils: phospholipase D is dispensable. *Mol Cell Biol* 33(1):136-145, 2013
69. Sato T, Suzuki T, Watanabe H, Kadowaki A, Fukamizu A, Liu PP, Kimura A, Ito H, Penninger JM, Imai Y, Kuba K. Apelin is a positive regulator of ACE2 in failing hearts. *J Clin Invest* 123(12):5203-5211, 2013
70. Seto K, Shoda J, Horibe T, Warabi E, Ishige K, Yamagata K, Kohno M, Yanagawa T, Bukawa H, Kawakami K. Interleukin-4 receptor alpha-based hybrid peptide effectively induces antitumor activity in head and neck squamous cell carcinoma. *Oncol Rep* 29(6):2147-2153, 2013
71. Seto K, Uchida F, Baba O, Yamatoji M, Karube R, Warabi E, Sakai S, Hasegawa S, Yamagata K, Yanagawa T, Onizawa K, Miyoshi E, Shoda J, Bukawa H. Negative expression of N-acetylglucosaminyltransferase V in oral squamous cell carcinoma correlates with poor prognosis. *Springerplus* 2:657, 2013
72. Sha S, Vong LB, Chonpathompikunlert P, Yoshitomi T, Matsui H, Nagasaki Y. Suppression of NSAID-induced small intestinal inflammation by orally administered redox nanoparticles. *Biomaterials* 34(33):8393-8400, 2013
73. Shashni B, Sakharkar KR, Nagasaki Y, Sakharkar MK. Glycolytic enzymes PGK1 and PKM2 as novel transcriptional targets of PPARgamma in breast cancer pathophysiology. *J Drug Target* 21(2):161-174, 2013
74. Shashni B, Sharma K, Singh R, Sakharkar KR, Dhillon SK, Nagasaki Y, Sakharkar MK.

- Coffee component Hydroxyl Hydro Quinone (HHQ) as a novel ligand for PPAR gamma and implications for breast cancer. *BMC (BioMedCentral) Genomics* 14(Suppl 5):S6, 2013
75. Shimada M. Overview of calpain-mediated regulation of bone and fat mass in osteoblasts. *Cell Biochem Biophys* 66(1):23-28, 2013
 76. Shinkai Y, Yamanaka I, Duong HH, Quynh NT, Kanaho Y, Kumagai Y. Garcinia vilersiana bark extract activates the Nrf2/HO-1 signaling pathway in RAW264.7 cells. *J Toxicol Sci* 38(6):875-878, 2013
 77. Soetikno V, Suzuki K, Veeraveedu PT, Arumugam S, Lakshmanan AP, Sone H, Watanabe K. Molecular understanding of curcumin in diabetic nephropathy. *Drug Discov Today* 18(15-16):756-763, 2013
 78. Sone H, Tanaka S, Tanaka S, Suzuki S, Seino H, Hanyu O, Sato A, Toyonaga T, Okita K, Ishibashi S, Kodama S, Akanuma Y, Yamada N. Leisure-time physical activity is a significant predictor of stroke and total mortality in Japanese patients with type 2 diabetes: analysis from the Japan Diabetes Complications Study (JDCS). *Diabetologia* 56(5):1021-1030, 2013
 79. Sone Y, Kido T, Ainuki T, Sonoda M, Ichi I, Kodama S, Sone H, Kondo K, Morita Y, Egawa S, Kawahara K, Otsuka Y, Fujiwara Y. Genetic variants of the fatty acid desaturase gene cluster are associated with plasma LDL cholesterol levels in Japanese males. *J Nutr Sci Vitaminol (Tokyo)* 59(4):325-335, 2013
 80. Soya S, Shoji H, Hasegawa E, Hondo M, Miyakawa T, Yanagisawa M, Mieda M, Sakurai T. Orexin receptor-1 in the locus coeruleus plays an important role in cue-dependent fear memory consolidation. *J Neurosci* 33(36):14549-14557, 2013
 81. Sunaga H, Matsui H, Ueno M, Maeno T, Iso T, Syamsunarno MR, Anjo S, Matsuzaka T, Shimano H, Yokoyama T, Kurabayashi M. Deranged fatty acid composition causes pulmonary fibrosis in Elovl6-deficient mice. *Nat Commun* 4:2563, 2013
 82. Suzuki A, Sinton CM, Greene RW, Yanagisawa M. Behavioral and biochemical dissociation of arousal and homeostatic sleep need influenced by prior wakeful experience in mice. *Proc Natl Acad Sci U S A* 110(25):10288-10293, 2013
 83. Takase S, Osuga J, Fujita H, Hara K, Sekiya M, Igarashi M, Takanashi M, Takeuchi Y, Izumida Y, Ohta K, Kumagai M, Nishi M, Kubota M, Masuda Y, Taira Y, Okazaki S, Iizuka Y, Yahagi N, Ohashi K, Yoshida H, Yanai H, Tada N, Gotoda T, Ishibashi S, Kadowaki T, Okazaki H. Apolipoprotein C-II deficiency with no rare variant in the APOC2 gene. *J Atheroscler Thromb* 20(5):481-493, 2013
 84. Tamiya H, Hirota K, Takahashi Y, Daitoku H, Kaneko Y, Sakuta G, Iizuka K, Watanabe S,

- Ishii N, Fukamizu A. Conserved SAMS function in regulating egg-laying in *C. elegans*. *J Recept Signal Transduct Res* 33(1):56-62, 2013
85. Tanaka S, Tanaka S, Iimuro S, Yamashita H, Katayama S, Akanuma Y, Yamada N, Araki A, Ito H, Sone H, Ohashi Y. Predicting macro- and microvascular complications in type 2 diabetes: the Japan Diabetes Complications Study/the Japanese Elderly Diabetes Intervention Trial risk engine. *Diabetes Care* 36(5):1193-1199, 2013
86. Tanaka S, Yoshimura Y, Kamada C, Tanaka S, Horikawa C, Okumura R, Ito H, Ohashi Y, Akanuma Y, Yamada N, Sone H. Intakes of dietary fiber, vegetables, and fruits and incidence of cardiovascular disease in Japanese patients with type 2 diabetes. *Diabetes Care* 36(12):3916-3922, 2013
87. Tanaka S, Yoshimura Y, Kawasaki R, Kamada C, Tanaka S, Horikawa C, Ohashi Y, Araki A, Ito H, Akanuma Y, Yamada N, Yamashita H, Sone H. Fruit intake and incident diabetic retinopathy with type 2 diabetes. *Epidemiology* 24(2):204-211, 2013
88. Terawaki K, Sawada Y, Kashiwase Y, Hashimoto H, Yoshimura M, Suzuki M, Miyano K, Sudo Y, Shiraishi S, Higami Y, Yanagihara K, Kase Y, Ueta Y, Uezono Y. New cancer cachexia rat model generated by implantation of a peritoneal dissemination-derived human stomach cancer cell line. *Am J Physiol Endocrinol Metab* doi: 10.1152/ajpendo.00116.2013, 2013
89. Wada T, Miyashita Y, Sasaki M, Aruga Y, Nakamura Y, Ishii Y, Sasahara M, Kanasaki K, Kitada M, Koya D, Shimano H, Tsuneki H, Sasaoka T. Eplerenone ameliorates the phenotypes of metabolic syndrome with NASH in liver-specific SREBP-1c Tg mice fed high-fat and high-fructose diet. *Am J Physiol Endocrinol Metab* 305(11):E1415-1425, 2013
90. Yamazaki M, Yamauchi Y, Goshima Y, Kanaho Y. Phosphatidylinositol 4-phosphate 5-kinase β regulates growth cone morphology and semaphorin 3A-triggered growth cone collapse in mouse dorsal root ganglion neurons. *Neurosci Lett* 547:59-64, 2013
91. Yokoyama H, Araki S, Honjo J, Okizaki S, Yamada D, Shudo R, Shimizu H, Sone H, Moriya T, Haneda M. Association between remission of macroalbuminuria and preservation of renal function in patients with type 2 diabetes with overt proteinuria. *Diabetes Care* 36(10):3227-3233, 2013
92. Yoshitomi T, Ozaki Y, Thangavel S, Nagasaki Y. Redox nanoparticle therapeutics to cancer--increase in therapeutic effect of doxorubicin, suppressing its adverse effect. *J Control Release* 172(1):137-143, 2013

2) 英文以外の論文

1. 正田純一. 肝内結石症の胆道発癌-分子生物学の立場から-. 胆と膵 34:1153-1158, 2013
2. 正田純一. 胆道癌, 肝内胆管癌のリスクファクターとその発癌・進展の分子メカニズム. 胆と膵 34:455-460, 2013
3. 正田純一. Science of Kampo View インチンコウ湯. 漢方医学 37(3):194-197, 2013
4. 正田純一. 日本胆道学会認定指導医養成講座 胆石の種類と成因 胆道 第48回日本胆道学会学術集会記録 27:672-679, 2013
5. 須藤結香, 沖田直之, 樋上賀一. カロリー制限による抗老化・寿命延伸効果のメカニズム ~脂肪組織のリモデリングと脂質代謝の活性化~. 自律神経 50:192-195, 2013
6. 田中喜代次, 蘇リナ, 宮木亜沙子, 小野塚太郎, 正田純一. 加速度トレーニングを含む減量介入が肥満者の健康・体力に及ぼす影響. 臨床スポーツ医学 30:565-569, 2013
7. 土屋拓郎, 沖田直之, 須藤結香, 樋上賀一. カロリー制限が白色脂肪組織における脂肪酸合成に及ぼす影響の経時的解析. 基礎老化研究 37:29-31, 2013
8. 長谷川潤, 金保安則. 哺乳動物個体から見るホスファチジルイノシトール 4-リン酸 5-キナーゼの生理機能. 生化学 85(5):362-367, 2013

3) 英文著書

1. Arumungam S, Karuppagounder V, Thandavarayan RA, Pitchaimani V, Sone H, Watanabe K. Chapter 2 Diabetic cardiomyopathy and oxidative stress; in "Diabetes: Oxidative Stress and Dietary Antioxidant (1st edition)" (edited by Preedy V), Elsevier (Amsterdam) 2013; pp25-32
2. Tamura A, Nagasaki Y. Chapter 10. Environmentally-Responsive Nanogels for siRNA Delivery; in "Advanced Delivery and Therapeutic Applications of RNAi (1st edition)" (edited by Cheng K, Mahato R I), Wiley (Hoboken) 2013; pp207-220

4) 英文以外の著書

1. 泉田欣彦, 矢作直也. 第8章. リパーゼ; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp232-233
2. 岩崎仁, 島野仁. 2章-2. 脂肪酸の主な働き; "そうだったんだ! 脂肪酸-循環器疾患との深い関係- (第1版)" (編集 伊藤浩), 文光堂 (東京) 2013; pp17-21
3. 岩崎仁, 島野仁. IV章. トピックス 肝臓における脂質代謝研究の進歩 (IV章. 肝臓-代謝性疾患); "専門医のための消化器病学 (第2版)" (監修 小俣政男, 千葉勉, 編集 下瀬川徹, 渡辺守, 木下芳一, 金子周一, 樫田博史), 医学書院 (東京) 2013; pp386-387

4. 植村靖行, 曾根博仁. 食後脂質異常症と大血管合併症; "月刊糖尿病 (第5巻9号)" (編集 島野仁), 医学出版 (東京) 2013; pp66-72
5. 大崎芳典, 矢作直也. 第8章. URAT1; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp230-231
6. 岡崎啓明. 8. リパーゼと糖尿病; "月刊糖尿病第5巻9号 (第1版)" (編集 島野仁), 医学出版 (東京) 2013; pp56-65
7. 岡崎啓明. II-4. 細胞内のリパーゼ (HSL・ATGL・NCEH など); "The Lipid 第24巻第4号 (第1版)" (編集 平田健一), メディカルレビュー社 (東京) 2013; pp51-64
8. 煙山紀子, 矢作直也. 第8章. GPR120; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp234-235
9. 煙山(鈴木)紀子, 松坂賢, 島野仁. 第18章. 慢性炎症と栄養; "「慢性炎症と生活習慣病」循環器・代謝・呼吸器・消化器疾患の基盤病態へのアプローチ (第1版)" (編集 小川佳宏, 眞鍋一郎), 南山堂 (東京) 2013; pp161-168
10. 齋藤和美, 曾根博仁. 第2章. 喫煙と糖尿病・代謝疾患; "日本臨牀 (第73巻3号)", 日本臨牀社 (東京) 2013; pp443-448
11. 志鎌明人, 矢作直也. 第8章. SGLT2; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp228-229
12. 島野仁. 第6章. 内分泌・代謝疾患; "ガイドラインに基づく臨床指針 (第10版)" (監修 福井次矢), 2013; pp274-296
13. 島野仁. III章1~4. 療養指導各論 (III章1~4、1 診断と治療に関する知識、2 食事療法、3 運動療法、4 薬物療法); "日本糖尿病療養指導士受験ガイドブック 2013 (第1版)" (編集 日本糖尿病療養指導士認定機構), メディカルレビュー社 (大阪) 2013; pp33-68
14. 島野仁. 第6章-B. 脂肪酸の生合成とその酸化; "人体の構造と機能及び疾病の成り立ち (第2版)" (編集 香川靖雄, 近藤和雄, 石田均, 門脇孝), 南江堂 (東京) 2013; pp151-154
15. 正田純一. 第5章. トピックス:胆石形成の分子機序; "専門医のための消化器病学 (第2版)" (編集 下瀬川徹, 渡辺守, 木下芳一, 金子周一, 樫田博史), 医学書院 (東京) 2013; pp494-496
16. 正田純一. Vol.4. 肝・胆道・膵疾患胆道の炎症; "内科学書 (第8版)" (編集 小川聡), 中山書店 (東京) 2013; pp349-351
17. 正田純一. Vol.4. 肝・胆道・膵疾患 原発性硬化性胆管炎; "内科学書 (第8版)" (編集 小川聡), 中山書店 (東京) 2013; pp352-353
18. 菅野洋子, 島野仁. 第2部. リポ蛋白とその分画; "臨床検査ガイド 2013~2014 (第1

- 版)”(編集 MedicalPractice 編集委員会), 文光堂 (東京) 2013; pp272-276
19. 曾根博仁. ? 総論 糖尿病運動療法のエビデンス; "臨床スポーツ医学 (第 30 巻 10 号)" (編集 小熊祐子), 文光堂 (東京) 2013; pp939-46
 20. 曾根博仁. 日本人 2 型糖尿病の臨床疫学; "日本疫学会ニュースレター No. 42", 日本疫学会 (東京) 2013; pp4-6
 21. 曾根博仁. 糖尿病治療における運動のエビデンスと今後の課題; "PRACTICE (第 30 巻 5 号)", 医歯薬出版 (東京) 2013; pp269-576
 22. 曾根博仁. 身体運動と糖尿病:疫学的研究成績; "月刊糖尿病 (第 5 巻 8 号)" (編集 片山茂裕), 医学出版 (東京) 2013; pp102-108
 23. 曾根博仁. 糖尿病の死亡リスクを半減させる方法/Q&A; "現代の 5 大病 がん・脳卒中・心臓病・糖尿病・うつ病" (編集 MMJ 編集部), 毎日新聞社 (東京) 2013; pp110-123
 24. 曾根博仁. 10. 生活習慣病と食生活 肥満とやせ・メタボリックシンドローム; "改訂 食と健康" (編集 小城勝相, 清水誠), NHK 出版 (東京) 2013; pp168-184
 25. 曾根博仁. 11. 生活習慣病と食生活 糖尿病; "改訂 食と健康" (編集 小城勝相, 清水誠), NHK 出版 (東京) 2013; pp185-205
 26. 曾根博仁. 12. 生活習慣病と食生活 動脈硬化とその他の生活習慣病; "改訂 食と健康" (編集 小城勝相, 清水誠), NHK 出版 (東京) 2013; pp206-230
 27. 曾根博仁. 11. 糖尿病の職による予防と是正; "食健康科学" (編集 中谷延二, 小城勝相), NHK 出版 (東京) 2013; pp180-200
 28. 曾根博仁. 12. 動脈硬化の職による予防と是正; "食健康科学" (編集 中谷延二, 小城勝相), NHK 出版 (東京) 2013; pp201-220
 29. 曾根博仁. 13. 肥満、メタボリックシンドロームとその他の生活習慣病の食による予防と是正; "食健康科学" (編集 中谷延二, 小城勝相), NHK 出版 (東京) 2013; pp221-236
 30. 曾根博仁. 8. 内分泌系; "人体の構造と機能および疾病の成り立ち 疾病の成因・病態・診断・治療 (第 2 版)" (編集 竹中優), 医歯薬出版 (東京) 2013; pp193-204
 31. 曾根博仁, 赤沼安夫, 山田信博. 日本人 2 型糖尿病患者の特徴と病態についての臨床疫学; "日本内科学会雑誌 (第 102 巻 10 号)", 日本内科学会 (東京) 2013; pp2714-2722
 32. 曾根博仁, 田中司朗, 片山茂裕, 山下英俊, 赤沼安夫, 山田信博. 15. Japan Diabetes Complications Study (JDCS)が教えてくれるもの; "糖尿病学 2013(第 1 版)" (編集 門脇考), 診断と治療社 (東京) 2013; pp118-125
 33. 谷内洋子, 曾根博仁. 健常妊婦における栄養と妊娠経過に関する中間解析; "栄養学雑誌 (第 71 巻 5 号短報), 日本栄養改善学会 (東京) 2013; pp242-252
 34. 羽入修, 曾根博仁. 第 4 章. 糖尿病患者における脂質管理はどこまで厳格であるべき

- か 異論/争論、私の意見; "糖尿病診療マスター (第 11 巻 4 号)" 医学書院 (東京) 2013; pp391-396
35. 久芳素子, 矢作直也. 第 8 章. CETP; "糖尿病の分子標的と治療薬事典 (第 1 版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp236-238
36. 藤原和哉, 曾根博仁. 特集 3. α グルコシダーゼ阻害薬と治療成績; "医薬ジャーナル (第 49 巻 10 号)" 医薬ジャーナル社 (大阪) 2013; pp65-71
37. 皆川真一, 曾根博仁. 糖尿病における脂質異常症治療とその成績; "医薬ジャーナル (第 49 巻 10 号)" 医薬ジャーナル社 (大阪) 2013; pp113-118
38. 皆川真一, 曾根博仁. 一次予防におけるスタチンでの心血管ベネフィットと糖尿病発症リスク: JUPITER 試験より; "DIABETES UPDATE (第 2 巻 2 号)" メディカルレビュー社 (大阪) 2013; pp30-31
39. 皆川真一, 羽入修, 曾根博仁. 脳卒中; "日本臨牀 (第 71 巻 11 号)" 日本臨牀社 (東京) 2013; pp1948-1953
40. 矢藤繁, 島野仁. 16-1.1. 生活習慣病 (生活・社会・環境要因); "内科学 (第 10 版)" (総編集 矢崎義雄), 朝倉書店 (東京) 2013; pp2348-2352
41. 矢藤繁, 島野仁. I-10 章-A. NAFLD と糖代謝異常 (NASH 編 I. 基本編~NASH を診る前の基礎知識~); "NASH・アルコール性肝障害の診療を極める 基本から最前線まで (Hepatology Practice 第 2 巻) (第 1 版)" (編集 竹井謙之 (ゲスト編集), 竹原徹郎, 持田智 (常任編集), 文光堂 (東京) 2013; pp71-74
42. 矢作直也. 筑波大学附属病院とクックパッドのおいしく治す「糖尿病食」 講談社 2013 年 (全 200 ページ)

ヘルスサービス

1) 英文論文

1. Abe T, Ishimatsu S, Tokuda Y. Descriptive analysis of patients' EMS use related to severity in Tokyo: a population-based observational study. *PLoS One* 8(3):e59738, 2013
2. Abe T, Tokuda Y. Bilateral carotid arteries occlusion. *BMJ Case Rep* doi:10.1136/bcr-2012-008048, 2013
3. Abe T, Tokuda Y. The Triage in a Mild and Mini Disaster. *General Medicine* 34:79-94, 2013
4. Akamatsu M, Takuma H, Yamashita T, Okada T, Keino-Masu K, Ishii K, Kwak S, Masu M, Tamaoka A. A unique mouse model for investigating the properties of amyotrophic lateral sclerosis-associated protein TDP-43, by in utero electroporation. *Neurosci Res* 77(4):234-241, 2013
5. Baba O, Yamagata K, Tomidokoro Y, Tamaoka A, Itoh H, Yanagawa T, Onizawa K, Bukawa H. Neuroleptic malignant syndrome in a patient with tongue cancer: a report of a rare case. *Case Rep Dent* 2013:542130, 2013
6. Chei CL, Yamagishi K, Kitamura A, Kiyama M, Imano H, Ohira T, Cui R, Tanigawa T, Sankai T, Ishikawa Y, Sato S, Hitsumoto S, Iso H. High-density lipoprotein subclasses and risk of stroke and its subtypes in Japanese population: the Circulatory Risk in Communities Study. *Stroke* 44(2):327-333, 2013
7. Cui R, Li YY, Gero K, Yamagishi K, Umesawa M, Imano H, Ohira T, Kiyama M, Okada T, Kitamura A, Hitsumoto S, Tanigawa T, Iso H. An association between central aortic pressure and subclinical organ damage of the heart among a general Japanese cohort: Circulatory Risk in Communities Study (CIRCS). *Atherosclerosis* 232(1):94-98, 2013
8. Egawa N, Kitaoka S, Tsukita K, Naitoh M, Takahashi K, Yamamoto T, Adachi F, Kondo T, Okita K, Asaka I, Aoi T, Watanabe A, Yamada Y, Morizane A, Takahashi J, Ayaki T, Ito H, Yoshikawa K, Yamawaki S, Suzuki S, Watanabe D, Hioki H, Kaneko T, Makioka K, Okamoto K, Takuma H, Tamaoka A, Hasegawa K, Nonaka T, Hasegawa M, Kawata A, Yoshida M, Nakahata T, Takahashi R, Marchetto MC, Gage FH, Yamanaka S, Inoue H. Response to comment on "Drug screening for ALS using patient-specific induced pluripotent stem cells". *Sci Transl Med* 5(188):188lr182, 2013
9. Fujisue K, Sugiyama S, Ono T, Matsuzawa Y, Akiyama E, Sugamura K, Matsubara J, Kurokawa H, Kaikita K, Iwashita S, Sumida H, Hokimoto S, Oniki K, Nakagawa K, Matsui K, Ogawa H. Response to letter regarding article, "Effects of endothelial dysfunction on residual platelet aggregability after dual antiplatelet therapy with aspirin and clopidogrel in

- patients with stable coronary artery disease". *Circ Cardiovasc Interv* 6(5):e66, 2013
10. Fujisue K, Sugiyama S, Ono T, Matsuzawa Y, Akiyama E, Sugamura K, Matsubara J, Kurokawa H, Kaikita K, Iwashita S, Sumida H, Hokimoto S, Oniki K, Nakagawa K, Matsui K, Ogawa H. Effects of endothelial dysfunction on residual platelet aggregability after dual antiplatelet therapy with aspirin and clopidogrel in patients with stable coronary artery disease. *Circ Cardiovasc Interv* 6(4):452-459, 2013
 11. Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R. Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies. *Leuk Res Treatment* 2013:238528, 2013
 12. Fukushima H, Fukushima T, Suzuki R, Enokizono T, Matsunaga M, Nakao T, Koike K, Mori K, Matsueda K, Sumazaki R. Continuous regional arterial infusion effective for children with acute necrotizing pancreatitis even under neutropenia. *Pediatr Int* 55(2):e11-13, 2013
 13. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
 14. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
 15. Honda K. The Ashikaga case of Japan--Y-STR testing used as the exculpatory evidence to free a convicted felon after 17.5 years in prison. *Forensic Sci Int Genet* 7(1):e1-2, 2013
 16. Honda K, Yano S, Nishi T, Iwabuchi Y, Kurosu A, Sugano Y. Selective blood-DNA extraction from mixed stain using ABO antibody for short tandem repeat typing. *Forensic Sci Int Genet* 4(1):e326–e327, 2013
 17. Hosaka A, Araki W, Oda A, Tomidokoro Y, Tamaoka A. Statins reduce amyloid β -peptide production by modulating amyloid precursor protein maturation and phosphorylation through a cholesterol-independent mechanism in cultured neurons. *Neurochem Res* 38(3):589-600, 2013
 18. Hoshino S, Sakamoto K, Vassilopoulos S, Camus SM, Griffin CA, Esk C, Torres JA, Ohkoshi N, Ishii A, Tamaoka A, Funke BH, Kucherlapati R, Margeta M, Rando TA, Brodsky FM. The CHC22 clathrin-GLUT4 transport pathway contributes to skeletal muscle

- regeneration. *PLoS One* 8(10):e77787, 2013
19. Hosokawa M, Arai T, Yamashita M, Tsuji H, Nonaka T, Masuda-Suzukake M, Tamaoka A, Hasegawa M, Akiyama H. Differential diagnosis of amyotrophic lateral sclerosis from Guillain-Barre syndrome by quantitative determination of TDP-43 in cerebrospinal fluid. *Int J Neurosci* doi: 10.3109/00207454.2013.848440, 2013
 20. Ikehara S, Iso H, Yamagishi K, Kokubo Y, Saito I, Yatsuya H, Inoue M, Tsugane S. Alcohol consumption and risk of stroke and coronary heart disease among Japanese women: the Japan Public Health Center-based prospective study. *Prev Med* 57(5):505-510, 2013
 21. Ishii A, Ohkoshi N, Yoshida M, Tamaoka A. The effect of water-soluble fullerene with different number of hydroxyl groups in muscle regeneration process of experimental murine skeletal muscle. *Neuromuscular Disorders* 23(9-10):838, 2013
 22. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
 23. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
 24. Iwata A, Nagata K, Hatsuta H, Takuma H, Bundo M, Iwamoto K, Tamaoka A, Murayama S, Saido T, Tsuji S. Altered CpG methylation in sporadic Alzheimer's disease is associated with APP and MAPT dysregulation. *Hum Mol Genet* doi: 10.1093/hmg/ddt451, 2013
 25. Jimbo T, Masumoto K, Urita Y, Takayasu H, Shinkai T, Uesugi T, Gotoh C, Sakamoto N, Sasaki T, Oto T, Fukushima T, Noguchi E, Nakano Y. Nevroid basal cell carcinoma syndrome with a unilateral giant ovarian fibroma in a Japanese 6-year-old girl. *Eur J Pediatr* doi: 10.1007/s00431-013-2200-7, 2013
 26. Kaminiwa J, Honda K, Kurosu A, Nishi T, Sugano Y, Yano S. Application of trace element measurement for diagnosis of metabolic disorders. *Rom J Leg Med* 21(2):259-262, 2013
 27. Kaminiwa J, Honda K, Sugano Y, Yano S, Nishi T, Sekine Y. Vanadium accelerates polymerase chain reaction and expands the applicability of forensic DNA testing. *J Forensic Leg Med* 20(4):326-333, 2013
 28. Kaneko S, Kaneko M, Fukushima T. Enhanced antitumor effect of lower-dose and longer-term CPT-11 treatment in combination with low-dose celecoxib against neuroblastoma xenografts. *Int J Clin Oncol* 18(1):116-125, 2013
 29. Kashiwagi M, Tamiya N, Sato M, Yano E. Factors associated with the use of home-visit

- nursing services covered by the long-term care insurance in rural Japan: a cross-sectional study. *BMC Geriatr* 13:1, 2013
30. Kim-Mitsuyama S, Ogawa H, Matsui K, Jinnouchi T, Jinnouchi H, Arakawa K. The authors reply. *Kidney Int* 84(5):1047-1048, 2013
 31. Kim-Mitsuyama S, Ogawa H, Matsui K, Jinnouchi T, Jinnouchi H, Arakawa K. The authors reply. *Kidney Int* 84(1):215-216, 2013
 32. Kim-Mitsuyama S, Ogawa H, Matsui K, Jinnouchi T, Jinnouchi H, Arakawa K. An angiotensin II receptor blocker-calcium channel blocker combination prevents cardiovascular events in elderly high-risk hypertensive patients with chronic kidney disease better than high-dose angiotensin II receptor blockade alone. *Kidney Int* 83(1):167-176, 2013
 33. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
 34. Kobayashi M, Tamiya N, Kashiwagi M, Ito T, Yamaoka Y, Matsuzawa A. Factors related to positive feelings of caregivers who provide home-based long-term care for their family members in Japan. *Journal of Research on Humanities and Social Sciences* 3(16):27-36, 2013
 35. Kojima S, Matsui K, Ogawa H. Temporal trends in hospitalization for acute myocardial infarction between 2004 and 2011 in Kumamoto, Japan. *Circ J* 77(11):2841-2843, 2013
 36. Kokubo Y, Iso H, Saito I, Yamagishi K, Yatsuya H, Ishihara J, Inoue M, Tsugane S. The impact of green tea and coffee consumption on the reduced risk of stroke incidence in Japanese population: the Japan public health center-based study cohort. *Stroke* 44(5):1369-1374, 2013
 37. Kurogi K, Sugiyama S, Sakamoto K, Tayama S, Nakamura S, Biwa T, Matsui K, Ogawa H. Comparison of pitavastatin with atorvastatin in increasing HDL-cholesterol and adiponectin in patients with dyslipidemia and coronary artery disease: the COMPACT-CAD study. *J Cardiol* 62(2):87-94, 2013
 38. Li YY, Yatsuya H, Yamagishi K, Wakai K, Tamakoshi A, Iso H. Body mass index and weight change during adulthood are associated with increased mortality from liver cancer: the JACC Study. *J Epidemiol* 23(3):219-226, 2013
 39. Li-mei C, Tamiya N, Kato G, Yamaoka Y, Ito T, Matsuzawa A, Yamamoto H. Predictors of volunteerism: A study of older adults in Japan. *Journal of Public Policy and Administration*

Research 3(6):71-19, 2013

40. Mahmoud SS, Fukushima T, Shimizu T, Nakao T, Yamaguchi R, Fukushima H, Wada H, Nanmoku T, Sumazaki R. Persistent low level Epstein-Barr virus DNAemia in childhood cancer survivors. ***Pediatr Hematol Oncol*** 30(3):216-225, 2013
41. Matsubara T, Ayuzawa S, Aoki T, Fujimoto A, Osuka S, Matsumura A. The patient had a normal magnetic resonance imaging and temporal lobe epilepsy secondary to a porencephalic cyst but showed structural lesions (hippocampal sclerosis). ***Epilepsy & Behavior Case Reports*** 1:153-156, 2013
42. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. ***Neurol Med Chir (Tokyo)*** doi:10.2176/nmc.cr.2012-0312, 2013
43. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. ***Neurol Med Chir (Tokyo)*** doi:10.2176/nmc.cr.2013-0067, 2013
44. Matsuzawa A, Yamaoka Y, Tamiya N, Taniguchi K, Yamazaki K. Family caregiving problems of suspected elderly neglect. ***Journal of Research on Humanities and Social Sciences*** 3(9):117-124, 2013
45. Matsuzawa Y, Sugiyama S, Sumida H, Sugamura K, Nozaki T, Ohba K, Matsubara J, Kurokawa H, Fujisue K, Konishi M, Akiyama E, Suzuki H, Nagayoshi Y, Yamamuro M, Sakamoto K, Iwashita S, Jinnouchi H, Taguri M, Morita S, Matsui K, Kimura K, Umemura S, Ogawa H. Peripheral endothelial function and cardiovascular events in high-risk patients. ***J Am Heart Assoc*** 2(6):e000426, 2013
46. Minakuchi E, Ohnishi E, Ohnishi J, Sakamoto S, Hori M, Motomura M, Hoshino J, Murakami K, Kawaguchi T. Evaluation of mental stress by physiological indices derived from finger plethysmography. ***J Physiol Anthropol*** 32:17, 2013
47. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. ***Strahlenther Onkol*** 189(8):656-663, 2013
48. Mizuno T, Tokuda K. Influence of a great disaster in toddlers from the perspective of nursery teachers : Subjecting the nursery teachers who work in the area with strong shakes. ***The Asian Journal of Child Care*** 3:53-60, 2013

49. Morita N, Nomoto Y, Ukeda E, Sufu K. How does trauma caused by violence influence the risk of relapse in and effects of cognitive behavioral therapy for drug addicts in prison? *Acta Criminologiae et Medicinae Legalis Japonica* 179(1):3-15, 2013
50. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T, Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
51. Mizuno T. Installation Condition of Tactile Ground Surface Indicators and Problems in Central and Eastern Europe. *The Asian Journal of Disable Sociology* 13:49-63, 2013
52. Nakahara S, Tomio J, Takahashi H, Ichikawa M, Nishida M, Morimura N, Sakamoto T. Evaluation of pre-hospital administration of adrenaline (epinephrine) by emergency medical services for patients with out of hospital cardiac arrest in Japan: controlled propensity matched retrospective cohort study. *BMJ* 347:f6829, 2013
53. Nakamagoe K, Fujizuka N, Koganezawa T, Shimizu K, Takiguchi S, Horaguchi T, Ishii K, Tamaoka A. Residual central nervous system damage due to organoarsenic poisoning. *Neurotoxicol Teratol* 37:33-38, 2013
54. Nakamagoe K, Fujizuka N, Koganezawa T, Yamaguchi T, Tamaoka A. Downbeat nystagmus associated with damage to the medial longitudinal fasciculus of the pons: a vestibular balance control mechanism via the lower brainstem paramedian tract neurons. *J Neurol Sci* 328(1-2):98-101, 2013
55. Nguyen TNH, Akutsu H, Nouguch iS, Tsunoda T, Sasak iM, Tsurushima H, Matsumura A. Reversible focal radiological changes due to non-convulsive status epilepticus of the right parietooccipital lobe. *Turk Neurosurg* 23(2):278-281, 2013
56. Nishi T, Kurosu A, Sugano Y, Kaminiwa J, Sekine Y, Yano S, Honda K. Application of a novel multiplex polymerase chain reaction system for 12 X-chromosomal short tandem repeats to a Japanese population study. *Leg Med (Tokyo)* 15(1):43-6, 2013
57. Nishidate A, Nishimura M, Ajimi A, Mizuno T, Tokuda K. Effect of evacuation due to the Great East Japan Earthquake on young children and parents. *The Asian Journal of Child Care* 3:15-24, 2013
58. Ono A, Mizuno T. A Child-Care Provider's Cooperation about Children with Developmental Disorder 2 : Focused on Sending Guidebook and Doing Handover. *The Asian Journal of Disable Sociology* 13:17-30, 2013

59. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
60. Oshiro Y, Mizumoto M, Okumura T, Sugahara S, Fukushima T, Ishikawa H, Nakao T, Hashimoto T, Tsuboi K, Ohkawa H, Kaneko M, Sakurai H. Clinical results of proton beam therapy for advanced neuroblastoma. *Radiat Oncol* 8(1):142, 2013
61. Oshiro Y, Okumura T, Mizumoto M, Fukushima T, Ishikawa H, Hashimoto T, Tsuboi K, Kaneko M, Sakurai H. Proton beam therapy for unresectable hepatoblastoma in children: survival in one case. *Acta Oncol* 52(3):600-603, 2013
62. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
63. Saito I, Yamagishi K, Chei CL, Cui R, Ohira T, Kitamura A, Kiyama M, Imano H, Okada T, Kato T, Hitsumoto S, Ishikawa Y, Tanigawa T, Iso H. Total and high molecular weight adiponectin levels and risk of cardiovascular disease in individuals with high blood glucose levels. *Atherosclerosis* 229(1):222-227, 2013
64. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
65. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033, 2013
66. Sakamoto T, Ogawa H, Nakao K, Koide S, Yamamoto N, Shimomura H, Matsumura T, Oshima S, Kikuta K, Oka H, Kimura K, Matsui K. Rationale, design and baseline characteristics of a study to evaluate effects of candesartan on cardiovascular events after drug-eluting stent implantation in patients with ischemic heart disease. *J Atheroscler Thromb* 20(5):472-480, 2013
67. Sandoval Garrido FA, Tamiya N, Kashiwagi M, Miyata S, Okochi J, Moriyama Y, Yamaoka Y, Takamuku K. Relationship between structural characteristics and outcome quality indicators at health care facilities for the elderly requiring long-term care in Japan from a nationwide survey. *Geriatr Gerontol Int* doi: 10.1111/ggi.12098, 2013
68. Sato K, Kaikita K, Nakayama N, Horio E, Yoshimura H, Ono T, Ohba K, Tsujita K, Kojima

- S, Tayama S, Hokimoto S, Matsui K, Sugiyama S, Yamabe H, Ogawa H. Coronary vasomotor response to intracoronary acetylcholine injection, clinical features, and long-term prognosis in 873 consecutive patients with coronary spasm: analysis of a single-center study over 20 years. *J Am Heart Assoc* 2(4):e000227, 2013
69. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
70. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
71. Satoh M, Masuhara K, Goldhahn S, Kawaguchi T. Cross-cultural adaptation and validation reliability, validity of the Japanese version of the Hip disability and Osteoarthritis Outcome Score (HOOS) in patients with hip osteoarthritis. *Osteoarthritis Cartilage* 21(4):570-573, 2013
72. Sawa A, Abe T, Omoto M, Fujihara K, Kobayashi H, Tokuda Y. Lactic acidosis with metformin use in a patient with type 1 diabetes mellitus. *General Medicine* 14(1):72-75 2013
73. Shimizu Y, Imano H, Ohira T, Kitamura A, Kiyama M, Okada T, Ishikawa Y, Shimamoto T, Yamagishi K, Tanigawa T, Iso H. Alkaline phosphatase and risk of stroke among Japanese: the Circulatory Risk in Communities Study (CIRCS). *J Stroke Cerebrovasc Dis* 22(7):1046-1055, 2013
74. Sueta D, Kataoka K, Koibuchi N, Toyama K, Uekawa K, Katayama T, Mingjie M, Nakagawa T, Waki H, Maeda M, Yasuda O, Matsui K, Ogawa H, Kim-Mitsuyama S. Novel mechanism for disrupted circadian blood pressure rhythm in a rat model of metabolic syndrome--the critical role of angiotensin II. *J Am Heart Assoc* 2(3):e000035, 2013
75. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
76. Tokuda K. Childcare provider's and child care researchers' evaluation on the DVD that visualized a picture book. *The Asian Journal of Child Care* 3:1-6, 2013
77. Tokuda K. Vitality in Children who are Sick or have Disabilities. *The Asian Journal of Disable Sociology* 13:101-103, 2013
78. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A.

- Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
79. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1(5):817-819, 2013
80. Yamagishi K, Folsom AR, Steffen LM. Plasma fatty acid composition and incident ischemic stroke in middle-aged adults: the Atherosclerosis Risk in Communities (ARIC) Study. *Cerebrovasc Dis* 36(1):38-46, 2013
81. Yamagishi K, Iso H, Kokubo Y, Saito I, Yatsuya H, Ishihara J, Inoue M, Tsugane S. Dietary intake of saturated fatty acids and incident stroke and coronary heart disease in Japanese communities: the JPHC Study. *Eur Heart J* 34(16):1225-1232, 2013
82. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2(2):80-86, 2013
83. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
84. Yatsuya H, Iso H, Yamagishi K, Kokubo Y, Saito I, Suzuki K, Sawada N, Inoue M, Tsugane S. Development of a point-based prediction model for the incidence of total stroke: Japan public health center study. *Stroke* 44(5):1295-1302, 2013
85. Yoshimatsu S, Hossain MI, Islam MM, Chisti MJ, Okada M, Kamoda T, Fukushima T, Wagatsuma Y, Sumazaki R, Ahmed T. Hypophosphatemia among severely malnourished children with sepsis in Bangladesh. *Pediatr Int* 55(1):79-84, 2013
86. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013
87. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013
- 2) 英文以外の論文
1. 阿久津博義, 高野晋吾, 田中秀峰, 山本哲哉, 村下秀和, 石川栄一, 松村明. Four-hand technique を用いた内視鏡下経鼻頭蓋底手術の現状と未来. 日本内分泌学会雑誌 89(Suppl.HPT):13-14, 2013

2. 阿久津博義, 増田洋亮, 松村明. ビジウス サージカルシアター 脳外科領域で用いられる機器最前線. 脳神経外科速報 23(11):1240-1245, 2013
3. 浅沼徹, 武田文, 朴峠周子, 門間貴史, 香田泰子, 藤原愛子, 木田春代, 増地克之, 岡田弘隆, 酒井利信, 香田郡秀. 大学生武道部員におけるストレス対処力(SOC)とその関連要因. 健康支援 15(2):7-14, 2013
4. 阿部智一. 呼吸管理: 神経集中治療に応用可能なエビデンスからの検討. Intensivist 5(3):579-585, 2013
5. 新井清美, 森田展彰, 菰澤博一. プレアルコホリックの認識における変化のプロセス アルコール依存症患者とその家族の語りからの分析. 日本アルコール・薬物医学会雑誌 48(3):198-215, 2013
6. 池田剛, 園部眞, 加藤徳之, 山崎友郷, 粕谷泰道, 中居康展, 松村明. 脳動脈瘤コイル塞栓術後の破裂・再治療と Volume Embolization Ratio(VER)の関連性. 脳卒中の外科 41(6):440-446, 2013
7. 伊藤嘉朗, 加藤徳之, 中居康展, 松村明, 園部眞. Closed-cell stent を用いた頸動脈ステント留置術における頸動脈の屈曲度と微小脳塞栓の関係. JNET: Journal of Neuroendovascular Therapy 7(2):75-80, 2013
8. 伊藤嘉朗, 加藤徳之, 松村明, 園部眞. ドーナツ型巨大脳動脈瘤に対してコイルとラッピング術を施行した1例. 脳神経外科 41(5):415-420, 2013
9. 大脇由紀子, 森田展彰, 大谷保和, 梁京賢, 松山紀子, 藤田教子, 川島弘子. 消化器内科入院患者におけるアルコール依存症と有害使用の実態および支援に関する研究. 日本アルコール・薬物医学会雑誌 48(2):126-144, 2013
10. 木田春代, 武田文, 荒川義人. 幼稚園における野菜栽培活動の状況とその食育効果 北海道某市での調査. 天使大学紀要 13(2):1-11, 2013
11. 塩谷彩子, 詫間浩, 石井亜紀子, 山口清次, 玉岡晃. 緩徐進行性の筋力低下を主訴とし、ETFDH 遺伝子に変異を認めた成人発症グルタル酸尿症 2 型の 31 歳男性例. 臨床神経学 53(2):167, 2013
12. 須賀朋子, 森田展彰, 斎藤環. 中学生のための DV 予防教育プログラム開発と効果研究. 思春期学 31(4):384-393, 2013
13. 菅原田鶴子, 森田展彰, 中谷陽二. アルコール依存症異性愛評価尺度の開発. 日本アルコール・薬物医学会雑誌 48(5):261-281, 2013
14. 菅原田鶴子, 森田展彰, 中谷陽二. アルコール依存症者の異性愛と回復について-施設スタッフの認識調査-. 日本アルコール・薬物医学会雑誌 48(6):389-406 2013
15. 菅原田鶴子, 森田展彰, 中谷陽二. 依存症者本人が認識するアルコール依存症に対す

- るパートナーの態度尺度の作成. 日本アルコール・薬物医学会雑誌 48(6):373-388 2013
16. 竹内秀輔, 鈴木涼子, 福島敬, 福島紘子, 岩淵敦, 中尾朋平, 山口玲子, 工藤寿子, 杉田真太郎, 稲留征典, 佐藤豊実, 櫻井英幸, 金子道夫, 須磨崎亮. 進行期卵巣小細胞癌に対して集学的治療を施行した女兒例. 日本小児血液・がん学会雑誌 50(2):269-273, 2013
 17. 種田綾乃, 宮城純子, 森田展彰, 中谷陽二. 当事者団体との継続的関わりをもつ住民における精神障害者との関係性構築の過程 "臨機応変な対応"の獲得過程に着目して. 日本社会精神医学会雑誌 22(3):381, 2013
 18. 玉井紀子, 森田展彰, 大谷保和. 児童養護施設におけるリービングケアに関する研究生活担当職員を対象とした中高生のケアに関する調査. 子どもの虐待とネグレクト 15(1):66-77, 2013
 19. 千綿かおる, 武田文, 金久弥生, 高橋由希子. 歯科診療補助内容についての既卒者と4年制歯科衛生士学生の理解度の比較検討 歯科衛生士国家試験出題基準を用いた質問紙調査. 日本歯科衛生学会雑誌 7(2):49-57, 2013
 20. 津田恭治, 阿久津博義, 山本哲哉, 中井啓, 井原哲, 石川栄一, 安田貢, 高野晋吾, 松村明. 当院で経験した脊髄髄膜腫の治療成績と手術戦略. 脊髄外科 27(1):61-63, 2013
 21. 鶴田和太郎, 松丸祐司, 上坂義和, 松村明. 神経放射線診断 進行する脊髄症状を呈し、MRIにて上部頸髄に異常を認めた症例. 脳神経外科ジャーナル 22(11):873-877, 2013
 22. 乗峯絵理, 石澤不二雄, 本田克也, 関義元, 村松輝夫. 有機リン系農薬スクリーニング用検知管の考案. 中毒研究 26(2):113-114, 2013
 23. 原拓真, 阿久津博義, 高野晋吾, 山本哲哉, 鈴木浩明, 松村明. Cushing病に対する手術および放射線照射例の長期予後. 日本内分泌学会雑誌 89(Suppl.HPT):63-64, 2013
 24. 福島紘子, 福島敬, 後藤悠大, 田宮裕太郎, 中尾朋平, 吉見愛, 山口玲子, 五味詩絵奈, 鈴木涼子, 清水崇史, 林立申, 長谷川誠, 福島富士子, 中原智子, 須磨崎亮. 血友病児の生活支援における診療連携の役割と課題. 日本小児血液・がん学会雑誌 50(2):227-231, 2013
 25. 藤代準, 小野健太郎, 星野論子, 新開統子, 瓜田泰久, 五藤周, 福島紘子, 福島敬, 金子道夫, 増本幸二. 小児進行副腎皮質癌の1例. 日本小児外科学会雑誌 49(2):246-250, 2013
 26. 益子良太, 中居康展, 原拓真, 今井資, 松原鉄平, 松田真秀, 上村和也, 小松洋治, 松村明. 錐体骨部特発性内頸動脈解離に対するステント留置術の1例. 脳神経外科ジャーナル 22(7):557-561, 2013
 27. 松澤明美, 田宮菜奈子, 柏木聖代, 田中竜太, 竹谷俊樹, 野村芳子. 障害者自立支援法導入による在宅障害児・者の母親の養育負担感の変化とその関連要因. 小児保健研究 72(1):54-64, 2013
 28. 松田智行, 田宮菜奈子, 柏木聖代, 森山葉子. 介護保険制度導入前後における在宅サー

- ビス利用の変化. 日本公衆衛生雑誌 60(9):586-595, 2013
29. 松原鉄平, 松田真秀, 益子良太, 上村和也, 小松洋治, 松村明. 多発性未破裂脳動脈瘤の経過観察中に生じた新生動脈瘤破裂によるくも膜下出血の 1 例. 脳卒中の外科 41(1):56-59, 2013
 30. 松丸祐司, 原貴行, 松村明. 【血管奇形の基礎と臨床】 脊髄動静脈シャント 何が治せて何が治療困難か. 脳神経外科ジャーナル 22(1):44-51, 2013
 31. 松本俊彦, 松下幸生, 奥平謙一, 成瀬暢也, 長徹二, 武藤岳夫, 芦沢健, 小沼杏坪, 森田展彰, 猪野亜朗. 物質使用障害患者における自殺の危険因子とその性差 年齢、乱用物質の種類、およびうつ病との関連. 精神神経学雑誌 115(7):703-710, 2013
 32. 松山眞知子, 森田展彰, 大谷保和. 精神障害者を持つ親の精神的健康およびこれに関わる要因 精神障害者による親への虐待に注目して. アディクションと家族 29(1):50-59, 2013
 33. 三木俊一郎, 山崎友郷, 加藤徳之, 池田剛, 粕谷泰道, 園部眞, 中居康展, 松村明. Double catheter technique を応用した coil-assist technique で治療を行ったブレブをネック近傍に伴う破裂脳動脈瘤の 1 例. JNET: Journal of Neuroendovascular Therapy 7(3):186-191, 2013
 34. 本村美和, 川口孝泰. 中規模病院の看護管理者におけるコンピテンシー評価尺度の開発. 日本看護研究学会雑誌 36(1):61-70, 2013
 35. 門間貴史, 武田文, 角田憲治, 朴峠周子, 浅沼徹, 大藏倫博. 地域高齢者における運動・スポーツの実施量とストレス対処力(Sense of Coherence)との関連. 厚生の指標 60(4):14-19, 2013
 36. 門間貴史, 武田文, 香田泰子. 身体障害者施設職員の精神健康に関わる職業要因 高齢化の進行する身体障害者入所施設における検討. 高齢者ケアリング学研究会誌 4(1):11-19, 2013
 37. 山口哲人, 石井一弘, 河野豊, 玉岡晃. 歩行開始困難を認めた Orthostatic tremor の 75 歳男性例. 運動障害 23(1):15-19, 2013
 38. 山本詞子, 山口哲人, 玉岡晃. 多彩な自己抗体陽性を示した抗グルタミン酸受容体抗体陽性辺縁系脳炎の 1 例. 日本内科学会雑誌 102(8):2057-2059, 2013

3) 英文の著書

1. Olivares-Tirado P, Tamiya N. Trends and Factors in Japan's Long-Term Care Insurance System: Japan's 10-year Experience. Springer (New York), 2013 (138 pages)
2. Tsuruta W, Yamamoto T, Matsumura A. 30. Prevention of vascular restenosis after vascular

angioplasty; in "Neutron Capture Therapy" (edited by Sauerwein W, Wittig A, Moss R, Nakagawa Y), Springer Berlin Heidelberg (Berlin) 2013; pp377-388

4) 英文以外の著書

1. "ユニバーサルデザインとバリアフリーの図鑑 (第1版)" (監修 徳田克己), ポプラ社 (東京) 2013
2. "気になる子の保育のための絵カードセット (第1版)" (監修 徳田克己, 水野智美, 大越和美), チャイルド本社 (東京) 2013
3. "気になる子の保育のためのスケジュールカードセット (第1版)" (監修 徳田克己, 水野智美, 大越和美), チャイルド本社 (東京) 2013
4. "運動あそび・感覚あそび その具体的な指導法 (第1版)" (監修 徳田克己, 西館有沙, 澤江幸則), チャイルド本社 (東京) 2013
5. 「自己抗体陽性女性の妊娠管理指針の作成及び新生児ループスの発症リスクの軽減に関する研究」研究班. "抗SS-A抗体陽性女性の妊娠に関する診療の手引き (第1版)" (編集 村島温子, 福嶋恒太郎, 穴見愛, 堀米仁志, 前野泰樹, 山岸良匡, 坪井洋人, 岸本暢将), 国立成育医療研究センター母性医療診療部 (東京) 2013; pp1-16
6. 筑西市健康副読本編集委員. "筑西市健康副読本: めざせ! ず〜っとけんこう!! (第7版)" (編集 磯博康, 山岸良匡), 筑西市 (筑西) 2013; pp1-30
7. 川口孝泰, 佐藤政枝, 小西美和子. 1、2-2、2-5、3-1、3-3、4-1. 看護援助の基礎のキソ、コミュニケーション、安全安楽、食べる、活動する・運動する、実践の学としての看護; "看護援助の基礎のキソ (第1版)" (編著), 医学書院 (東京) 2013; pp1-12、25-34、58-66、89-98、134-145
8. 武田文, 茨木尚子, 門間貴史. 第3章. 身体障害者ケアワーカーのウェルビーイングと労働; "ヒューマン・セキュリティ／ヒューマン・ケアの視点から (第1版)" (編集 松田ひとみ, 大久保一郎, 柏木志保), 医学評論社 (東京) 2013; pp41-52
9. 玉岡晃. PART 4. アルツハイマー病の症状、検査、診断. アルツハイマー病による認知症の診断; "からだの科学 (2013 SUMMAR)" (編集 山田正仁), 日本評論社 (東京) 2013; pp27878-27883
10. 玉岡晃. J. 神経・精神・運動器疾患. Alzheimer 病; "イヤートピックス 2013-2014 内科・外科疾患 (第3版)" (編集 岡庭豊, 荒瀬康司, 三角和雄), MEDICMEDIA (東京) 2013; pp296-298
11. 玉岡晃. II. 本年の動向. 新しいアルツハイマー病の診断基準; "Annual Review 2013 神経" (編集 鈴木則宏, 祖父江元, 荒木信夫, 宇川義一, 川原信隆), 中外医学社 (東京)

2013; pp81-91

12. 玉岡晃, 第 14 章. 代謝性疾患. 葉酸欠乏; "今日の神経疾患治療指針 (第 2 版)" (編集 水澤英洋, 鈴木則宏, 梶龍兒, 吉良潤一, 神田隆, 齊藤延人), 医学書院 (東京) 2103 pp761-763
13. 田宮菜奈子, 松澤明美. 第 3 部. 13. 要介護者の状況改善と介護家族の負担軽減に向けたインフラ整備-日本初の全国レベルの実証的取り組みの結果から-; "家族のための総合政策-家族と職業の両立- (第 1 版)" (編集 本澤巳代子, ウタ・マイヤー=グレーヴェ), 信山社 (東京) 2013; pp235-246
14. 田宮菜奈子, 宮下裕美子. 第 7 章. グローバルエイジング: アジアの一員として; "ヒューマン・セキュリティ: ヒューマン・ケアの視点から (第 1 版)" (編集 松田ひとみ, 太久保一郎, 岩浅昌幸, 柏木志保), 医学評論社 (東京) 2013; pp122-136
15. 徳田克己, 水野智美. 世界の物乞い障害者と子どもの物乞い. 子ども支援研究所(茨城) 2013 年 (全 32 ページ)
16. 本澤巳代子. 第 3 部 10. 家族関係における暴力・虐待に対する日本の立法と対策の特徴 -秒力・虐待防止法制に関する比較法的研究; "家族のための総合政策 -家族と職業の両立 (第 1 版)" (編集 本澤巳代子, ウタ・マイヤー=グレーヴェ), 信山社 (東京) 2013; pp185-202
17. 本澤巳代子. 2.11. 介護保障、社会保障; "トピック社会保障法 (第 7 版)" (編集 本澤巳代子, 新田秀樹), 不磨書房 (東京) 2013; pp25-47、241-255
18. 本田克也. 特別企画. DNA 鑑定の有用性と課題; "刑事弁護" (編集 成澤壽信), 現代人文社 (東京) 2013; pp109-120
19. 松村明, 松田真秀. 脳神経外科分野における陽子線治療の適用; "定位放射線治療 17 (編集 好本裕平), 定位放射線学会 (東京) 2013; pp11-19
20. 松村明, 山本哲哉. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック (第 1 版)" (編集 新井一, 伊達裕昭, 西本博) メジカルビュー社 (東京) 2013; pp14-21
21. 水野智美. 第 1 章 4. うまく遊べない理由と遊び支援のコツ; "運動あそび・感覚あそび その具体的な指導法 (第 1 版)" (編監修 徳田克己, 西館有沙, 澤江幸則), チャイルド本社 (東京) 2013; pp18-32
22. 水野智美, 徳田克己. 12. 教育. 特別支援教育; "最新 心理学事典(第 1 版)" (監修 藤永保), 平凡社 (東京) 2013; pp563-564
23. 森田展彰. 第 28 章. 親が暴力をふるう; "中高生のためのメンタル系サバイバルガイド (第 1 版)" (編集 松本俊彦), 日本評論社 (東京) 2013; pp179-183

24. 森田展彰. 第 6 章 4. 暴力などのトラウマ問題を抱えた薬物依存症者に対する治療; "依存と嗜癖: どう理解し, どう対処するか (第 1 版)" (編集 和田清), 医学書院 (東京) 2013; pp35-40
25. 森田展彰. 第 5 章. 家庭内の暴力に関する安全保障-ドメスティックバイオレンスに対する包括的対応; "ヒューマン・セキュリティ-ヒューマン・ケアの視点から (第 1 版)" (編集 松田ひとみ, 大久保一郎, 岩浅昌幸, 柏木志保), 医学評論社 (東京) 2013; pp65-82
26. 森田展彰. 【物質使用障害とアディクション 臨床ハンドブック】 (第 V 部) 物質使用障害とアディクションをめぐる様々な問題 地域支援に際して無視できない問題 アルコール・薬物依存症と子育て支援・児童虐待防止; "精神科治療学 28(増刊)" 2013; pp407-411
27. 森田展彰. 【精神保健・医療・福祉の今がわかる キーワード 126】 (第 2 章) 当事者・家族の力 アノニマスグループ/AA/NA/SA; "精神科臨床サービス 13(2)" 2013; pp172-173
28. 山岸良匡, 磯博康. 3-1. 魚をたべると心筋梗塞が減る? : 疫学的根拠; "そうだったんだ! 脂肪酸: 循環器疾患との深い関係 (第 1 版)" (編集 伊藤浩), 文光堂 (東京) 2013; pp34-39
29. 山本詞子, 石井亜紀子, 玉岡晃. 小児-9. 骨格筋画像検査が診断に有用であった小児型ポンペ病の 1 例; "ポンペ病症例集 早期診断・早期治療のために (第 1 版)" (編集 埜中征哉), Medical Tribune (東京) 2013; pp60-64

生体機能制御・再生研究グループ

1) 英文論文

1. Akimoto K, Kimura K, Nagano M, Takano S, To'a Salazar G, Yamashita T, Ohneda O. Umbilical cord blood-derived mesenchymal stem cells inhibit, but adipose tissue-derived mesenchymal stem cells promote, glioblastoma multiforme proliferation. *Stem Cells Dev* 22(9):1370-1386, 2013
2. Aoki T, Nishikawa R, Sugiyama K, Nonoguchi N, Kawabata N, Mishima K, Adachi JI, Kurisu K, Yamasaki F, Tominaga T, Kumabe T, Ueki K, Higuchi F, Yamamoto T, Ishikawa E, Takeshima H, Yamashita S, Arita K, Hirano H, Yamada S, Matsutani M. A Multicenter Phase I/II Study of the BCNU Implant (Gliadel Wafer) for Japanese Patients with Malignant Gliomas. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.0a2013-0112, 2013
3. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42:1029-1031, 2013
4. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
5. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
6. Horiguchi Y, Miyachi S, Nagasaki Y. High-performance surface acoustic wave immunosensing system on a PEG/aptamer hybridized surface. *Langmuir* 29(24):7369-7376, 2013
7. Hossain MA, Ikeda Y, Hara T, Nagasaki Y. Novel biocompatible nanoreactor for silica/gold hybrid nanoparticles preparation. *Colloids Surf B Biointerfaces* 102:778-782, 2013
8. Ikeda Y, Katamachi J, Kawasaki H, Nagasaki Y. Novel protein PEGylation chemistry via glutaraldehyde-functionalized PEG. *Bioconjug Chem* 24(11):1824-1827, 2013
9. Ikeda Y, Kawasaki H, Ichinohe S, Nagasaki Y. Facile solid-phase synthesis of a highly stable poly(ethylene glycol)-oligonucleotide conjugate. *Journal of Materials Chemistry B* 1:529-535, 2013
10. Ikeda Y, Kubota D, Nagasaki Y. Design of sugar-oligonucleotide conjugates installed gold nanoparticle for effective delivery to hepatic parenchymal cells. *Colloid and Polymer Science* 291(12):2959-2964, 2013

11. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
12. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
13. Kamimura M, Furukawa T, Akiyama S, Nagasaki Y. pH-sensitive doxorubicin/poly(ethylene glycol)-block-poly(4-vinylbenzylphosphonate) nanoparticles in multi-drug resistant human epidermoid KB carcinoma cells. *Biomaterials Science* 1(4):361-367, 2013
14. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
15. Lakshmipriya T, Fujimaki M, Gopinath SC, Awazu K, Horiguchi Y, Nagasaki Y. A high-performance waveguide-mode biosensor for detection of factor IX using PEG-based blocking agents to suppress non-specific binding and improve sensitivity. *Analyst* 138(10):2863-2870, 2013
16. Matsubara T, Ayuzawa S, Aoki T, Fujimoto A, Osuka S, Matsumura A. The patient had a normal magnetic resonance imaging and temporal lobe epilepsy secondary to a porencephalic cyst but showed structural lesions (hippocampal sclerosis). *Epilepsy & Behavior Case Reports* 1:153-156, 2013
17. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2012-0312, 2013
18. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2013-0067, 2013
19. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
20. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T,

- Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
21. Nakajima J, Hitomi S, Koganemaru H, Nakai Y. Isolation of Staphylococcus epidermidis intermediately resistant to vancomycin in a case of central venous catheter-associated bloodstream infection. *J Infect Chemother* 19(5):983-986, 2013
22. Nguyen TNH, Akutsu H, Nouguch iS, Tsunoda T, Sasak iM, Tsurushima H, Matsumura A. Reversible focal radiological changes due to non-convulsive status epilepticus of the right parietooccipital lobe. *Turk Neurosurg* 23(2):278-281, 2013
23. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
24. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
25. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
26. Pua ML, Yoshitomi T, Chonpathompikunlert P, Hirayama A, Nagasaki Y. Redox-active injectable gel using thermo-responsive nanoscale polyion complex flower micelle for noninvasive treatment of local inflammation. *J Control Release* 172(3):914-920, 2013
27. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
28. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033, 2013
29. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
30. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A,

- Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
31. Sha S, Vong LB, Chonpathompikunlert P, Yoshitomi T, Matsui H, Nagasaki Y. Suppression of NSAID-induced small intestinal inflammation by orally administered redox nanoparticles. *Biomaterials* 34(33):8393-8400, 2013
32. Shashni B, Sakharkar KR, Nagasaki Y, Sakharkar MK. Glycolytic enzymes PGK1 and PKM2 as novel transcriptional targets of PPARgamma in breast cancer pathophysiology. *J Drug Target* 21(2):161-174, 2013
33. Shashni B, Sharma K, Singh R, Sakharkar KR, Dhillon SK, Nagasaki Y, Sakharkar MK. Coffee component Hydroxyl Hydro Quinone (HHQ) as a novel ligand for PPAR gamma and implications for breast cancer. *BMC (BioMedCentral) Genomics* 14(Suppl 5):S6, 2013
34. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
35. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A. Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
36. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1:817-819, 2013
37. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
38. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2:80-86, 2013
39. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
40. Yoshitomi T, Ozaki Y, Thangavel S, Nagasaki Y. Redox nanoparticle therapeutics to cancer--increase in therapeutic effect of doxorubicin, suppressing its adverse effect. *J Control Release* 172(1):137-143, 2013
41. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura

- A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013
42. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. 阿久津博義. 【手術室で、今、有用な画像診断装置】 臨床効果を具体的に示す 術中 MRI 手術システムの現況・有用性と機器上の要件. *新医療* 40(10):106-109, 2013
2. 阿久津博義. 【先端医療技術に対応する病院建築】 術中 MRI 統合システム. *医療福祉建築* 180:12, 2013
3. 阿久津博義, 高野晋吾, 田中秀峰, 山本哲哉, 村下秀和, 石川栄一, 松村明. Four-hand technique を用いた内視鏡下経鼻頭蓋底手術の現状と未来. *日本内分泌学会雑誌* 89(Suppl.HPT):13-14, 2013
4. 阿久津博義, 増田洋亮, 松村明. ビジウス サージカルシアター 脳外科領域で用いられる機器最前線. *脳神経外科速報* 23(11):1240-1245, 2013
5. 池田剛, 園部眞, 加藤徳之, 山崎友郷, 粕谷泰道, 中居康展, 松村明. 脳動脈瘤コイル塞栓術後の破裂・再治療と Volume Embolization Ratio(VER)の関連性. *脳卒中の外科* 41(6):440-446, 2013
6. 伊藤嘉朗, 加藤徳之, 中居康展, 松村明, 園部眞. Closed-cell stent を用いた頸動脈ステント留置術における頸動脈の屈曲度と微小脳塞栓の関係. *JNET: Journal of Neuroendovascular Therapy* 7(2):75-80, 2013
7. 伊藤嘉朗, 加藤徳之, 松村明, 園部眞. ドーナツ型巨大脳動脈瘤に対してコイルとラッピング術を施行した 1 例. *脳神経外科* 41(5):415-420, 2013
8. 小松洋治. 目で見えるシリーズ 頭部 CT 早すぎる搬送は観察が必要. *日立医学会誌* 52(1):47-48, 2013
9. 小松洋治, 中村和弘, 伊藤嘉朗, 益子良太, 上村和也, 松村明. 【光線力学診断・治療の最新動向】 脳神経外科手術におけるインドシアニンググリーン術中蛍光血管撮影の有用性と課題. *日本レーザー医学会誌* 34(2):141-147, 2013
10. 津田恭治, 阿久津博義, 山本哲哉, 中井啓, 井原哲, 石川栄一, 安田貢, 高野晋吾, 松村明. 当院で経験した脊髄髄膜腫の治療成績と手術戦略. *脊髄外科* 27(1):61-63, 2013
11. 鶴田和太郎, 松丸祐司, 上坂義和, 松村明. 神経放射線診断 進行する脊髄症状を呈し、MRI にて上部頸髄に異常を認めた症例. *脳神経外科ジャーナル* 22(11):873-877, 2013

12. 原拓真, 阿久津博義, 高野晋吾, 山本哲哉, 鈴木浩明, 松村明. Cushing 病に対する手術および放射線照射例の長期予後. 日本内分泌学会雑誌 89(Suppl.HPT):63-64, 2013
13. 益子良太, 中居康展, 原拓真, 今井資, 松原鉄平, 松田真秀, 上村和也, 小松洋治, 松村明. 錐体骨部特発性内頸動脈解離に対するステント留置術の 1 例. 脳神経外科ジャーナル 22(7):557-561, 2013
14. 増本智彦, 椎貝真成, 檜山貴志. 【神経集中治療】 神経学的所見と画像診断 撮像法と脳解剖の知識をベースとした画像診断に向けて. Intensivist 5(3):493-506, 2013
15. 松原鉄平, 松田真秀, 益子良太, 上村和也, 小松洋治, 松村明. 多発性未破裂脳動脈瘤の経過観察中に生じた新生動脈瘤破裂によるくも膜下出血の 1 例. 脳卒中の外科 41(1):56-59, 2013
16. 松丸祐司, 原貴行, 松村明. 【血管奇形の基礎と臨床】 脊髄動静脈シャント 何が治せて何が治療困難か. 脳神経外科ジャーナル 22(1):44-51, 2013
17. 三木俊一郎, 山崎友郷, 加藤徳之, 池田剛, 粕谷泰道, 園部眞, 中居康展, 松村明. Double catheter technique を応用した coil-assist technique で治療を行ったブレブをネック近傍に伴う破裂脳動脈瘤の 1 例. JNET: Journal of Neuroendovascular Therapy 7(3):186-191, 2013

4) 英文以外の著書

1. 松村明, 松田真秀. 第 1 章. 脳神経外科分野における陽子線治療の適用; "定位的放射線治療 17 (第 1 版)" (編集 新井一、伊達裕昭、西本博), メジカルビュー社 (東京) 2013; pp11-19
2. 松村明, 山本哲哉. 第 1 章. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック (第 1 版)" (編集 新井一、伊達裕昭、西本博) メジカルビュー社 (東京) 2013; pp14-21

筑波発ナノ粒子の包括的臨床応用

1) 英文論文

1. Akashi Y, Oda T, Ohara Y, Miyamoto R, Hashimoto S, Enomoto T, Yamada K, Kobayashi A, Fukunaga K, Ohkochi N. Histological advantages of the tumor graft: a murine model involving transplantation of human pancreatic cancer tissue fragments. *Pancreas* 42(8):1275-1282, 2013
2. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42:1029-1031, 2013
- 3 Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
4. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
5. Horiguchi Y, Miyachi S, Nagasaki Y. High-performance surface acoustic wave immunosensing system on a PEG/aptamer hybridized surface. *Langmuir* 29(24):7369-7376, 2013
6. Hossain MA, Ikeda Y, Hara T, Nagasaki Y. Novel biocompatible nanoreactor for silica/gold hybrid nanoparticles preparation. *Colloids Surf B Biointerfaces* 102:778-782, 2013
7. Ikeda Y, Katamachi J, Kawasaki H, Nagasaki Y. Novel protein PEGylation chemistry via glutaraldehyde-functionalized PEG. *Bioconjug Chem* 24(11):1824-1827, 2013
8. Ikeda Y, Kawasaki H, Ichinohe S, Nagasaki Y. Facile solid-phase synthesis of a highly stable poly(ethylene glycol)-oligonucleotide conjugate. *Journal of Materials Chemistry B* 1:529-535, 2013
9. Ikeda Y, Kubota D, Nagasaki Y. Design of sugar-oligonucleotide conjugates installed gold nanoparticle for effective delivery to hepatic parenchymal cells. *Colloid and Polymer Science* 291(12):2959-2964, 2013
10. Indo HP, Nakanishi I, Yen HC, Nyui M, Manda S, Matsumoto K, Anzai K, Ikota N, Matsui H, Minamiyama Y, Nakajima A, Ichikawa I, Ozawa T, Mukai C, Majima HJ. Comparison of in Vivo and in Vitro Antioxidative Parameters for Eleven Food Factors., *RSC Adv* 3:4535-4538, 2013
11. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic

- brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
12. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
 13. Kamimura M, Furukawa T, Akiyama S, Nagasaki Y. pH-sensitive doxorubicin/poly(ethylene glycol)-block-poly(4-vinylbenzylphosphonate) nanoparticles in multi-drug resistant human epidermoid KB carcinoma cells. *Biomaterials Science* 1(4):361-367, 2013
 14. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
 15. Lakshmipriya T, Fujimaki M, Gopinath SC, Awazu K, Horiguchi Y, Nagasaki Y. A high-performance waveguide-mode biosensor for detection of factor IX using PEG-based blocking agents to suppress non-specific binding and improve sensitivity. *Analyst* 138(10):2863-2870, 2013
 16. Maruyama T, Murata S, Takahashi K, Tamura T, Nozaki R, Ikeda N, Fukunaga K, Oda T, Sasaki R, Ohkohchi N. Platelet transfusion improves liver function in patients with chronic liver disease and cirrhosis. *Tohoku J Exp Med* 229(3):213-220, 2013
 17. Matsubara T, Ayuzawa S, Aoki T, Fujimoto A, Osuka S, Matsumura A. The patient had a normal magnetic resonance imaging and temporal lobe epilepsy secondary to a porencephalic cyst but showed structural lesions (hippocampal sclerosis). *Epilepsy & Behavior Case Reports* 1:153-156, 2013
 18. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2012-0312, 2013
 19. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2013-0067, 2013
 20. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a

- single institution. *Strahlenther Onkol* 189(8):656-663, 2013
21. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T, Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
 22. Nguyen TNH, Akutsu H, Nouguch iS, Tsunoda T, Sasak iM, Tsurushima H, Matsumura A. Reversible focal radiological changes due to non-convulsive status epilepticus of the right parietooccipital lobe. *Turk Neurosurg* 23(2):278-281, 2013
 23. Ogawa K, Kondo T, Tamura T, Matsumura H, Fukunaga K, Oda T, Ohkohchi N. Influence of Kupffer cells and platelets on ischemia-reperfusion injury in mild steatotic liver. *World J Gastroenterol* 19(9):1396-1404, 2013
 24. Ohara Y, Oda T, Sugano M, Hashimoto S, Enomoto T, Yamada K, Akashi Y, Miyamoto R, Kobayashi A, Fukunaga K, Morishita Y, Ohkohchi N. Histological and prognostic importance of CD44(+) /CD24(+) /EpCAM(+) expression in clinical pancreatic cancer. *Cancer Sci* 104(8):1127-1134, 2013
 25. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
 26. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
 27. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
 28. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
 29. Pua ML, Yoshitomi T, Chonpathompikunlert P, Hirayama A, Nagasaki Y. Redox-active injectable gel using thermo-responsive nanoscale polyion complex flower micelle for noninvasive treatment of local inflammation. *J Control Release* 172(3):914-920, 2013

30. Saito R, Suzuki H, Yamada T, Endo S, Moriwaki T, Ueno T, Hirose M, Hirai S, Yamato K, Mizokami Y, Hyodo I. Predicting skin toxicity according to EGFR polymorphisms in patients with colorectal cancer receiving antibody against EGFR. *Anticancer Res* 33(11):4995-4998, 2013
31. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* doi: 10.4103/2152-7806.107546, 2013
32. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033, 2013
33. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
34. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
35. Sha S, Vong LB, Chonpathompikunlert P, Yoshitomi T, Matsui H, Nagasaki Y. Suppression of NSAID-induced small intestinal inflammation by orally administered redox nanoparticles. *Biomaterials* 34(33):8393-8400, 2013
36. Shashni B, Sakharkar KR, Nagasaki Y, Sakharkar MK. Glycolytic enzymes PGK1 and PKM2 as novel transcriptional targets of PPARgamma in breast cancer pathophysiology. *J Drug Target* 21(2):161-174, 2013
37. Shashni B, Sharma K, Singh R, Sakharkar KR, Dhillon SK, Nagasaki Y, Sakharkar MK. Coffee component Hydroxyl Hydro Quinone (HHQ) as a novel ligand for PPAR gamma and implications for breast cancer. *BMC (BioMedCentral) Genomics* 14(Suppl 5):S6, 2013
38. Suzuki H, Kaneko T, Mizokami Y, Narasaka T, Endo S, Matsui H, Yanaka A, Hirayama A, Hyodo I. Therapeutic efficacy of the Qing Dai in patients with intractable ulcerative colitis. *World J Gastroenterol* 19(17):2718-2722, 2013
39. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
40. Tamura M, Matsui H, Kaneko T, Hyodo I. Alcohol is an oxidative stressor for gastric

- epithelial cells: detection of superoxide in living cells. *J Clin Biochem Nutr* 53(2):75-80, 2013
41. Tamura M, Matsui H, Nagano YN, Kaneko T, Indo HP, Majima HJ, Hyodo I. Salt is an oxidative stressor for gastric epithelial cells. *J Physiol Pharmacol* 64(1):89-94, 2013
 42. Tamura M, Matsui H, Tomita T, Sadakata H, Indo HP, Majima HJ, Kaneko T, Hyodo I. Mitochondrial reactive oxygen species accelerate gastric cancer cell invasion. *J Clin Biochem Nutr* doi: 10.3164/jcfn.13-36, 2013
 43. Tamura M, Yanagawa F, Sugiura S, T T, Sumaru K, Matsui H, Kanamori T. Optical cell picking in photodegradable hydrogels based on cellular morphology in 3D culture environment. *Proc mTAS*:1929–1931, 2013
 44. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A. Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
 45. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1:817-819, 2013
 46. Vong LB, Yoshitomi T, Morikawa K, Saito S, Matsui H, Nagasaki Y. Oral nanotherapeutics: effect of redox nanoparticle on microflora in mice with dextran sodium sulfate-induced colitis. *J Gastroenterol* doi: 10.1007/s00535-013-0836-8, 2013
 47. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
 48. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2:80-86, 2013
 49. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
 50. Yoshitomi T, Ozaki Y, Thangavel S, Nagasaki Y. Redox nanoparticle therapeutics to cancer--increase in therapeutic effect of doxorubicin, suppressing its adverse effect. *J Control Release* 172(1):137-143, 2013
 51. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013

52. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. 阿久津博義. 【先端医療技術に対応する病院建築】 術中 MRI 統合システム. 医療福祉建築 180:12, 2013
2. 阿久津博義. 【手術室で、今、有用な画像診断装置】 臨床効果を具体的に示す 術中 MRI 手術システムの現況・有用性と機器上の要件. 新医療 40(10):106-109, 2013
3. 阿久津博義, 高野晋吾, 田中秀峰, 山本哲哉, 村下秀和, 石川栄一, 松村明. Four-hand technique を用いた内視鏡下経鼻頭蓋底手術の現状と未来. 日本内分泌学会雑誌 89(Suppl.HPT):13-14, 2013
4. 阿久津博義, 増田洋亮, 松村明. ビジウス サージカルシアター 脳外科領域で用いられる機器最前線. 脳神経外科速報 23(11):1240-1245, 2013
5. 池田剛, 園部眞, 加藤徳之, 山崎友郷, 粕谷泰道, 中居康展, 松村明. 脳動脈瘤コイル塞栓術後の破裂・再治療と Volume Embolization Ratio(VER)の関連性. 脳卒中の外科 41(6):440-446, 2013
6. 伊藤嘉朗, 加藤徳之, 中居康展, 松村明, 園部眞. Closed-cell stent を用いた頸動脈ステント留置術における頸動脈の屈曲度と微小脳塞栓の関係. JNET: Journal of Neuroendovascular Therapy 7(2):75-80, 2013
7. 伊藤嘉朗, 加藤徳之, 松村明, 園部眞. ドーナツ型巨大脳動脈瘤に対してコイルとラッピング術を施行した 1 例. 脳神経外科 41(5):415-420, 2013
8. 岡部進, 松井裕史. 低濃度酢酸のヒトおよびラット由来胃がん細胞株に対する効果 潰瘍 40(2):17-19, 2013
9. 小松洋治, 中村和弘, 伊藤嘉朗, 益子良太, 上村和也, 松村明. 【光線力学診断・治療の最新動向】 脳神経外科手術におけるインドシアニンググリーン術中蛍光血管撮影の有用性と課題. 日本レーザー医学会誌 34(2):141-147, 2013
10. 鈴木英雄, 奈良坂俊明, 溝上裕士, 金子剛, 森脇俊和, 遠藤慎治, 松井裕史, 谷中昭典, 兵頭一之介, 大森敏秀, 船山夏子, 杉谷武彦, 新澤岳. 下痢型過敏性腸症候群患者におけるラモセトロン服用状況調査. 日本消化器病学会雑誌 110(臨増大会):A949, 2013
11. 津田恭治, 阿久津博義, 山本哲哉, 中井啓, 井原哲, 石川栄一, 安田貢, 高野晋吾, 松村明. 当院で経験した脊髄髄膜腫の治療成績と手術戦略. 脊髄外科 27(1):61-63, 2013
12. 鶴田和太郎, 松丸祐司, 上坂義和, 松村明. 神経放射線診断 進行する脊髄症状を呈し、

- MRIにて上部頸髄に異常を認めた症例. 脳神経外科ジャーナル 22(11):873-877, 2013
13. 原拓真, 阿久津博義, 高野晋吾, 山本哲哉, 鈴木浩明, 松村明. Cushing 病に対する手術および放射線照射例の長期予後. 日本内分泌学会雑誌 89(Suppl.HPT):63-64, 2013
 14. 益子良太, 中居康展, 原拓真, 今井資, 松原鉄平, 松田真秀, 上村和也, 小松洋治, 松村明. 錐体骨部特発性内頸動脈解離に対するステント留置術の 1 例. 脳神経外科ジャーナル 22(7):557-561, 2013
 15. 松原鉄平, 松田真秀, 益子良太, 上村和也, 小松洋治, 松村明. 多発性未破裂脳動脈瘤の経過観察中に生じた新生動脈瘤破裂によるくも膜下出血の 1 例. 脳卒中の外科 41(1):56-59, 2013
 16. 松丸祐司, 原貴行, 松村明. 【血管奇形の基礎と臨床】 脊髄動静脈シャント 何が治せて何が治療困難か. 脳神経外科ジャーナル 22(1):44-51, 2013
 17. 三木俊一郎, 山崎友郷, 加藤徳之, 池田剛, 粕谷泰道, 園部眞, 中居康展, 松村明. Double catheter technique を応用した coil-assist technique で治療を行ったブレブをネック近傍に伴う破裂脳動脈瘤の 1 例. JNET: Journal of Neuroendovascular Therapy 7(3):186-191, 2013

4) 英文以外の著書

1. 松村明, 松田真秀. 第 1 章. 脳神経外科分野における陽子線治療の適用; "定位的放射線治療 17 (第 1 版)" (編集 新井一、伊達裕昭、西本博), メジカルビュー社 (東京) 2013; pp11-19
2. 松村明, 山本哲哉. 第 1 章. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック (第 1 版)" (編集 新井一、伊達裕昭、西本博), メジカルビュー社 (東京) 2013; pp14-21

先端医療技術・生体材料・医療機器臨床応用

1) 英文論文

1. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42(1029-1031, 2013
2. Fujie K, Nakata Y, Yasuda S, Mizutani T, Hashimoto K. Do dispatcher instructions facilitate bystander-initiated cardiopulmonary resuscitation and improve outcomes in patients with out-of-hospital cardiac arrest? A comparison of family and non-family bystanders. *Resuscitation* doi: 10.1016/j.resuscitation.2013.11.013, 2013
3. Funayama T, Sakane M, Yoshizawa T, Takeuchi Y, Ochiai N. Tanycytic ependymoma of the filum terminale associated with multiple endocrine neoplasia type 1: first reported case. *Spine J* 13(8):e49-54, 2013
4. Funayama T, Tsukanishi T, Hara I, Ozeki E, Sakane M. Tumor-selective near-infrared photodynamic therapy with novel indocyanine green-loaded nanocarrier delays paralysis in rats with spinal metastasis. *Photodiagnosis Photodyn Ther* 10(4):374-378, 2013
5. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
6. Kawamoto H, Kamibayashi K, Nakata Y, Yamawaki K, Ariyasu R, Sankai Y, Sakane M, Eguchi K, Ochiai N. Pilot study of locomotion improvement using hybrid assistive limb in chronic stroke patients. *BMC Neurol* 13:141, 2013
7. Kubota S, Nakata Y, Eguchi K, Kawamoto H, Kamibayashi K, Sakane M, Sankai Y, Ochiai N. Feasibility of rehabilitation training with a newly developed wearable robot for patients with limited mobility. *Arch Phys Med Rehabil* 94(6):1080-1087, 2013
8. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
9. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
10. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013

11. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Mol Clin Oncol* 1(5):817-819, 2013
12. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
13. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013
14. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. 安部哲哉, 坂根正孝, 船山徹, 俣木優輝, 竹内陽介, 兵頭康次郎, 神山翔, 日置繁, 山崎正志. 全身麻酔下の経椎間孔アプローチの PELD の手術成績. *Journal of Spine Research* 4(8):1264-1269, 2013
2. 鎌田浩史, 竹内亮子, 中川将吾, 三島初, 坂根正孝, 山崎正志, 落合直之, 岡本嘉一. 【小児整形外科疾患 診断・治療の進歩】 診断・評価の進歩 MRI 发育性股関節形成不全における三次元 MRI を用いた三次元的評価. *別冊整形外科* 64:11-17, 2013
3. 絹笠友則, 小松崎徹也, 金森章造, 青戸克哉, 長谷川隆司, 塚越祐太, 辰村正紀, 福島真, 矢田部佳久, 池田耕太郎. TKA 術後疼痛コントロール 人工膝関節術後疼痛に対する術中大腿骨後方骨膜上ロピバカイン注入の試み. *日本人工関節学会誌* 43:293-294, 2013
4. 絹笠友則, 六崎裕高, 青戸克哉, 金森章造, 池田耕太郎. AI ドリル使用による Outside-in 法と ToggleLoc Femoral Fixation Device を併用した大腿骨側骨孔作成. *JOSKAS* 38(1):58-59, 2013
5. 鈴木恒, 馬見塚尚孝, 芋生祥之, 大瀧保明, 奈良隆章, 藤江敬子, 橋本幸一, 中田由夫, 原田義則, 坂根正孝, 平野篤, 落合直之. 腰部脊柱管狭窄症患者に対する日本語版チューリッヒ跛行質問票と 6 分間歩行試験の試用評価と基準関連妥当性検証. *Journal of Spine Research* 4(1):63-67, 2013
6. 中田研, 橋本祐介, 米谷泰一, 奥平修三, 三谷玄弥, 金森章造. 平成 24 年度日本体育協会スポーツ医・科学研究報告 日本におけるスポーツ外傷サーベイランスシステムの構築(第 3 報) 各競技におけるスポーツ外傷発生調査 テニス. *日本体育協会スポーツ医・*

科学研究報告集 2012 年度:72-75, 2013

7. 西田雄亮, 西野衆文, 金森章造, 坂根正孝. 腱部分切除術とラジオ波焼灼術を併用した膝蓋腱炎の 1 例. 日本整形外科スポーツ医学会雑誌 33(3):327-331, 2013
8. 藤江敬子, 橋本幸一. 都道府県別データから見た市民による AED 使用除細動実施に関連する因子. 日本農村医学会雑誌 62(3):416, 2013
9. 牧原武史, 坂根正孝, 藤井賢吾, 大西信三. 後頭下減圧術後に関節窩の骨リモデリングを生じた Charcot 肩の一例. 肩関節 37(2):893-896, 2013
10. 俣木健太郎, 野澤大輔, 三島初, 牧原武史, 岡野英里子, 和田大志, 坂根正孝. 外反母趾に対する DLMO 法の経験. 関東整形災害外科学会雑誌 44(2):48-51, 2013
11. 馬見塚尚孝, 藤江敬子, 椎名逸雄, 平野篤, 万本健生, 橋本幸一, 中田由夫, 大瀧保明, 坂根正孝. 腰部脊柱管狭窄症のを対象としたチューリッヒ跛行質問票および JOABPEQ の内部一貫性. Journal of Spine Research 4(3):370, 2013
12. 吉岡友和, 金森章造. 【アスリートの関節軟骨損傷-スポーツ復帰のために-】 多血小板血漿(PRP)による関節軟骨損傷治療の今後の可能性. 臨床スポーツ医学 30(4):367-372, 2013

4) 英文以外の著書

1. 坂根正孝. 6 章 脊椎 (頸椎、胸椎、腰椎) . 脊椎・脊髄損傷; "新版 スポーツ整形外科マニュアル (第 1 版)" (監修 福林徹, 編集 篠塚昌述), 株式会社中外医学者 (東京) 2013; pp104-107
2. 坂根正孝. 6 章 脊椎 (頸椎、胸椎、腰椎) . 胸腰椎の外傷 (圧迫骨折、破裂骨折、横突起骨折) ; "新版 スポーツ整形外科マニュアル (第 1 版)" (監修 福林徹, 編集 篠塚昌述), 株式会社中外医学者 (東京) 2013; pp111-114
3. 坂根正孝, 安部哲哉. II. 脊椎内視鏡下手術のための基本手技 [PED] 手術器具 (特殊器具を含む) ; " [スキル関節鏡下手術アトラス] シリーズ 「脊椎内視鏡下手術」 (第 1 版)" (編集 吉田宗人, 監修 越智光夫), 株式会社文光堂 (東京) 2013; pp48-51
4. 坂根正孝, 安部哲哉. V. 脊椎内視鏡下手術とそのスキル. [PED] 2. 頸椎間孔的ヘルニア摘出; " [スキル関節鏡下手術アトラス] シリーズ 「脊椎内視鏡下手術」 (第 1 版)" (編集 吉田宗人, 監修 越智光夫), 株式会社文光堂 (東京) 2013; pp140-144

絆社会継続発展モデルとしての小児難病総合

1) 英文論文

1. Abei M, Okumura T, Fukuda K, Hashimoto T, Araki M, Ishige K, Hyodo I, Kanemoto A, Numajiri H, Mizumoto M, Sakae T, Sakurai H, Zenkoh J, Ariungerel G, Sogo Y, Ito A, Ohno T, Tsuboi K. A phase I study on combined therapy with proton-beam radiotherapy and in situ tumor vaccination for locally advanced recurrent hepatocellular carcinoma. *Radiat Oncol* 8:239, 2013
2. Akimoto K, Kimura K, Nagano M, Takano S, To'a Salazar G, Yamashita T, Ohneda O. Umbilical cord blood-derived mesenchymal stem cells inhibit, but adipose tissue-derived mesenchymal stem cells promote, glioblastoma multiforme proliferation. *Stem Cells Dev* 22(9):1370-1386, 2013
3. Aoki T, Nishikawa R, Sugiyama K, Nonoguchi N, Kawabata N, Mishima K, Adachi JI, Kurisu K, Yamasaki F, Tominaga T, Kumabe T, Ueki K, Higuchi F, Yamamoto T, Ishikawa E, Takeshima H, Yamashita S, Arita K, Hirano H, Yamada S, Matsutani M. A Multicenter Phase I/II Study of the BCNU Implant (Gliadel Wafer) for Japanese Patients with Malignant Gliomas. *Neurol Med Chir (Tokyo)* 54(4):290-301, doi:10.2176/nmc.0a2013-0112, 2013
4. Bodhak S, Kikuchi M, Sogo Y, Tsurushima H, Ito A, Oyane A. Calcium phosphate coating on a bioresorbable hydroxyapatite/collagen nanocomposite for surface functionalization. *Chem Lett* 42(10):29-1031, 2013
5. Fujishiro J, Masumoto K, Urita Y, Shinkai T, Gotoh C. Pancreatic complications in pediatric choledochal cysts. *J Pediatr Surg* 48(9):1897-1902, 2013
6. Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R. Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies. *Leuk Res Treatment* 2013(?):238528, 2013
7. Fukushima H, Fukushima T, Suzuki R, Enokizono T, Matsunaga M, Nakao T, Koike K, Mori K, Matsueda K, Sumazaki R. Continuous regional arterial infusion effective for children with acute necrotizing pancreatitis even under neutropenia. *Pediatr Int* 55(2):e11-13, 2013
8. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
9. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar

- hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
10. Hashii H, Hashimoto T, Okawa A, Shida K, Isobe T, Hanmura M, Nishimura T, Aonuma K, Sakae T, Sakurai H. Comparison of the effects of high-energy photon beam irradiation (10 and 18 MV) on 2 types of implantable cardioverter-defibrillators. *Int J Radiat Oncol Biol Phys* 85(3):840-845, 2013
 11. Hayashi M, Hirota T, Saeki H, Nakagawa H, Ishiuiji Y, Matsuzaki H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Tamari M. Genetic polymorphism in the TRAF3IP2 gene is associated with psoriasis vulgaris in a Japanese population. *J Dermatol Sci* doi: 10.1016/j.jderm.2013.11.012, 2013
 12. Hirohata T, Asano K, Ogawa Y, Takano S, Amano K, Isozaki O, Iwai Y, Sakata K, Fukuhara N, Nishioka H, Yamada S, Fujio S, Arita K, Takano K, Tominaga A, Hizuka N, Ikeda H, Osamura RY, Tahara S, Ishii Y, Kawamata T, Shimatsu A, Teramoto A, Matsuno A. DNA mismatch repair protein (MSH6) correlated with the responses of atypical pituitary adenomas and pituitary carcinomas to temozolomide: the national cooperative study by the Japan Society for Hypothalamic and Pituitary Tumors. *J Clin Endocrinol Metab* 98(3):1130-1136, 2013
 13. Hong Z, Kase Y, Moritake T, Gerelchuluun A, Sun L, Suzuki K, Terunuma T, Yasuoka K, Kumada H, Anzai K, Sakurai H, Sakae T, Tsuboi K. Lineal energy-based evaluation of oxidative DNA damage induced by proton beams and X-rays. *Int J Radiat Biol* 89(1):36-43, 2013
 14. Iijima H, Kaneko Y, Yamada H, Yatagai Y, Masuko H, Sakamoto T, Naito T, Hirota T, Tamari M, Konno S, Nishimura M, Noguchi E, Hizawa N. A distinct sensitization pattern associated with asthma and the thymic stromal lymphopoietin (TSLP) genotype. *Allergol Int* 62(1):123-130, 2013
 15. Imoto Y, Tokunaga T, Matsumoto Y, Hamada Y, Ono M, Yamada T, Ito Y, Arinami T, Okano M, Noguchi E, Fujieda S. Cystatin SN upregulation in patients with seasonal allergic rhinitis. *PLoS One* 8(8):e67057, 2013
 16. Inoue Y, Nakagawara R, Kambara T, Tanaka K, Seki K, Enomoto H, Noguchi E, Aihara M, Ikezawa Z. Prevalence of atopic dermatitis in Japanese infants treated with moisturizer since birth and its relation to FLG mutations. *Eur J Dermatol* 23(2):288-289, 2013
 17. Isobe T, Mori Y, Takada K, Sato E, Sakurai H, Sakae T. Robust technique using an imaging

- plate to detect environmental radioactivity. *Health Phys* 104(4):362-365, 2013
18. Isobe T, Mori Y, Takada K, Sato E, Takahashi H, Sekiguchi T, Yoshimura Y, Sakurai H, Sakae T. Evaluation of vegetables in Tsukuba for contamination with radioactive materials from the accident at Fukushima Daiichi nuclear power plant. *Health Phys* 105(4):311-317, 2013
 19. Ito Y, Kato N, Matsumura A, Sonobe M. Hemodynamic instability increases new ischemic brain lesions on diffusion-weighted imaging after carotid artery stenting. *Neurol Med Chir (Tokyo)* 53(6):375-380, 2013
 20. Ito Y, Tsurushima H, Sato M, Ito A, Oyane A, Sogo Y, Matsumura A. Angiogenesis therapy for brain infarction using a slow-releasing drug delivery system for fibroblast growth factor 2. *Biochem Biophys Res Commun* 432(1):182-187, 2013
 21. Iwabuchi A, Kamoda T, Saito M, Nozue H, Izumi I, Hirano T, Sumazaki R. Serum dipeptidyl peptidase 4 activity in children with type 1 diabetes mellitus. *J Pediatr Endocrinol Metab* 26(11-12):1093-1097, 2013
 22. Iwabuchi A, Kamoda T, Shinohara H, Sumazaki R. Japanese boy with maturity-onset diabetes of the young type 3 who developed diabetes at 19 months old. *Pediatr Int* 55(2):e32-34, 2013
 23. Iwakawa R, Takenaka M, Kohno T, Shimada Y, Totoki Y, Shibata T, Tsuta K, Nishikawa R, Noguchi M, Sato-Otsubo A, Ogawa S, Yokota J. Genome-wide identification of genes with amplification and/or fusion in small cell lung cancer. *Genes Chromosomes Cancer* 52(9):802-816, 2013
 24. Iwasawa M, Miyahara J, Noriaki T, Nozue H, Sumazaki R. Behavioral support to parents through a cellular-phone website that provides the degree of urgency for medical attention of a child. *Stud Health Technol Inform* 192:1115, 2013
 25. Jimbo T, Masumoto K, Urita Y, Takayasu H, Shinkai T, Uesugi T, Gotoh C, Sakamoto N, Sasaki T, Oto T, Fukushima T, Noguchi E, Nakano Y. Nevoid basal cell carcinoma syndrome with a unilateral giant ovarian fibroma in a Japanese 6-year-old girl. *Eur J Pediatr* doi: 10.1007/s00431-013-2200-7, 2013
 26. Kaneko MK, Morita S, Tsujimoto Y, Yanagiya R, Nasu K, Sasaki H, Hozumi Y, Goto K, Natsume A, Watanabe M, Kumabe T, Takano S, Kato Y. Establishment of novel monoclonal antibodies KMab-1 and MMab-1 specific for IDH2 mutations. *Biol Biophys Res Commun* 432:40-45, 2013
 27. Kaneko Y, Masuko H, Sakamoto T, Iijima H, Naito T, Yatagai Y, Yamada H, Konno S,

- Nishimura M, Noguchi E, Hizawa N. Asthma phenotypes in Japanese adults - their associations with the CCL5 and ADRB2 genotypes. *Allergol Int* 62(1):113-121, 2013
28. Kanemoto A, Mizumoto M, Okumura T, Takahashi H, Hashimoto T, Oshiro Y, Fukumitsu N, Moritake T, Tsuboi K, Sakae T, Sakurai H. Dose-volume histogram analysis for risk factors of radiation-induced rib fracture after hypofractionated proton beam therapy for hepatocellular carcinoma. *Acta Oncol* 52(3):538-544, 2013
29. Kanemoto A, Okumura T, Ishikawa H, Mizumoto M, Oshiro Y, Kurishima K, Homma S, Hashimoto T, Ohkawa A, Numajiri H, Ohno T, Moritake T, Tsuboi K, Sakae T, Sakurai H. Outcomes and prognostic factors for recurrence after high-dose proton beam therapy for centrally and peripherally located stage I non--small-cell lung cancer. *Clin Lung Cancer* doi: 10.1016/j.clc.2013.11.002, 2013
30. Kashiwagi M, Tamiya N, Sato M, Yano E. Factors associated with the use of home-visit nursing services covered by the long-term care insurance in rural Japan: a cross-sectional study. *BMC Geriatr* 13:1, 2013
31. Kawamura T, Usui J, Kaseda K, Takada K, Ebihara I, Ishizu T, Iitsuka T, Sakai K, Takemura K, Kobayashi M, Koyama A, Kanemoto K, Sumazaki R, Uesugi N, Noguchi M, Nagata M, Suka M, Yamagata K. Primary membranoproliferative glomerulonephritis on the decline: decreased rate from the 1970s to the 2000s in Japan. *Clin Exp Nephrol* 17(2):248-254, 2013
32. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
33. Kiyokawa N, Iijima K, Tomita O, Miharuru M, Hasegawa D, Kobayashi K, Okita H, Kajiwara M, Shimada H, Inukai T, Makimoto A, Fukushima T, Nanmoku T, Koh K, Manabe A, Kikuchi A, Sugita K, Fujimoto J, Hayashi Y, Ohara A. Significance of CD66c expression in childhood acute lymphoblastic leukemia. *Leuk Res* doi: 10.1016/j.leukres.2013.10.008, 2013
34. Kobayashi M, Tamiya N, Kashiwagi M, Ito T, Yamaoka Y, Matsuzawa A. Factors related to positive feelings of caregivers who provide home-based long-term care for their family members in Japan. *Journal of Research on Humanities and Social Sciences* 3(16):27-36, 2013
35. Kojima M, Nishikii H, Takizawa J, Aoki S, Noguchi M, Chiba S, Ando K, Nakamura N. MYC rearrangements are useful for predicting outcomes following rituximab and chemotherapy: multicenter analysis of Japanese patients with diffuse large B-cell lymphoma.

Leuk Lymphoma 54(10):2149-2154, 2013

36. Lee SY, Kurita N, Yokoyama Y, Seki M, Hasegawa Y, Okoshi Y, Chiba S. Glucocorticoid-induced diabetes mellitus in patients with lymphoma treated with CHOP chemotherapy. *Support Care Cancer* doi: 10.1007/s00520-013-2097-8, 2013
37. Li-mei C, Tamiya N, Kato G, Yamaoka Y, Ito T, Matsuzawa A, Yamamoto H. Predictors of volunteerism: A study of older adults in Japan. *Journal of Public Policy and Administration Research* 3(6):71-19, 2013
38. Mahmoud SS, Fukushima T, Shimizu T, Nakao T, Yamaguchi R, Fukushima H, Wada H, Nanmoku T, Sumazaki R. Persistent low level Epstein-Barr virus DNAemia in childhood cancer survivors. *Pediatr Hematol Oncol* 30(3):216-225, 2013
39. Maie K, Okoshi Y, Takaiwa N, Kurita N, Hasegawa Y, Homma M, Ishii K, Kohda Y, Chiba S. Aprepitant does not alter prednisolone pharmacokinetics in patients treated with R-CHOP. *Ann Oncol* doi: 10.1093/annonc/mdt477, 2013
40. Matsubara T, Ayuzawa S, Aoki T, Fujimoto A, Osuka S, Matsumura A. The patient had a normal magnetic resonance imaging and temporal lobe epilepsy secundaru to a porencephalic cyst but showed structural lesions (hippocampal sclerosis). *Epilepsy & Behavior Case Reports* 1:153-156, 2013
41. Matsubara T, Ayuzawa S, Aoki T, Ikeda G, Shiigai M, Matsumura A. Cerebral Venous Thrombosis after Ventriculoperitoneal Shunting: A Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2012-0312, 2013
42. Matsubara T, Ishikawa E, Hirata K, Matsuda M, Akutsu H, Masumoto T, Zaboronok A, Matsumura A. A New Mechanism of Cerebrospinal Fluid Leakage after Lumboperitoneal Shunt: A Theory of Shunt Side Hole-Case Report. *Neurol Med Chir (Tokyo)* doi:10.2176/nmc.cr.2013-0067, 2013
43. Matsunari H, Nagashima H, Watanabe M, Umeyama K, Nakano K, Nagaya M, Kobayashi T, Yamaguchi T, Sumazaki R, Herzenberg LA, Nakauchi H. Blastocyst complementation generates exogenic pancreas in vivo in apancreatic cloned pigs. *Proc Natl Acad Sci U S A* 110(12):4557-4562, 2013
44. Matsuzawa A, Yamaoka Y, Tamiya N, Taniguchi K, Yamazaki K. Family caregiving problems of suspected elderly neglect. *Journal of Research on Humanities and Social Sciences* 3(9):117-124, 2013
45. Mizumoto M, Hashii H, Senarita M, Sakai S, Wada T, Okumura T, Tsuboi K, Sakurai H. Proton beam therapy for malignancy in Bloom syndrome. *Strahlenther Onkol*

- 189(4):335-338, 2013
46. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
47. Muragaki Y, Akimoto J, Maruyama T, Iseki H, Ikuta S, Nitta M, Maebayashi K, Saito T, Okada Y, Kaneko S, Matsumura A, Kuroiwa T, Karasawa K, Nakazato Y, Kayama T. Phase II clinical study on intraoperative photodynamic therapy with talaporfin sodium and semiconductor laser in patients with malignant brain tumors. *J Neurosurg* 119(4):845-852, 2013
48. Nakahara S, Tomio J, Takahashi H, Ichikawa M, Nishida M, Morimura N, Sakamoto T. Evaluation of pre-hospital administration of adrenaline (epinephrine) by emergency medical services for patients with out of hospital cardiac arrest in Japan: controlled propensity matched retrospective cohort study. *BMJ* 347:f6829, 2013
49. Nakajima J, Hitomi S, Koganemaru H, Nakai Y. Isolation of Staphylococcus epidermidis intermediately resistant to vancomycin in a case of central venous catheter-associated bloodstream infection. *J Infect Chemother* 19(5):983-986, 2013
50. Nakayama H, Kanemoto A, Kikuchi K, Matsuki K, Tomobe M, Tsukamoto S, Takeshima H, Oshiro Y, Sugahara S, Tokuuye K. Delayed radiotherapy for patients with localized prostate cancer: validation by propensity score matching. *Anticancer Res* 33(4):1629-1633, 2013
51. Nakazato Y, Maeshima AM, Ishikawa Y, Yatabe Y, Fukuoka J, Yokose T, Tomita Y, Minami Y, Asamura H, Tachibana K, Goya T, Noguchi M. Interobserver agreement in the nuclear grading of primary pulmonary adenocarcinoma. *J Thorac Oncol* 8(6):736-743, 2013
52. Nguyen TNH, Akutsu H, Nouguch iS, Tsunoda T, Sasak iM, Tsurushima H, Matsumura A. Reversible focal radiological changes due to non-convulsive status epilepticus of the right parietooccipital lobe. *Turk Neurosurg* 23(2):278-281, 2013
53. Niho S, Kenmotsu H, Sekine I, Ishii G, Ishikawa Y, Noguchi M, Oshita F, Watanabe S, Nakajima R, Tada H, Nagai K. Combination chemotherapy with irinotecan and cisplatin for large-cell neuroendocrine carcinoma of the lung: a multicenter phase II study. *J Thorac Oncol* 8(7):980-984, 2013
54. Nitta S, Kawai K, Onozawa M, Ando S, Miyazaki J, Nagata C, Noguchi M, Yamasaki K, Uchida K, Iwamoto T, Nishiyama H. Intratubular trophoblasts in the contralateral testis caused elevation of serum human chorionic gonadotropin following complete remission of

- stage II testicular tumor: a case report. *Jpn J Clin Oncol* 43(1):83-86, 2013
55. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
 56. Oshiro Y, Mizumoto M, Okumura T, Sugahara S, Fukushima T, Ishikawa H, Nakao T, Hashimoto T, Tsuboi K, Ohkawa H, Kaneko M, Sakurai H. Clinical results of proton beam therapy for advanced neuroblastoma. *Radiat Oncol* 8(1):142, 2013
 57. Oshiro Y, Okumura T, Mizumoto M, Fukushima T, Ishikawa H, Hashimoto T, Tsuboi K, Kaneko M, Sakurai H. Proton beam therapy for unresectable hepatoblastoma in children: survival in one case. *Acta Oncol* 52(3):600-603, 2013
 58. Oshiro Y, Sakurai H. The use of proton-beam therapy in the treatment of non-small-cell lung cancer. *Expert Rev Med Devices* 10(2):239-245, 2013
 59. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
 60. Osuka S, Sampetean O, Shimizu T, Saga I, Onishi N, Sugihara E, Okubo J, Fujita S, Takano S, Matsumura A, Saya H. IGF1 receptor signaling regulates adaptive radioprotection in glioma stem cells. *Stem Cells* 31(4):627-640, 2013
 61. Oyane A, Araki H, Sogo Y, Ito A, Tsurushima H. Spontaneous assembly of DNA-amorphous calcium phosphate nanocomposite spheres for surface-mediated genetransfer. *Cryst Eng Comm* 15(25):4994-4997, 2013
 62. Saida T, Mori K, Yabe H, Shindo M, Nasu K, Shiigai M, Takahashi H, Minami M. Noninvasive visualization of endoleaks after endovascular aortic aneurysm repair through unenhanced MRI with motion-sensitized driven equilibrium preparation: Phantom experiments. *J Magn Reson Imaging* 38(3):714-721, 2013
 63. Saito T, Takahashi H, Kaneda H, Binnie M, Azad S, Sato M, Waddell TK, Cypel M, Liu M, Keshavjee S. Impact of cytokine expression in the pre-implanted donor lung on the development of chronic lung allograft dysfunction subtypes. *Am J Transplant* 13(12):3192-3201, 2013
 64. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended

- transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
65. Sakamoto N, Ishikawa E, Aoki K, Uemae Y, Komatsu Y, Matsumura A. Clinical Outcomes of Intracerebral Hemorrhage in Hemodialysis Patients. *World Neurosurg* doi: 10.1016/j.wneu.2013.10.033., 2013
 66. Sakamoto T, Obara N, Kurita N, Sakata-Yanagimoto M, Nishikii H, Yokoyama Y, Suzukawa K, Hasegawa Y, Chiba S. Effectiveness and safety of rabbit anti-thymocyte globulin in Japanese patients with aplastic anemia. *Int J Hematol* 98(3):319-322, 2013
 67. Sakurai H, Morishima Y, Itoguchi N, Ohtsuka S, Yamadori I, Oto T, Ishii Y, Sakamoto T, Noguchi M, Hizawa N. Broncho-bronchiolitis obliterans after living-donor lung transplantation: a unique manifestation of chronic allograft rejection. *Transplantation* 96(4):e29-30, 2013
 68. Sandoval Garrido FA, Tamiya N, Kashiwagi M, Miyata S, Okochi J, Moriyama Y, Yamaoka Y, Takamuku K. Relationship between structural characteristics and outcome quality indicators at health care facilities for the elderly requiring long-term care in Japan from a nationwide survey. *Geriatr Gerontol Int* doi: 10.1111/ggi.12098, 2013
 69. Sato M, Nakai Y, Tsurushima H, Shiigai M, Masumoto T, Matsumura A. Risk factors of ischemic lesions related to cerebral angiography and neuro-interventional procedures. *Neurol Med Chir (Tokyo)* 53(6):381-387, 2013
 70. Sato M, Takigawa T, Shiigai M, Tamura G, Masumoto T, Nakai Y, Zaboronok A, Tsurushima H, Matsumura A. Spinal dural arteriovenous fistula with lipomyelodysplasia. *Neurol Med Chir (Tokyo)* 53(2):107-109, 2013
 71. Satoh T, Matsumoto K, Tanaka YO, Akiyama A, Nakao S, Sakurai M, Ochi H, Onuki M, Minaguchi T, Sakurai H, Yoshikawa H. Incidence of venous thromboembolism before treatment in cervical cancer and the impact of management on venous thromboembolism after commencement of treatment. *Thromb Res* 131(4):e127-132, 2013
 72. Satomi K, Morishita Y, Murata Y, Shiba-Ishii A, Sugano M, Noguchi M. Epidermal growth factor receptor abnormalities in atypical teratoid/rhabdoid tumors and an unusual case with gene amplification. *Pathol Res Pract* 209(8):521-526, 2013
 73. Shibui S, Narita Y, Mizusawa J, Beppu T, Ogasawara K, Sawamura Y, Kobayashi H, Nishikawa R, Mishima K, Muragaki Y, Maruyama T, Kuratsu J, Nakamura H, Kochi M, Minamida Y, Yamaki T, Kumabe T, Tominaga T, Kayama T, Sakurada K, Nagane M, Kobayashi K, Nakamura H, Ito T, Yazaki T, Sasaki H, Tanaka K, Takahashi H, Asai A, Todo T, Wakabayashi T, Takahashi J, Takano S, Fujimaki T, Sumi M, Miyakita Y, Nakazato Y, Sato

- A, Fukuda H, Nomura K. Randomized trial of chemoradiotherapy and adjuvant chemotherapy with nimustine (ACNU) versus nimustine plus procarbazine for newly diagnosed anaplastic astrocytoma and glioblastoma (JCOG0305). *Cancer Chemother Pharmacol* 71(2):511-521, 2013
74. Takagi M, Piao J, Lin L, Kawaguchi H, Imai C, Ogawa A, Watanabe A, Akiyama K, Kobayashi C, Mori M, Ko K, Sugimoto M, Mizutani S. Autoimmunity and persistent RAS-mutated clones long after the spontaneous regression of JMML. *Leukemia* 27(9):1926-1928, 2013
75. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
76. Tasaka N, Matsumoto K, Satoh T, Minaguchi T, Onuki M, Ochi H, Tanaka YO, Sakata A, Noguchi M, Yoshikawa H. Therapeutic effect of dienogest on adenosarcoma arising from endometriosis: a case report. *Springerplus* 2:618, 2013
77. Teshiba R, Tajiri T, Sumitomo K, Masumoto K, Taguchi T, Yamamoto K. Identification of a KEAP1 germline mutation in a family with multinodular goitre. *PLoS One* 8(5):e65141, 2013
78. Thunnissen E, Belien JA, Kerr KM, Chung JH, Flieder DB, Noguchi M, Yatabe Y, Hwang DM, Lely RJ, Hartemink KJ, Meijer-Jorna LB, Tsao MS. In compressed lung tissue microscopic sections of adenocarcinoma in situ may mimic papillary adenocarcinoma. *Arch Pathol Lab Med* 137(12):1792-1797, 2013
79. Travis WD, Brambilla E, Noguchi M, Nicholson AG, Geisinger K, Yatabe Y, Ishikawa Y, Wistuba I, Flieder DB, Franklin W, Gazdar A, Hasleton PS, Henderson DW, Kerr KM, Nakatani Y, Petersen I, Roggli V, Thunnissen E, Tsao M. Diagnosis of lung adenocarcinoma in resected specimens: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. *Arch Pathol Lab Med* 137(5):685-705, 2013
80. Travis WD, Brambilla E, Noguchi M, Nicholson AG, Geisinger K, Yatabe Y, Ishikawa Y, Wistuba I, Flieder DB, Franklin W, Gazdar A, Hasleton PS, Henderson DW, Kerr KM, Petersen I, Roggli V, Thunnissen E, Tsao M. Diagnosis of lung cancer in small biopsies and cytology: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. *Arch Pathol*

Lab Med 137(5):668-684, 2013

81. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A. Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013
82. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1:817-819, 2013
83. Tsukada T, Hiramatsu Y, Kanemoto S, Lin L, Takahashi-Igari M, Horigome H, Matsushita S, Sakakibara Y. Nontraditional placement of an implantable cardioverter-defibrillator in a heterotaxy patient after the completion of total cavopulmonary connection. *J Artif Organs* 16(4):495-497, 2013
84. Tsuruta W, Matsumaru Y, Hamada Y, Hayakawa M, Kamiya Y. Analysis of closed-cell intracranial stent characteristics using cone-beam computed tomography with contrast material. *Neurol Med Chir (Tokyo)* 53(6):403-408, 2013
85. Usui S, Minami Y, Shiozawa T, Iyama S, Satomi K, Sakashita S, Sato Y, Noguchi M. Differences in the prognostic implications of vascular invasion between lung adenocarcinoma and squamous cell carcinoma. *Lung Cancer* 82(3):407-412, 2013
86. Wang X, Ito A, Sogo Y, Hirose M, Oyane A, Tsurushima H. DNA-lipid-apatite composite layers enhance gene expression of mesenchymal stem cells. *Mat Sci Eng C* 33:512-518, 2013
87. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2:80-86, 2013
88. Yamaoka M, Akiyama M, Yokokawa Y, Terao Y, Yokoi K, Kato T, Fukushima T, Sakurai H, Ida H. Multidisciplinary therapy including proton beam radiotherapy for a Ewing sarcoma family tumor of maxillary sinus in a 4-year-old girl. *Head Neck* 35(12):E386-390, 2013
89. Yamazaki T, Sonobe M, Kato N, Kasuya H, Ikeda G, Nakamura K, Ito Y, Tsuruta W, Nakai Y, Matsumura A. Endovascular coiling as the first treatment strategy for ruptured pericallosal artery aneurysms: results, complications, and follow up. *Neurol Med Chir (Tokyo)* 53(6):409-417, 2013
90. Yoshimatsu S, Hossain MI, Islam MM, Chisti MJ, Okada M, Kamoda T, Fukushima T, Wagatsuma Y, Sumazaki R, Ahmed T. Hypophosphatemia among severely malnourished children with sepsis in Bangladesh. *Pediatr Int* 55(1):79-84, 2013
91. Yoshimi A, Kamachi Y, Imai K, Watanabe N, Nakadate H, Kanazawa T, Ozono S, Kobayashi R, Yoshida M, Kobayashi C, Hama A, Muramatsu H, Sasahara Y, Jakob M, Morio

- T, Ehl S, Manabe A, Niemeyer C, Kojima S. Wiskott-Aldrich syndrome presenting with a clinical picture mimicking juvenile myelomonocytic leukaemia. *Pediatr Blood Cancer* 60(5):836-841, 2013
92. Yoshinaga M, Ushinohama H, Sato S, Tauchi N, Horigome H, Takahashi H, Sumitomo N, Kucho Y, Shiraishi H, Nomura Y, Shimizu W, Nagashima M. Electrocardiographic screening of 1-month-old infants for identifying prolonged QT intervals. *Circ Arrhythm Electrophysiol* 6(5):932-938, 2013
93. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013
94. Zaboronok A, Tsurushima H, Yamamoto T, Isobe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. Fukushima Hiroko, Fukushima Takashi, Hosaka Syo, Sakai Aiko, Suzuki Ryoko, Kobayashi Chie, Iwabuchi Atsushi, Kamoda Tomohiro, Kato Keisuke, Koike Kazutoshi, Yamazaki Kai, Fujisaki Hiroyuki, Hara Junichi, Ihara Satoshi, Yamamoto Tetsuya, Takano Shingo, Masumoto Tomohiko, Mizumoto Masashi, Sakurai Hideyuki, Sumazaki Ryo. Brain Tumor Suprasellar GCT and endocrinopathy: duration of symptoms and outcome. 日本小児血液・がん学会学術集会・日本小児がん看護学会・公益財団法人がんの子どもを守る会公開シンポジウムプログラム総会号 55 回・11 回・18 回:145, 2013
2. Suzuki Ryoko, Fukushima Takashi, Kobayashi Chie, Fukushima Hiroko, Sakai Aiko, Ishida Toshiaki, Ohsumi Tomoki, Ochiai Hidemasa, Kishimoto Seiji, Chin Motoaki, Hosogai Ryosuke, Hosoya Yousuke, Watanabe Atsuko, Goto Chikashi, Masumoto Kouji, Mizumoto Masashi, Sakurai Hideyuki, Sumazaki Ryo. Radiation Therapy Multidisciplinary therapy including proton beam therapy for Ewing's sarcoma family of tumors. 日本小児血液・がん学会学術集会・日本小児がん看護学会・公益財団法人がんの子どもを守る会公開シンポジウムプログラム総会号 55 回・11 回・18 回:136, 2013
3. 今川和生, 福島敬, 鈴木涼子, 福島紘子, 小林千恵, 遠藤幹也, 前田美穂, 岩井艶子, 櫻井英幸, 須磨崎亮. 難治 Ewing 肉腫ファミリー一腫瘍例への医療連携による陽子線併用療法は効果的である. 日本小児科学会雑誌 117(2):288, 2013
4. 大城佳子, 水本斉志, 石川仁, 奥村敏之, 坪井康次, 榮武二, 福島敬, 須磨崎亮, 増本幸二,

- 金子道夫, 櫻井英幸. 固形腫瘍の治療の進歩 小児固形がんに対する陽子線治療. 日本小児血液・がん学会雑誌 50(3):331-334, 2013
5. 酒井愛子, 小林千恵, 加藤啓輔, 鈴木涼子, 福島紘子, 福島敬, 神保教広, 増本幸二, 里見介史, 野口雅之, 大喜多肇, 森健作, 南学, 石川仁, 櫻井英幸, 須磨崎亮. 学校検尿を契機に診断され分子標的治療を施行中の Xp11 転座腎癌の 12 歳女児例. 日本小児血液・がん学会学術集会・日本小児がん看護学会・公益財団法人がんの子どもを守る会公開シンポジウムプログラム総会号 55 回・11 回・18 回:219, 2013
6. 竹内秀輔, 鈴木涼子, 福島敬, 福島紘子, 岩淵敦, 中尾朋平, 山口玲子, 工藤寿子, 杉田真太郎, 稲留征典, 佐藤豊実, 櫻井英幸, 金子道夫, 須磨崎亮. 進行期卵巣小細胞癌に対して集学的治療を施行した女児例. 日本小児血液・がん学会雑誌 50(2):269-273, 2013
7. 福島紘子, 福島敬, 後藤悠大, 田宮裕太郎, 中尾朋平, 吉見愛, 山口玲子, 五味詩絵奈, 鈴木涼子, 清水崇史, 林立申, 長谷川誠, 福島富士子, 中原智子, 須磨崎亮. 血友病児の生活支援における診療連携の役割と課題. 日本小児血液・がん学会雑誌 50(2):227-231, 2013
8. 藤代準, 小野健太郎, 星野論子, 新開統子, 瓜田泰久, 五藤周, 福島紘子, 福島敬, 金子道夫, 増本幸二. 小児進行副腎皮質癌の 1 例. 日本小児外科学会雑誌 49(2):246-250, 2013
9. 穂坂翔, 福島紘子, 福島敬, 酒井愛子, 鈴木涼子, 小林千恵, 井原哲, 山本哲哉, 高野晋吾, 増本 智彦, 水本齐志, 櫻井英幸, 須磨崎亮. 高度の視覚障害が治療介入により回復した鞍上部 germ cell tumor の 2 例. 日本小児血液・がん学会学術集会・日本小児がん看護学会・公益財団法人がんの子どもを守る会公開シンポジウムプログラム総会号 55 回・11 回・18 回:293, 2013
10. 三春晶嗣, 清河信敬, 小林健一郎, 大喜多肇, 飯島一智, 森鉄也, 斎藤正博, 福島敬, 康勝好, 真部淳, 菊地陽, 林泰秀, 小原明. 【FCM によるリンパ系腫瘍への新たなアプローチ】小児白血病 MRD 検出における 10 カラーフローサイトメトリーの有用性. Cytometry Research 23(2):7-14, 2013

3) 英文著書

1. Fujimori M, Hara H, Tsutsui H. CQ49. Does TSH Suppression Therapy After Surgery for Differentiated Thyroid Carcinoma Improve Survival?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp289
2. Fujimori M, Hara H, Tsutsui H. CQ50. Is Serum Thyroglobulin Measurement Useful as a Marker of Carcinoma Recurrence After Surgery?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp291
3. Fujimori M, Hara H, Tsutsui H. CQ51. Are Measurements of Calcitonin and CEA Useful as

- Markers of Recurrence After Surgery for Medullary Carcinoma?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp293
4. Fujimori M, Hara H, Tsutsui H. CQ52. What Are Useful Imaging Studies to Detect Lesions of Recurrence for Medullary Carcinoma with Elevation of Postoperative Calcitonin Level?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp295
 5. Fujimori M, Hara H, Tsutsui H. CQ53. Is Chemotherapy for Advanced Thyroid Carcinoma Effective?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp299
 6. Fujimori M, Hara H, Tsutsui H. CQ54. Is Percutaneous Ethanol Injection Therapy Effective for Local or Lymph Node Recurrence and Bone Metastasis?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp301
 7. Fujimori M, Hara H, Tsutsui H. CQ55. Are Alternate Therapies Effective for Thyroid Carcinoma?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp303
 8. Fujimori M, Hara H, Tsutsui H. Column 19. How Long Should Patients with Differentiated Thyroid Carcinoma Be Followed After Surgery?; in "Treatment of Thyroid Tumor (1st edition)", Springer (Tokyo) 2013; pp305
 9. Olivares-Tirado P, Tamiya N. Trends and Factors in Japan's Long-Term Care Insurance System: Japan's 10-year Experience. Springer (New York), 2013 (138 pages)

4) 英文以外の著書

1. 阿久津博義. 神経内視鏡における止血・凝固機器; "先端医療シリーズ 45 臨床医のための最新脳神経外科" (編集 橋本信夫, 寺本明, 小川彰, 嘉山孝正), 2013
2. 上杉達, 増本幸二. 【一般外科医が知っておくべき小児患者への対応】代表的な症候の鑑別診断と初期対応 脱水; "臨床外科 68 巻 5 号", 医学書院 (東京) 2013; pp526-529
3. 大城佳子, 水本斉志, 石川仁, 奥村敏之, 坪井康次, 榮武二, 福島敬, 須磨崎亮, 増本幸二, 金子道夫, 櫻井英幸. 固形腫瘍の治療の進歩 小児固形がんに対する陽子線治療; "日本小児血液・がん学会雑誌 50 巻 3 号" (編集 学会誌編集委員会 嶋緑倫 他), 日本小児血液・がん学会 (東京) 2103; pp331-334
4. 大戸達之, 宮本信也. 【子ども虐待予防 周産期から助産師ができること】虐待発症のメカニズムと乳児虐待死亡例; "Birth2 巻 2 号", 医学出版 (東京) 2013; pp25-31
5. 大戸達之, 宮本信也. 【クローズアップ 子どもの心の発達】子どもの年齢からみた心 青年期における心の発達の特徴と問題への対応; "小児内科 45 巻 8 号", 東京医学社 (東京) 2013; pp1461-1463
6. 五藤周, 増本幸二. 【クローズアップ 図説 最新の小児科処置】腸重積症に対する非

- 観血的整復術;"小児内科 45 卷 4 号", 東京医学社 (東京) 2013; pp731-735
7. 新聞統子, 増本幸二. I 総論. 合併症対策と予防. カテーテル関連合併症;"小児の静脈栄養マニュアル (第 1 版)" (編集 土岐彰, 増本幸二), メジカルビュー社 (東京) 2013; pp84-97
 8. 須磨崎亮, 長谷川誠, 和田宏来, 田川学. 【前腸系stem細胞】 非腫瘍性疾患の疾患理解 嚢胞性線維症(Cystic fibrosis)とその肝病変;"肝・胆・膵 66 卷 4 号", 株式会社アークメディア (東京) 2013; pp661-670
 9. 田川学, 須磨崎亮. 【変貌を遂げつつあるわが国の予防接種体制】 A 型肝炎ウイルスワクチン・B 型肝炎ウイルスワクチン;"日本医師会雑誌 142 卷 8 号", 日本医師会 (東京) 2013; pp1773-1775
 10. 田川学, 須磨崎亮. 【予防接種 Q&A】 予防接種全般 医療従事者へのワクチン接種 医学生・看護学生 医学生・看護学生の予防接種について、どのように対処するのが望ましいでしょうか;"小児内科 45 卷増刊", 東京医学社 (東京) 2013; pp193-194
 11. 田川学, 須磨崎亮. 【予防接種 Q&A】 予防接種全般 医療従事者へのワクチン接種 医師以外の病院職員 病院の管理体制のなかに、職員の予防接種に関する決まりをつくっているところはありますか;"小児内科 45 卷増刊", 東京医学社 (東京) 2013; pp195-196
 12. 田宮菜奈子, 松澤明美. 要介護者の状況改善と介護家族の負担軽減に向けたインフラ整備-日本初の全国レベルの実証的取り組みの結果から—;"家族のための総合政策—家族と職業の両立—" (編集 本澤巳代子, ウタ・マイヤー＝グレーヴェ), 信山社 (東京) 2013; pp235-246
 13. 田宮菜奈子, 宮下裕美子. グローバルエイジング : アジアの一員として;"ヒューマン・セキュリティ: ヒューマン・ケアの視点から" (編集 松田ひとみ, 大久保一郎, 岩浅昌幸, 柏木志保), 医学評論社 (東京) 2013; pp122-136
 14. 中居康展. ②セットアップ "特集 よくわかる脳血管内治療. BRAIN 3(5)", 2013; pp 366-370
 15. 濱田吉則, 増本幸二. Hirschsprung 病類縁疾患 : Segmental dilatation of intestine;"厚生労働科学研究費補助金 難治性疾患克服研究事業, 小児期からの消化器系希少難治性疾患群の包括的調査研究とシームレスなガイドライン作成, 平成 24 年度総括・分担研究報告書" (編集 田口智章), 厚生労働省 (東京) 2013; pp38-43
 16. 福島紘子, 長谷川雄一. 【理解して出そう 小児の検査-オーダー・手技・解釈】 血液 Coombs 試験;"小児科診療 76 卷増刊", 診断と治療社 (東京) 2013; pp146-151
 17. 藤代準, 増本幸二. . 基本手技. CAPD;"スタンダード小児外科手術 押さえておきた

- い手技のポイント(第1版)”(監修 田口智章, 岩中督, 編集 猪股裕紀洋, 黒田達夫, 奥山宏臣), メジカルビュー社(東京) 2013; pp22-25
18. 増本幸二. 小児 NST 病態栄養シリーズ: 在宅栄養のすべて 経腸栄養剤のトラブルと対策-微量栄養素欠乏症; "小児外科 45 巻 12 号", 東京医学社(東京) 2013; pp1339-1345
 19. 増本幸二. 臨床栄養と亜鉛 栄養管理において注意すべき微量元素; "亜鉛栄養治療 4 巻 1 号", 近畿亜鉛栄養治療研究会(京都) 2013; pp28-36
 20. 増本幸二. III. 小児の栄養管理. 小児の栄養アセスメント; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp178-179
 21. 増本幸二. III. 小児の栄養管理. 新生児の栄養管理の原則; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp199-200
 22. 増本幸二. III. 小児の栄養管理. 新生児の静脈栄養; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp201-210
 23. 増本幸二. III. 小児の栄養管理. 新生児の結腸栄養; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp211-214
 24. 増本幸二. V. 小児の病態別栄養管理. 慢性肺疾患; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp407-409
 25. 増本幸二. V. 小児の病態別栄養管理. 慢性腎臓病; "静脈経腸栄養ガイドライン: 静脈・経腸栄養を適正に実施するためのガイドライン(第3版)"(編集 日本静脈経腸栄養学会), 照林社(東京) 2013; pp410-414
 26. 増本幸二. I. 基本手技. 中心静脈路の確保, ; "スタンダード小児外科手術 押さえておきたい手技のポイント(第1版)"(監修 田口智章, 岩中督, 編集 猪股裕紀洋, 黒田達夫, 奥山宏臣), メジカルビュー社(東京) 2013; pp12-19
 27. 増本幸二. . 基本手技. ECMO; "スタンダード小児外科手術 押さえておきたい手技のポイント(第1版)"(監修 田口智章, 岩中督, 編集 猪股裕紀洋, 黒田達夫, 奥山宏臣), メジカルビュー社(東京) 2013; pp20-21
 28. 増本幸二. V. 腹部. 腸管延長術(STEP 法); "スタンダード小児外科手術 押さえておきたい手技のポイント(第1版)"(監修 田口智章, 岩中督, 編集 猪股裕紀洋, 黒田達夫, 奥

- 山宏臣), メジカルビュー社 (東京) 2013; pp181-183
29. 松村明, 松田真秀. 脳神経外科分野における陽子線治療の適用; "定位的放射線治療 17", 2013; pp11-19
30. 松村明, 山本哲哉. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック"メジカルビュー社 2013; pp14-21
31. 水本齊志. 第7章. 放射線治療; "肝癌診療ガイドライン 2013年版 (第3版)" (編集 日本肝臓学会), 金原出版 (東京) 2013
32. 室井愛. 頭部外傷 (偶発性); "小児科学レクチャー 読影の極意を学ぶ 小児の画像診断—頭部・頭頸部編—Q&A 3(4)" (編集 河野達夫), 2013; pp 822-828
33. 和田宏来, 須磨崎亮. 【小児用ワクチン Update】 予防接種各論 A型肝炎ウイルスワクチン 最近の知見; "医学のあゆみ 244 巻 1号", 医歯薬出版株式会社 (東京) 2013; pp112-118

血小板による新規肝疾患治療法開発

1) 英文論文

1. Akashi Y, Oda T, Ohara Y, Miyamoto R, Hashimoto S, Enomoto T, Yamada K, Kobayashi A, Fukunaga K, Ohkohchi N. Histological advantages of the tumor graft: a murine model involving transplantation of human pancreatic cancer tissue fragments. *Pancreas* 42(8):1275-1282, 2013
2. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galt1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
3. Kurokawa T, Yamamoto M, Ueda T, Enomoto T, Inoue K, Uchida A, Kikuchi K, Ohkohchi N. Gastric bronchogenic cyst histologically diagnosed after laparoscopic excision: report of a case. *Int Surg* 98(4):455-460, 2013
4. Maruyama T, Murata S, Takahashi K, Tamura T, Nozaki R, Ikeda N, Fukunaga K, Oda T, Sasaki R, Ohkohchi N. Platelet transfusion improves liver function in patients with chronic liver disease and cirrhosis. *Tohoku J Exp Med* 229(3):213-220, 2013
5. Matsuda A, Kuno A, Matsuzaki H, Kawamoto T, Shikanai T, Nakanuma Y, Yamamoto M, Ohkohchi N, Ikehara Y, Shoda J, Hirabayashi J, Narimatsu H. Glycoproteomics-based cancer marker discovery adopting dual enrichment with Wisteria floribunda agglutinin for high specific glyco-diagnosis of cholangiocarcinoma. *J Proteomics* 85:1-11, 2013
6. Murata S, Shiragami R, Kosugi C, Tezuka T, Yamazaki M, Hirano A, Yoshimura Y, Suzuki M, Shuto K, Ohkohchi N, Koda K. Antitumor effect of 1, 8-cineole against colon cancer. *Oncol Rep* 30(6):2647-2652, 2013
7. Nowatari T, Murata S, Fukunaga K, Ohkohchi N. Role of platelets in chronic liver disease and acute liver injury. *Hepatol Res* doi: 10.1111/hepr.12205, 2013
8. Nozaki R, Murata S, Nowatari T, Maruyama T, Ikeda N, Kawasaki T, Fukunaga K, Ohkohchi N. Effects of thrombopoietin on growth of hepatocellular carcinoma: Is thrombopoietin therapy for liver disease safe or not? *Hepatol Res* 43(6):610-620, 2013
9. Ogawa K, Kondo T, Tamura T, Matsumura H, Fukunaga K, Oda T, Ohkohchi N. Influence of Kupffer cells and platelets on ischemia-reperfusion injury in mild steatotic liver. *World J Gastroenterol* 19(9):1396-1404, 2013
10. Oh S, Tanaka K, Warabi E, Shoda J. Exercise reduces inflammation and oxidative stress in obesity-related liver diseases. *Med Sci Sports Exerc* 45(12):2214-2222, 2013

11. Ohara Y, Oda T, Sugano M, Hashimoto S, Enomoto T, Yamada K, Akashi Y, Miyamoto R, Kobayashi A, Fukunaga K, Morishita Y, Ohkohchi N. Histological and prognostic importance of CD44(+) /CD24(+) /EpCAM(+) expression in clinical pancreatic cancer. *Cancer Sci* 104(8):1127-1134, 2013
12. Okada K, Warabi E, Sugimoto H, Horie M, Gotoh N, Tokushige K, Hashimoto E, Utsunomiya H, Takahashi H, Ishii T, Yamamoto M, Shoda J. Deletion of Nrf2 leads to rapid progression of steatohepatitis in mice fed atherogenic plus high-fat diet. *J Gastroenterol* 48(5):620-632, 2013
13. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
14. Oshiro Y, Sasaki R, Nasu K, Ohkohchi N. A novel preoperative fusion analysis using three-dimensional MDCT combined with three-dimensional MRI for patients with hilar cholangiocarcinoma. *Clin Imaging* 37(4):772-774, 2013
15. Oshiro Y, Sasaki R, Takeguchi T, Ibukuro K, Ohkohchi N. Analysis of the caudate artery with three-dimensional imaging. *J Hepatobiliary Pancreat Sci* doi:10.1007/s00534-012-0589-4, 2013
16. Oshiro Y, Takahashi K, Sasaki R, Kondo T, Sakashita S, Ohkohchi N. Adjuvant surgery for advanced extrahepatic cholangiocarcinoma. *World J Gastroenterol* 19(40):6934-6938, 2013
17. Shiragami R, Murata S, Kosugi C, Tezuka T, Yamazaki M, Hirano A, Yoshimura Y, Suzuki M, Shuto K, Koda K. Enhanced antitumor activity of cerulenin combined with oxaliplatin in human colon cancer cells. *Int J Oncol* 43(2):431-438, 2013
18. Takahashi A, Yamamoto Y, Yasunaga M, Koga Y, Kuroda J, Takigahira M, Harada M, Saito H, Hayashi T, Kato Y, Kinoshita T, Ohkohchi N, Hyodo I, Matsumura Y. NC-6300, an epirubicin-incorporating micelle, extends the antitumor effect and reduces the cardiotoxicity of epirubicin. *Cancer Sci* 104(7):920-925, 2013
19. Takahashi K, Kozuma Y, Suzuki H, Tamura T, Maruyama T, Fukunaga K, Murata S, Ohkohchi N. Human platelets promote liver regeneration with Kupffer cells in SCID mice. *J Surg Res* 180(1):62-72, 2013
20. Takahashi K, Murata S, Fukunaga K, Ohkohchi N. Human platelets inhibit liver fibrosis in severe combined immunodeficiency mice. *World J Gastroenterol* 19(32):5250-5260, 2013
21. Takahashi K, Murata S, Ohkohchi N. Novel therapy for liver regeneration by increasing the

- number of platelets. *Surg Today* 43(10):1081-1087, 2013
22. Takahashi K, Murata S, Ohkohchi N. Platelet therapy:A novel strategy for liver regeneration, anti-fibrosis,and anti-apoptosis. *World J Surg Proced* 3(3):29-36, 2013
 23. Takahashi K, Terashima H, Kohno K, Ohkohchi N. A stand-alone synbiotic treatment for the prevention of d-lactic acidosis in short bowel syndrome. *Int Surg* 98(2):110-113, 2013
 24. Takahashi K, Tsukamoto S, Saito K, Ohkohchi N, Hirayama K. Complete response to multidisciplinary therapy in a patient with primary gastric choriocarcinoma. *World J Gastroenterol* 19(31):5187-5194, 2013
 25. Tamura T, Kondo T, Ogawa K, Fukunaga K, Ohkohchi N. Protective effect of heme oxygenase-1 on hepatic ischemia-reperfusion injury through inhibition of platelet adhesion to the sinusoids. *J Gastroenterol Hepatol* 28(4):700-706, 2013
 26. Yoneyama S, Terashima H, Yamaguchi R, Tadano S, Ohkohchi N. The manner of the inflammation-boosting effect caused by acute hyperglycemia secondary to overfeeding and the effects of insulin therapy in a rat model of sepsis. *J Surg Res* 185(1):380-387, 2013

2) 英文以外の論文

1. 下村治, 福永潔, 中野順隆, 野渡剛之, 小林昭彦, 小田竜也, 佐々木亮孝, 山田健二, 野口雅之, 大河内信弘. 肝切除後極めて急激な再発を認めた肉腫様変化を伴う G-CSF 産生肝内胆管癌の 1 例. 日本消化器外科学会雑誌 46(1):41-49, 2013

3) 英文著書

1. Maruyama T, Kawasaki T, Hisakura K, Murata S, Matsuo R, Ohkohchi N. in "New therapy for liver disease by platelets (1st edition)", Nova Biomedical (Berlin) 2013; E-book

シグナル伝達と疾患

1) 英文論文

1. Abiko Y, Kumagai Y. Interaction of Keap1 modified by 2-tert-butyl-1,4-benzoquinone with GSH: evidence for S-transarylation. *Chem Res Toxicol* 26(7):1080-1087, 2013
2. Ali WH, Chen Q, Delgiorno KE, Su W, Hall JC, Hongu T, Tian H, Kanaho Y, Di Paolo G, Crawford HC, Frohman MA. Deficiencies of the lipid-signaling enzymes phospholipase D1 and D2 alter cytoskeletal organization, macrophage phagocytosis, and cytokine-stimulated neutrophil recruitment. *PLoS One* 8(1):e55325, 2013
3. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and RORgammat are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
4. Arai S, Maehara N, Iwamura Y, Honda S, Nakashima K, Kai T, Ogishi M, Morita K, Kurokawa J, Mori M, Motoi Y, Miyake K, Matsushashi N, Yamamura K, Ohara O, Shibuya A, Wakeland EK, Li QZ, Miyazaki T. Obesity-associated autoantibody production requires AIM to retain the immunoglobulin M immune complex on follicular dendritic cells. *Cell Rep* 3(4):1187-1198, 2013
5. Beei C, Iwamoto N, Inaba T, Shinkai Y, Kumagai Y. Activation of EGFR/MEK/ERK/AP-1 signaling mediated by 1,2-naphthoquinone, an atmospheric electrophile, in human pulmonary A549 cells. *J Toxicol Sci* 38(5):793-797, 2013
6. Danisch S, Qiu Q, Seth S, Ravens I, Dorsch M, Shibuya A, Shibuya K, Forster R, Bernhardt G. CD226 interaction with CD155 impacts on retention and negative selection of CD8 positive thymocytes as well as T cell differentiation to follicular helper cells in Peyer's Patches. *Immunobiology* 218(2):152-158, 2013
7. Georgiev H, Danisch S, Chambers BJ, Shibuya A, Forster R, Bernhardt G. To the editor: TIGIT versus CD226: hegemony or coexistence? *Eur J Immunol* doi: 10.1002/eji.201343925, 2013
8. Hamanaka S, Ooehara J, Morita Y, Ema H, Takahashi S, Miyawaki A, Otsu M, Yamaguchi T, Onodera M, Nakauchi H. Generation of transgenic mouse line expressing Kusabira Orange throughout body, including erythrocytes, by random segregation of provirus method. *Biochem Biophys Res Commun* 435(4):586-591, 2013
9. Hasegawa Y, Daitoku Y, Sekiguchi K, Tanimoto Y, Mizuno-Iijima S, Mizuno S, Kajiwara N, Ema M, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Novel

- ROSA26 Cre-reporter knock-in C57BL/6N mice exhibiting green emission before and red emission after Cre-mediated recombination. *Exp Anim* 62(4):295-304, 2013
10. Ido K, Ohwada T, Yasutomi E, Yoshinaga T, Arai T, Kato M, Sawada K. Screening quality for Ca²⁺-activated potassium channel in IonWorks Quattro is greatly improved by using BAPTA-AM and ionomycin. *J Pharmacol Toxicol Methods* 67(1):16-24, 2013
 11. Kanaho Y, Sato T, Hongu T, Funakoshi Y. Molecular mechanisms of fMLP-induced superoxide generation and degranulation in mouse neutrophils. *Adv Biol Regul* 53(1):128-134, 2013
 12. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of β cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
 13. Kimura Y, Irie K, Irie K. Pbp1 is involved in Ccr4- and Khd1-mediated regulation of cell growth through association with ribosomal proteins Rpl12a and Rpl12b. *Eukaryot Cell* 12(6):864-874, 2013
 14. Koizumi R, Taguchi K, Hisamori M, Kumagai Y. Interaction of 9,10-phenanthraquinone with dithiol causes oxidative modification of Cu,Zn-superoxide dismutase (SOD) through redox cycling. *J Toxicol Sci* 38(3):317-324, 2013
 15. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galt1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
 16. Kumagai Y, Kanda H, Shinkai Y, Toyama T. The role of the Keap1/Nrf2 pathway in the cellular response to methylmercury. *Oxid Med Cell Longev* 2013:848279, 2013
 17. Nagai K, Tahara-Hanaoka S, Morishima Y, Tokunaga T, Imoto Y, Noguchi E, Kanemaru K, Imai M, Shibayama S, Hizawa N, Fujieda S, Yamagata K, Shibuya A. Expression and function of Allergin-1 on human primary mast cells. *PLoS One* 8(10):e76160, 2013
 18. Nguyen TT, Kim YM, Kim TD, Le OT, Kim JJ, Kang HC, Hasegawa H, Kanaho Y, Jou I, Lee SY. Phosphatidylinositol 4-phosphate 5-kinase α facilitates Toll-like receptor 4-mediated microglial inflammation through regulation of the Toll/interleukin-1 receptor domain-containing adaptor protein (TIRAP) location. *J Biol Chem* 288(8):5645-5659, 2013
 19. Nishimoto M, Katano M, Yamagishi T, Hishida T, Kamon M, Suzuki A, Hirasaki M, Nabeshima Y, Nabeshima Y, Katsura Y, Satta Y, Deakin JE, Graves JA, Kuroki Y, Ono R, Ishino F, Ema M, Takahashi S, Kato H, Okuda A. In vivo function and evolution of the

- eutherian-specific pluripotency marker UTF1. *PLoS One* 8(7):e68119, 2013
20. Oishi H, Tsubaki T, Miyazaki T, Ono M, Nose M, Takahashi S. A bacterial artificial chromosome transgene with polymorphic Cd72 inhibits the development of glomerulonephritis and vasculitis in MRL-Faslpr lupus mice. *J Immunol* 190(5):2129-2137, 2013
 21. Okita Y, Kamoshida A, Suzuki H, Itoh K, Motohashi H, Igarashi K, Yamamoto M, Ogami T, Koinuma D, Kato M. Transforming growth factor-beta induces transcription factors MafK and Bach1 to suppress expression of the heme oxygenase-1 gene. *J Biol Chem* 288(28):20658-20667, 2013
 22. Sanematsu F, Nishikimi A, Watanabe M, Hongu T, Tanaka Y, Kanaho Y, Cote JF, Fukui Y. Phosphatidic acid-dependent recruitment and function of the Rac activator DOCK1 during dorsal ruffle formation. *J Biol Chem* 288(12):8092-8100, 2013
 23. Sato T, Hongu T, Sakamoto M, Funakoshi Y, Kanaho Y. Molecular mechanisms of N-formyl-methionyl-leucyl-phenylalanine-induced superoxide generation and degranulation in mouse neutrophils: phospholipase D is dispensable. *Mol Cell Biol* 33(1):136-145, 2013
 24. Shindo R, Kakehashi H, Okumura K, Kumagai Y, Nakano H. Critical contribution of oxidative stress to TNF α -induced necroptosis downstream of RIPK1 activation. *Biochem Biophys Res Commun* 436(2):212-216, 2013
 25. Shinkai Y, Nakajima S, Eiguren-Fernandez A, Stefano ED, Schmitz DA, Froines JR, Cho AK, Kumagai Y. Ambient vapor samples activate the Nrf2-ARE pathway in human bronchial epithelial BEAS-2B cells. *Environ Toxicol* doi:10.1002/tox.21860, 2013
 26. Shinkai Y, Yamanaka I, Duong HH, Quynh NT, Kanaho Y, Kumagai Y. Garcinia vilersiana bark extract activates the Nrf2/HO-1 signaling pathway in RAW264.7 cells. *J Toxicol Sci* 38(6):875-878, 2013
 27. Takagaki K, Satoh K, Honda S, Shibuya A. Molecular characterization of the dimer formation of Fc α /mu receptor (CD351). *Mol Immunol* 56(1-2):23-27, 2013
 28. Takashima O, Tsuruta F, Kigoshi Y, Nakamura S, Kim J, Katoh MC, Fukuda T, Irie K, Chiba T. Brap2 regulates temporal control of NF- κ B localization mediated by inflammatory response. *PLoS One* 8(3):e58911, 2013
 29. Toyama T, Shinkai Y, Kaji T, Kumagai Y. Convenient method to assess chemical modification of protein thiols by electrophilic metals. *J Toxicol Sci* 38(3):477-484, 2013
 30. Yamashita Y, Abe F, Hirochika R, Tahara-Hanaoka S, Shibuya A, Shibuya K. Establishment and characterization of a novel anti-DNAM-1 monoclonal antibody. *Monoclon Antib*

Immunodiagn Immunother 32(1):60-64, 2013

31. Yamazaki M, Yamauchi Y, Goshima Y, Kanaho Y. Phosphatidylinositol 4-phosphate 5-kinase β regulates growth cone morphology and semaphorin 3A-triggered growth cone collapse in mouse dorsal root ganglion neurons. *Neurosci Lett* 547:59-64, 2013
32. Yoon JH, Jung SM, Park SH, Kato M, Yamashita T, Lee IK, Sudo K, Nakae S, Han JS, Kim OH, Oh BC, Sumida T, Kuroda M, Ju JH, Jung KC, Park SH, Kim DK, Mamura M. Activin receptor-like kinase5 inhibition suppresses mouse melanoma by ubiquitin degradation of Smad4, thereby derepressing eomesodermin in cytotoxic T lymphocytes. *EMBO Mol Med* 5(11):1720-1739, 2013
33. Yoshizawa Y, Honda S, Shibuya A. Involvement of Fc α / μ R (CD351) in autoantibody production. *Mol Immunol* doi: 10.1016/j.molimm.2013.10.002, 2013

2) 英文以外の論文

1. 長谷川潤, 金保安則. 哺乳動物個体から見るホスファチジルイノシトール 4-リン酸 5-キナーゼの生理機能. *生化学* 85(5):362-367, 2013
2. 本宮綱記, 船越祐司, 金保安則. リン脂質代謝酵素ホスホリパーゼ D2 は腫瘍形成を抑制する. *脂質生化学研究* 55:64-66, 2013

4) 英文以外の著書

1. 小田ちぐさ, 渋谷彰. 第1章 敗血症の基礎研究の進め方 第3節[3]免疫学的にみた敗血症の病態と研究動向; "敗血症の診断／治療の実状と病態・メカニズムをふまえた開発戦略(第1版)"(編集 金原繁)(株)技術情報協会(東京)2013.08; pp96-100
2. 熊谷嘉人. 酸化ストレスと親電子シグナル制御; "医学のあゆみ「活性酸素－基礎から病態解明・制御まで」247巻9号"(編集 医歯薬出版)医歯薬出版(東京)2013; pp787-793

前臨床がん研究

1) 英文論文

1. Abe A, Minaguchi T, Ochi H, Onuki M, Okada S, Matsumoto K, Satoh T, Oki A, Yoshikawa H. PIK3CA overexpression is a possible prognostic factor for favorable survival in ovarian clear cell carcinoma. *Hum Pathol* 44(2):199-207, 2013
2. Akashi Y, Oda T, Ohara Y, Miyamoto R, Hashimoto S, Enomoto T, Yamada K, Kobayashi A, Fukunaga K, Ohkochi N. Histological advantages of the tumor graft: a murine model involving transplantation of human pancreatic cancer tissue fragments. *Pancreas* 42(8):1275-1282, 2013
3. Akiyama-Abe A, Minaguchi T, Nakamura Y, Michikami H, Shikama A, Nakao S, Sakurai M, Ochi H, Onuki M, Matsumoto K, Satoh T, Oki A, Yoshikawa H. Loss of PTEN expression is an independent predictor of favourable survival in endometrial carcinomas. *Br J Cancer* 109(6):1703-1710, 2013
4. Donoyama N, Satoh T, Hamano T. Effects of Anma massage therapy (Japanese massage) for gynecological cancer survivors: study protocol for a randomized controlled trial. *Trials* 14:233, 2013
5. Eto T, Saito T, Shimokawa M, Hatae M, Takeshima N, Kobayashi H, Kasamatsu T, Yoshikawa H, Kamura T, Konishi I. Status of treatment for the overall population of patients with stage IVb endometrial cancer, and evaluation of the role of preoperative chemotherapy: a retrospective multi-institutional study of 426 patients in Japan. *Gynecol Oncol* 131(3):574-580, 2013
6. Fujii T, Takatsuka N, Nagata C, Matsumoto K, Oki A, Furuta R, Maeda H, Yasugi T, Kawana K, Mitsuhashi A, Hirai Y, Iwasaka T, Yaegashi N, Watanabe Y, Nagai Y, Kitagawa T, Yoshikawa H. Association between carotenoids and outcome of cervical intraepithelial neoplasia: a prospective cohort study. *Int J Clin Oncol* 18(6):1091-1101, 2013
7. Fukuda K, Kurita N, Sakamoto T, Nishikii H, Okoshi Y, Sugano M, Chiba S. Post-transplant gastric antral vascular ectasia after intra-venous busulfan regimen. *Int J Hematol* 98(1):135-138, 2013
8. Goto Y, Hiramatsu Y, Ageyama N, Sato S, Kanemoto S, Sato Y, Sakakibara Y. Cardiopulmonary bypass induces recruitment of bone marrow-derived leukocytes to the lungs in monkeys. *Ann Thorac Surg* doi: 10.1016/j.athoracsur.2013.10.072, 2013
9. Ichinose M, Fujimoto A, Osuga Y, Minaguchi T, Kawana K, Yano T, Kozuma S. The influence of infertility treatment on the prognosis of endometrial cancer and atypical complex

- endometrial hyperplasia. *Int J Gynecol Cancer* 23(2):288-293, 2013
10. Ikeda A, Miyagawa T, Kurobe M, Uchida M, Kojima T, Tsutsumi M, Ito S, Sugita S, Nishiyama H. [A case of metastatic malignant melanoma of the urinary bladder]. *Hinyokika Kyo* 59(9):579-582, 2013
 11. Inai H, Kawai K, Ikeda A, Ando S, Kimura T, Oikawa T, Onozawa M, Miyazaki J, Uchida K, Nishiyama H. Risk factors for chronic kidney disease after chemotherapy for testicular cancer. *Int J Urol* 20(7):716-722, 2013
 12. Inai H, Kawai K, Kojima T, Joraku A, Shimazui T, Yamauchi A, Miyagawa T, Endo T, Fukuhara Y, Miyazaki J, Uchida K, Nishiyama H. Oncological outcomes of metastatic testicular cancers under centralized management through regional medical network. *Jpn J Clin Oncol* 43(12):1249-1254, 2013
 13. Ito H, Matsushita S, Hyodo K, Sato Y, Sakakibara Y. Using synchrotron radiation angiography with a highly sensitive detector to identify impaired peripheral perfusion in rat pulmonary emphysema. *J Synchrotron Radiat* 20(Pt 2):376-382, 2013
 14. Ito H, Matsushita S, Ishikawa S, Goto Y, Sakai M, Onizuka M, Sato Y, Sakakibara Y. Significant correlation between endothelial nitric oxide synthase (eNOS) expression and alveolar repair in elastase-induced rat pulmonary emphysema. *Surg Today* 43(3):293-299, 2013
 15. Iwakawa R, Takenaka M, Kohno T, Shimada Y, Totoki Y, Shibata T, Tsuta K, Nishikawa R, Noguchi M, Sato-Otsubo A, Ogawa S, Yokota J. Genome-wide identification of genes with amplification and/or fusion in small cell lung cancer. *Genes Chromosomes Cancer* 52(9):802-816, 2013
 16. Kajita Y, Kato T, Jr., Tamaki S, Furu M, Takahashi R, Nagayama S, Aoyama T, Nishiyama H, Nakamura E, Katagiri T, Nakamura Y, Ogawa O, Toguchida J. The transcription factor Sp3 regulates the expression of a metastasis-related marker of sarcoma, actin filament-associated protein 1-like 1 (AFAP1L1). *PLoS One* 8(1):e49709, 2013
 17. Kako S, Kanamori H, Kobayashi N, Shigematsu A, Nannya Y, Nakamae M, Shigeno K, Suzukawa K, Takeuchi M, Tsuzuki M, Usuki K, Hatanaka K, Ogawa K, Mitani K, Nawa Y, Hatta Y, Mizuno I, Kanda Y. Outcome after first relapse in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukaemia. *Br J Haematol* 161(1):95-103, 2013
 18. Kanda Y, Oshima K, Kako S, Fukuda T, Uchida N, Miyamura K, Kondo Y, Nakao S, Nagafuji K, Miyamoto T, Kurokawa M, Okoshi Y, Chiba S, Ohashi Y, Takaue Y, Taniguchi S. In vivo T-cell depletion with alemtuzumab in allogeneic hematopoietic stem cell

- transplantation: Combined results of two studies on aplastic anemia and HLA-mismatched haploidentical transplantation. *Am J Hematol* 88(4):294-300, 2013
19. Katsumata N, Yoshikawa H, Kobayashi H, Saito T, Kuzuya K, Nakanishi T, Yasugi T, Yaegashi N, Yokota H, Kodama S, Mizunoe T, Hiura M, Kasamatsu T, Shibata T, Kamura T. Phase III randomised controlled trial of neoadjuvant chemotherapy plus radical surgery vs radical surgery alone for stages IB2, IIA2, and IIB cervical cancer: a Japan Clinical Oncology Group trial (JCOG 0102). *Br J Cancer* 108(10):1957-1963, 2013
 20. Katsutani S, Tomiyama Y, Kimura A, Miyakawa Y, Okamoto S, Okoshi Y, Ninomiya H, Kosugi H, Ishii K, Ikeda Y, Hattori T, Katsura K, Kanakura Y. Oral eltrombopag for up to three years is safe and well-tolerated in Japanese patients with previously treated chronic immune thrombocytopenia: an open-label, extension study. *Int J Hematol* 98(3):323-330, 2013
 21. Kawai K, Ichioka D, Inai H, Miyazaki J, Nishiyama H. Assessment and management of renal impairment in chemotherapy for urogenital cancer. *Jpn J Clin Oncol* 43(11):1055-1063, 2013
 22. Kawai K, Miyazaki J, Joraku A, Nishiyama H, Akaza H. Bacillus Calmette-Guerin (BCG) immunotherapy for bladder cancer: current understanding and perspectives on engineered BCG vaccine. *Cancer Sci* 104(1):22-27, 2013
 23. Kawamura T, Usui J, Kaseda K, Takada K, Ebihara I, Ishizu T, Iitsuka T, Sakai K, Takemura K, Kobayashi M, Koyama A, Kanemoto K, Sumazaki R, Uesugi N, Noguchi M, Nagata M, Suka M, Yamagata K. Primary membranoproliferative glomerulonephritis on the decline: decreased rate from the 1970s to the 2000s in Japan. *Clin Exp Nephrol* 17(2):248-254, 2013
 24. Kikuchi M, Nakasone H, Mitani K, Gotoh M, Kobayashi A, Kurita N, Saito T, Sato K, Kanda Y. Retrospective assessment of secondary prophylaxis for invasive aspergillosis in neutropenic hematology patients and identification of risk factors for relapse of fungal disease. *Scand J Infect Dis* 45(7):531-536, 2013
 25. Kimura T, Onozawa M, Miyazaki J, Kawai K, Nishiyama H, Hinotsu S, Akaza H. Validation of the prognostic grouping of the seventh edition of the tumor-nodes-metastasis classification using a large-scale prospective cohort study database of prostate cancer treated with primary androgen deprivation therapy. *Int J Urol* 20(9):880-888, 2013
 26. Kojima M, Nishikii H, Takizawa J, Aoki S, Noguchi M, Chiba S, Ando K, Nakamura N. MYC rearrangements are useful for predicting outcomes following rituximab and chemotherapy: multicenter analysis of Japanese patients with diffuse large B-cell lymphoma.

Leuk Lymphoma 54(10):2149-2154, 2013

27. Kon A, Shih LY, Minamino M, Sanada M, Shiraishi Y, Nagata Y, Yoshida K, Okuno Y, Bando M, Nakato R, Ishikawa S, Sato-Otsubo A, Nagae G, Nishimoto A, Haferlach C, Nowak D, Sato Y, Alpermann T, Nagasaki M, Shimamura T, Tanaka H, Chiba K, Yamamoto R, Yamaguchi T, Otsu M, Obara N, Sakata-Yanagimoto M, Nakamaki T, Ishiyama K, Nolte F, Hofmann WK, Miyawaki S, Chiba S, Mori H, Nakauchi H, Koeffler HP, Aburatani H, Haferlach T, Shirahige K, Miyano S, Ogawa S. Recurrent mutations in multiple components of the cohesin complex in myeloid neoplasms. *Nat Genet* 45(10):1232-1237, 2013
28. Koyama D, Kikuchi J, Hiraoka N, Wada T, Kurosawa H, Chiba S, Furukawa Y. Proteasome inhibitors exert cytotoxicity and increase chemosensitivity via transcriptional repression of Notch1 in T-cell acute lymphoblastic leukemia. *Leukemia* doi: 10.1038/leu.2013.366, 2013
29. Kurita N, Obara N, Fukuda K, Nishikii H, Sato S, Inagawa S, Kurokawa T, Owada Y, Ninomiya H, Chiba S. Perisurgical induction of eculizumab in a patient with paroxysmal nocturnal hemoglobinuria: its inhibition of surgery-triggered hemolysis and the consequence of subsequent discontinuation. *Blood Coagul Fibrinolysis* 24(6):658-662, 2013
30. Lee SY, Kurita N, Yokoyama Y, Seki M, Hasegawa Y, Okoshi Y, Chiba S. Glucocorticoid-induced diabetes mellitus in patients with lymphoma treated with CHOP chemotherapy. *Support Care Cancer* doi: 10.1007/s00520-013-2097-8, 2013
31. Maie K, Okoshi Y, Takaiwa N, Kurita N, Hasegawa Y, Homma M, Ishii K, Kohda Y, Chiba S. Aprepitant does not alter prednisolone pharmacokinetics in patients treated with R-CHOP. *Ann Oncol* doi: 10.1093/annonc/mdt477, 2013
32. Maruyama T, Murata S, Takahashi K, Tamura T, Nozaki R, Ikeda N, Fukunaga K, Oda T, Sasaki R, Ohkohchi N. Platelet transfusion improves liver function in patients with chronic liver disease and cirrhosis. *Tohoku J Exp Med* 229(3):213-220, 2013
33. Matsumoto K, Yoshikawa H. Human papillomavirus infection and the risk of cervical cancer in Japan. *J Obstet Gynaecol Res* 39(1):7-17, 2013
34. Matsumoto T, Hiura M, Baba T, Ishiko O, Shiozawa T, Yaegashi N, Kobayashi H, Yoshikawa H, Kawamura N, Kaku T. Clinical management of atypical polypoid adenomyoma of the uterus. A clinicopathological review of 29 cases. *Gynecol Oncol* 129(1):54-57, 2013
35. Michikami H, Minaguchi T, Ochi H, Onuki M, Okada S, Matsumoto K, Satoh T, Oki A, Yoshikawa H. Safety and efficacy of substituting nedaplatin after carboplatin hypersensitivity reactions in gynecologic malignancies. *J Obstet Gynaecol Res* 39(1):330-335, 2013

36. Miyazaki J, Hinotsu S, Ishizuka N, Naito S, Ozono S, Akaza H, Nishiyama H. Adverse reactions related to treatment compliance during BCG maintenance therapy for non-muscle-invasive bladder cancer. *Jpn J Clin Oncol* 43(8):827-834, 2013
37. Nagumo Y, Kimura T, Ichioka D, Uchida M, Oikawa T, Suetomi T, Miyazaki J, Kawai K, Nagata C, Nishiyama H. [Long-term survival with gemcitabine and docetaxel for renal leiomyosarcoma : a case report]. *Hinyokika Kiyo* 59(8):497-501, 2013
38. Nakazato Y, Maeshima AM, Ishikawa Y, Yatabe Y, Fukuoka J, Yokose T, Tomita Y, Minami Y, Asamura H, Tachibana K, Goya T, Noguchi M. Interobserver agreement in the nuclear grading of primary pulmonary adenocarcinoma. *J Thorac Oncol* 8(6):736-743, 2013
39. Nasu K, Satoh T, Nishio S, Nagai Y, Ito K, Otsuki T, Hongo A, Hirashima Y, Ogura T, Shimada M. Clinicopathologic features of brain metastases from gynecologic malignancies: a retrospective study of 139 cases (KCOG-G1001s trial). *Gynecol Oncol* 128(2):198-203, 2013
40. Niho S, Kenmotsu H, Sekine I, Ishii G, Ishikawa Y, Noguchi M, Oshita F, Watanabe S, Nakajima R, Tada H, Nagai K. Combination chemotherapy with irinotecan and cisplatin for large-cell neuroendocrine carcinoma of the lung: a multicenter phase II study. *J Thorac Oncol* 8(7):980-984, 2013
41. Nitta S, Kawai K, Onozawa M, Ando S, Miyazaki J, Nagata C, Noguchi M, Yamasaki K, Uchida K, Iwamoto T, Nishiyama H. Intratubular trophoblasts in the contralateral testis caused elevation of serum human chorionic gonadotropin following complete remission of stage II testicular tumor: a case report. *Jpn J Clin Oncol* 43(1):83-86, 2013
42. Ogawa K, Kondo T, Tamura T, Matsumura H, Fukunaga K, Oda T, Ohkohchi N. Influence of Kupffer cells and platelets on ischemia-reperfusion injury in mild steatotic liver. *World J Gastroenterol* 19(9):1396-1404, 2013
43. Ohara Y, Oda T, Sugano M, Hashimoto S, Enomoto T, Yamada K, Akashi Y, Miyamoto R, Kobayashi A, Fukunaga K, Morishita Y, Ohkohchi N. Histological and prognostic importance of CD44(+) /CD24(+) /EpCAM(+) expression in clinical pancreatic cancer. *Cancer Sci* 104(8):1127-1134, 2013
44. Okita Y, Kamoshida A, Suzuki H, Itoh K, Motohashi H, Igarashi K, Yamamoto M, Ogami T, Koinuma D, Kato M. Transforming growth factor-beta induces transcription factors MafK and Bach1 to suppress expression of the heme oxygenase-1 gene. *J Biol Chem* 288(28):20658-20667, 2013
45. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in

- patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
46. Ota T, Komori H, Rii J, Ochi A, Suzuki K, Shiga N, Nishiyama H. Soft coagulation in partial nephrectomy without renorrhaphy: feasibility of a new technique and early outcomes. *Int J Urol* doi: 10.1111/iju.12276, 2013
47. Sakamoto K, Nakasone H, Tsurumi S, Sasaki K, Mitani K, Kida M, Hangaishi A, Usuki K, Kobayashi A, Sato K, Karasawa-Yamaguchi M, Izutsu K, Okoshi Y, Chiba S, Kanda Y. Prednisone versus high-dose dexamethasone for untreated primary immune thrombocytopenia. A retrospective study of the Japan Hematology & Oncology Clinical Study Group. *J Thromb Thrombolysis* doi: 10.1007/s11239-013-0939-3, 2013
48. Sakamoto T, Obara N, Kurita N, Sakata-Yanagimoto M, Nishikii H, Yokoyama Y, Suzukawa K, Hasegawa Y, Chiba S. Effectiveness and safety of rabbit anti-thymocyte globulin in Japanese patients with aplastic anemia. *Int J Hematol* 98(3):319-322, 2013
49. Sakurai H, Morishima Y, Itoguchi N, Ohtsuka S, Yamadori I, Oto T, Ishii Y, Sakamoto T, Noguchi M, Hizawa N. Broncho-bronchiolitis obliterans after living-donor lung transplantation: a unique manifestation of chronic allograft rejection. *Transplantation* 96(4):e29-30, 2013
50. Satoh T, Matsumoto K, Fujii T, Sato O, Gemma N, Onuki M, Saito H, Aoki D, Hirai Y, Yoshikawa H. Rapid genotyping of carcinogenic human papillomavirus by loop-mediated isothermal amplification using a new automated DNA test (Clinichip HPV). *J Virol Methods* 188(1-2):83-93, 2013
51. Satoh T, Matsumoto K, Tanaka YO, Akiyama A, Nakao S, Sakurai M, Ochi H, Onuki M, Minaguchi T, Sakurai H, Yoshikawa H. Incidence of venous thromboembolism before treatment in cervical cancer and the impact of management on venous thromboembolism after commencement of treatment. *Thromb Res* 131(4):e127-132, 2013
52. Satomi K, Morishita Y, Murata Y, Shiba-Ishii A, Sugano M, Noguchi M. Epidermal growth factor receptor abnormalities in atypical teratoid/rhabdoid tumors and an unusual case with gene amplification. *Pathol Res Pract* 209(8):521-526, 2013
53. Shimazui T, Yoshikawa K, Miyazaki J, Kojima T, Inai H, Ando S, Uemura H, Uchida K, Nishiyama H. Systemic transduction of p16INK4A antitumor peptide inhibits the growth of MBT-2 mouse bladder tumor cell line grafts. *Int J Oncol* 42(2):543-548, 2013
54. Strehl S, Konig M, Boztug H, Cooper BW, Suzukawa K, Zhang SJ, Chen HY, Attarbaschi A, Dworzak MN. All-trans retinoic acid and arsenic trioxide resistance of acute promyelocytic

- leukemia with the variant STAT5B-RARA fusion gene. *Leukemia* 27(7):1606-1610, 2013
55. Takano M, Ochi H, Takei Y, Miyamoto M, Hasumi Y, Kaneta Y, Nakamura K, Kurosaki A, Satoh T, Fujiwara H, Nagao S, Furuya K, Yokota H, Ito K, Minegishi T, Yoshikawa H, Fujiwara K, Suzuki M. Surgery for endometrial cancers with suspected cervical involvement: is radical hysterectomy needed (a GOTIC study)? *Br J Cancer* 109(7):1760-1765, 2013
56. Takaoka E, Matsui Y, Inoue T, Miyazaki J, Nakashima M, Kimura T, Oikawa T, Kawai K, Yoshimura K, Habuchi T, Ogawa O, Nishiyama H. Risk factors for intravesical recurrence in patients with high-grade T1 bladder cancer in the second TUR era. *Jpn J Clin Oncol* 43(4):404-409, 2013
57. Tanaka YO, Okada S, Satoh T, Matsumoto K, Oki A, Saida T, Yoshikawa H, Minami M. Diversity in size and signal intensity in multilocular cystic ovarian masses: new parameters for distinguishing metastatic from primary mucinous ovarian neoplasms. *J Magn Reson Imaging* 38(4):794-801, 2013
58. Tasaka N, Matsumoto K, Satoh T, Minaguchi T, Onuki M, Ochi H, Tanaka YO, Sakata A, Noguchi M, Yoshikawa H. Therapeutic effect of dienogest on adenocarcinoma arising from endometriosis: a case report. *Springerplus* 2:618, 2013
59. Thunnissen E, Belien JA, Kerr KM, Chung JH, Flieder DB, Noguchi M, Yatabe Y, Hwang DM, Lely RJ, Hartemink KJ, Meijer-Jorna LB, Tsao MS. In compressed lung tissue microscopic sections of adenocarcinoma in situ may mimic papillary adenocarcinoma. *Arch Pathol Lab Med* 137(12):1792-1797, 2013
60. Togo Y, Taoka R, Yamamoto S, Hiyama Y, Uehara T, Hashimoto J, Kurimura Y, Takahashi S, Tsukamoto T, Miyazaki J, Nishiyama H, Kiyota H, Yazawa S, Oya M, Yasuda M, Deguchi T, Ishikawa K, Hoshinaga K, Matsumoto M, Shigemura K, Tanaka K, Arakawa S, Fujisawa M, Wada K, Uehara S, Watanabe T, Kumon H, Kobayashi K, Matsubara A, Matsumoto M, Sho T, Hamasuna R, Matsumoto T, Hayami H, Yamane T, Nakagawa M. [A questionnaire survey of antimicrobial prophylaxis to prevent perioperative infection in urological field in Japan]. *Nihon Hinyokika Gakkai Zasshi* 104(4):579-588, 2013
61. Travis WD, Brambilla E, Noguchi M, Nicholson AG, Geisinger K, Yatabe Y, Ishikawa Y, Wistuba I, Flieder DB, Franklin W, Gazdar A, Hasleton PS, Henderson DW, Kerr KM, Nakatani Y, Petersen I, Roggli V, Thunnissen E, Tsao M. Diagnosis of lung adenocarcinoma in resected specimens: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. *Arch Pathol Lab Med* 137(5):685-705, 2013

62. Travis WD, Brambilla E, Noguchi M, Nicholson AG, Geisinger K, Yatabe Y, Ishikawa Y, Wistuba I, Flieder DB, Franklin W, Gazdar A, Hasleton PS, Henderson DW, Kerr KM, Petersen I, Roggli V, Thunnissen E, Tsao M. Diagnosis of lung cancer in small biopsies and cytology: implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society classification. *Arch Pathol Lab Med* 137(5):668-684, 2013
63. Usui S, Minami Y, Shiozawa T, Iyama S, Satomi K, Sakashita S, Sato Y, Noguchi M. Differences in the prognostic implications of vascular invasion between lung adenocarcinoma and squamous cell carcinoma. *Lung Cancer* 82(3):407-412, 2013
64. Yoon JH, Jung SM, Park SH, Kato M, Yamashita T, Lee IK, Sudo K, Nakae S, Han JS, Kim OH, Oh BC, Sumida T, Kuroda M, Ju JH, Jung KC, Park SH, Kim DK, Mamura M. Activin receptor-like kinase5 inhibition suppresses mouse melanoma by ubiquitin degradation of Smad4, thereby derepressing eomesodermin in cytotoxic T lymphocytes. *EMBO Mol Med* 5(11):1720-1739, 2013
65. Yoshikawa H, Ebihara K, Tanaka Y, Noda K. Efficacy of quadrivalent human papillomavirus (types 6, 11, 16 and 18) vaccine (GARDASIL) in Japanese women aged 18-26 years. *Cancer Sci* 104(4):465-472, 2013

2) 英文以外の論文

1. 岡崎有香, 岡田智志, 越智寛幸, 小貫麻美子, 水口剛雄, 松本光司, 佐藤豊実, 沖明典, 吉川裕之. 当院における高度肥満子宮体癌患者の治療経験. 関東連合産科婦人科学会誌 50(1):51-55, 2013
2. 菊池慎二, 佐伯祐典, 北沢伸祐, 小林敬祐, 山本純, 薄井真悟, 井口けさ人, 後藤行延, 酒井光昭, 鬼塚正孝, 佐藤幸夫, 本間晋介, 南優子, 野口雅之. 術前導入ゲフィチニブ療法を施行した cStageI-IIA 肺腺癌の 1 例 免疫組織化学的検討. 肺癌 53(5):600, 2013
3. 小宮春奈, 小倉剛, 八木洋也, 安部加奈子, 永井優子, 小島真奈, 濱田洋実, 吉川裕之. Interferon- α による周産期管理を行った妊娠中発症の本態性血小板血症合併妊娠の一例. 日本周産期・新生児医学会雑誌 49(3):1050-1054, 2013
4. 坂田麻実子, 千葉滋. Myeloid Malignancies in a New Era of Molecularly Targeted Therapy 造血器腫瘍におけるシトシンのヒドロキシメチル化修飾異常. 臨床血液 54(5):423-430, 2013
5. 周山拓也, 小原直, 河合弘二, 山田健二, 日下部学, 栗田尚樹, 錦井秀和, 横山泰久, 鈴木和己, 長谷川雄一, 野口雅之, 千葉滋. 精巣胚細胞腫瘍由来の発症が示唆された急性骨

髓性白血病. 臨床血液 54(8):764-768, 2013

6. 竹内 秀輔, 鈴木 涼子, 福島 敬, 福島 紘子, 岩淵 敦, 中尾 朋平, 山口 玲子, 工藤 寿子, 杉田 真太郎, 稲留 征典, 佐藤 豊実, 櫻井 英幸, 金子 道夫, 須磨崎 亮. 進行期卵巣小細胞癌に対して集学的治療を施行した女兒例. 日本小児血液・がん学会雑誌 50(2):269-273, 2013
7. 千葉滋. 骨髄異形成症候群のゲノム異常と病態. 臨床血液 54(10):1687-1696, 2013
8. 千葉滋. 【白血病:診断と治療の進歩】 病因と病態 最新の知見 白血病の染色体異常と遺伝子異常. 日本内科学会雑誌 102(7):1661-1666, 2013
9. 水口剛雄, 吉川裕之. 【婦人科がんの予防戦略と早期診断】 子宮体がん リスク因子を考慮した子宮体がん予防. 臨床婦人科産科 67(8):798-804, 2013
10. 水口剛雄, 吉川裕之. 【プロメテウス 婦人科がん最新医療】 子宮頸がんの発がん機構. 産婦人科の実際 62(12):1624-1631, 2013
11. 山本正樹, 西村純一, 細川晃平, 杉盛千春, 米村雄士, 小原直, 野地秀義, 中村嘉彦, 安藤潔, 七島勉, 二宮治彦, 千葉滋, 川口辰哉, 金倉譲, 中尾眞二. OPTIMA 試験 高精度フローサイトメトリー法による GPI アンカー膜蛋白欠損血球の検出. Cytometry Research 23(1):23-28, 2013
12. 吉川裕之. 【婦人科がん手術の基本手技を学ぶ】 卵巣癌腫瘍減量手術の基本手技を学ぶ 卵巣癌患者の予後と QOL 向上を目指して. 産婦人科手術 24:69-75, 2013
13. 吉川裕之. 子宮頸癌とヒトパピローマウイルス(HPV)感染 子宮頸癌以外の HPV 疾患と HPV ワクチン. 東京都医師会雑誌 66(7):724-728, 2013
14. 吉川裕之. 【臨床研究の成果を実地臨床へ生かそう-産科編】 産婦人科診療ガイドライン産科編の理解にあたって. 周産期医学 43(10):1207-1210, 2013

4) 英文以外の著書

1. 石川雄一, 元井紀子, 野口雅之. 1. 肺癌の分類 (病理と分子) 1. 新しい IASLC/ATS/ERS 肺癌分類について教えてください。14. 現在の組織分類にはどのような問題がありますか?; "肺癌診療 Q&A 一つ上をいく診療の実践 (第2版)" (編集 弦間昭彦), 中外医学社 (東京) 2013; pp2-5, pp39-43
2. 薄井真悟, 南優子, 野口雅之. 肺がん病理診断の問題点と新提案; "日本医師会雑誌", 日本医師会 2013; pp33-37
3. 佐藤豊実, 吉川裕之. 自律神経温存が推奨される広汎子宮全摘出術の適応と手技は?; "EBM 婦人科疾患の治療 2013-2014" 中外医学社 (東京) 2013; pp240-245
4. 千葉滋. 第 21 章. 血液系 血漿蛋白質; "人体の構造と機能及び疾病の成り立ち (第 2

- 版)”(編集 香川靖雄, 近藤和雄, 石田均, 門脇孝), 南江堂 (東京) 2013.09; pp433-434
5. 千葉滋. 第 21 章. 血液系 白血球; "人体の構造と機能及び疾病の成り立ち (第 2 版)”(編集 香川靖雄, 近藤和雄, 石田均, 門脇孝), 南江堂 (東京) 2013.09; pp435-436
 6. 千葉滋. 血液・造血器の構造と機能 白血球の形態と機能; "内科学書 血液・造血器疾患 神経疾患 (第 8 版)”(編集 小川聡, 小澤敬也, 祖父江元), 中山書店 (東京) 2013.10; pp15-21
 7. 野口雅之. 肺腺癌の病理診断で知っておくべき事; "診断病理”, 日本病理学会 (東京) 2013; pp1-7
 8. 吉川裕之. EBM とガイドライン; "産科婦人科疾患最新の治療 2013-2015”(編集 吉川史隆, 倉智博久, 平松祐司), 南江堂 (東京) 2013; pp1-4

3 D - CGバーチャル手術シミュレーションシステム

1) 英文論文

1. Akashi Y, Oda T, Ohara Y, Miyamoto R, Hashimoto S, Enomoto T, Yamada K, Kobayashi A, Fukunaga K, Ohkohchi N. Histological advantages of the tumor graft: a murine model involving transplantation of human pancreatic cancer tissue fragments. *Pancreas* 42(8):1275-1282, 2013
2. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galT1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
3. Kurokawa T, Yamamoto M, Ueda T, Enomoto T, Inoue K, Uchida A, Kikuchi K, Ohkohchi N. Gastric bronchogenic cyst histologically diagnosed after laparoscopic excision: report of a case. *Int Surg* 98(4):455-460, 2013
4. Maruyama T, Murata S, Takahashi K, Tamura T, Nozaki R, Ikeda N, Fukunaga K, Oda T, Sasaki R, Ohkohchi N. Platelet transfusion improves liver function in patients with chronic liver disease and cirrhosis. *Tohoku J Exp Med* 229(3):213-220, 2013
5. Matsuda A, Kuno A, Matsuzaki H, Kawamoto T, Shikanai T, Nakanuma Y, Yamamoto M, Ohkohchi N, Ikehara Y, Shoda J, Hirabayashi J, Narimatsu H. Glycoproteomics-based cancer marker discovery adopting dual enrichment with Wisteria floribunda agglutinin for high specific glyco-diagnosis of cholangiocarcinoma. *J Proteomics* 85:1-11, 2013
6. Murata S, Shiragami R, Kosugi C, Tezuka T, Yamazaki M, Hirano A, Yoshimura Y, Suzuki M, Shuto K, Ohkohchi N, Koda K. Antitumor effect of 1, 8-cineole against colon cancer. *Oncol Rep* 30(6):2647-2652, 2013
7. Nowatari T, Murata S, Fukunaga K, Ohkohchi N. Role of platelets in chronic liver disease and acute liver injury. *Hepatol Res* doi: 10.1111/hepr.12205, 2013
8. Nozaki R, Murata S, Nowatari T, Maruyama T, Ikeda N, Kawasaki T, Fukunaga K, Ohkohchi N. Effects of thrombopoietin on growth of hepatocellular carcinoma: Is thrombopoietin therapy for liver disease safe or not? *Hepatol Res* 43(6):610-620, 2013
9. Ogawa K, Kondo T, Tamura T, Matsumura H, Fukunaga K, Oda T, Ohkohchi N. Influence of Kupffer cells and platelets on ischemia-reperfusion injury in mild steatotic liver. *World J Gastroenterol* 19(9):1396-1404, 2013
10. Ohara Y, Oda T, Sugano M, Hashimoto S, Enomoto T, Yamada K, Akashi Y, Miyamoto R, Kobayashi A, Fukunaga K, Morishita Y, Ohkohchi N. Histological and prognostic

- importance of CD44(+) /CD24(+) /EpCAM(+) expression in clinical pancreatic cancer. *Cancer Sci* 104(8):1127-1134, 2013
11. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
 12. Oshiro Y, Sasaki R, Nasu K, Ohkohchi N. A novel preoperative fusion analysis using three-dimensional MDCT combined with three-dimensional MRI for patients with hilar cholangiocarcinoma. *Clin Imaging* 37(4):772-774, 2013
 13. Oshiro Y, Sasaki R, Takeguchi T, Ibukuro K, Ohkohchi N. Analysis of the caudate artery with three-dimensional imaging. *J Hepatobiliary Pancreat Sci* 20:639-646, 2013
 14. Oshiro Y, Takahashi K, Sasaki R, Kondo T, Sakashita S, Ohkohchi N. Adjuvant surgery for advanced extrahepatic cholangiocarcinoma. *World J Gastroenterol* 19(40):6934-6938, 2013
 15. Takahashi A, Yamamoto Y, Yasunaga M, Koga Y, Kuroda J, Takigahira M, Harada M, Saito H, Hayashi T, Kato Y, Kinoshita T, Ohkohchi N, Hyodo I, Matsumura Y. NC-6300, an epirubicin-incorporating micelle, extends the antitumor effect and reduces the cardiotoxicity of epirubicin. *Cancer Sci* 104(7):920-925, 2013
 16. Takahashi K, Kozuma Y, Suzuki H, Tamura T, Maruyama T, Fukunaga K, Murata S, Ohkohchi N. Human platelets promote liver regeneration with Kupffer cells in SCID mice. *J Surg Res* 180(1):62-72, 2013
 17. Takahashi K, Murata S, Fukunaga K, Ohkohchi N. Human platelets inhibit liver fibrosis in severe combined immunodeficiency mice. *World J Gastroenterol* 19(32):5250-5260, 2013
 18. Takahashi K, Murata S, Ohkohchi N. Novel therapy for liver regeneration by increasing the number of platelets. *Surg Today* 43(10):1081-1087, 2013
 19. Takahashi K, Murata S, Ohkohchi N. Platelet therapy: A novel strategy for liver regeneration, anti-fibrosis, and anti-apoptosis. *World J Surg Proced* 3(3):29-36, 2013
 20. Takahashi K, Terashima H, Kohno K, Ohkohchi N. A stand-alone synbiotic treatment for the prevention of d-lactic acidosis in short bowel syndrome. *Int Surg* 98(2):110-113, 2013
 21. Takahashi K, Tsukamoto S, Saito K, Ohkohchi N, Hirayama K. Complete response to multidisciplinary therapy in a patient with primary gastric choriocarcinoma. *World J Gastroenterol* 19(31):5187-5194, 2013
 22. Tamura T, Kondo T, Ogawa K, Fukunaga K, Ohkohchi N. Protective effect of heme oxygenase-1 on hepatic ischemia-reperfusion injury through inhibition of platelet adhesion to

the sinusoids. *J Gastroenterol Hepatol* 28(4):700-706, 2013

23. Yoneyama S, Terashima H, Yamaguchi R, Tadano S, Ohkohchi N. The manner of the inflammation-boosting effect caused by acute hyperglycemia secondary to overfeeding and the effects of insulin therapy in a rat model of sepsis. *J Surg Res* 185(1):380-387, 2013

2) 英文以外の論文

1. 岩崎健一, 寺島秀夫, 久倉勝治, 佐野直樹, 宮本良一, 稲川智, 大河内信弘. 右側大動脈弓を伴う食道・胃同時性重複癌の1切除例. *日本消化器外科学会雑誌* 46(8):564-572, 2013
2. 牛嶋良, 岡田晃穂, 田枝督教, 畠雅弘, 大河内信弘. 尿管-S状結腸瘻の1例. *臨床外科* 68(13):1484-1487, 2013
3. 榎本剛史, 田村孝史, 明石義正, 久倉勝治, 稲川智, 大河内信弘. 腹腔鏡下に切除した腸重積合併回腸脂肪腫の1例. *The Kitakanto Medical Journal* 63(3):243-247, 2013
4. 下村治, 福永潔, 中野順隆, 野渡剛之, 小林昭彦, 小田竜也, 佐々木亮孝, 山田健二, 野口雅之, 大河内信弘. 肝切除後極めて急激な再発を認めた肉腫様変化を伴うG-CSF産生肝内胆管癌の1例. *日本消化器外科学会雑誌* 46(1):41-49, 2013
5. 高橋一広, 塚本茂樹, 高橋さつき, 斎藤昌宏, 大河内信弘, 平山克. 腹直筋皮弁で再建した直腸癌によるFournier壊疽の1例. *日本臨床外科学会雑誌* 74(4):1086-1091, 2013
6. 宮崎貴寛, 高野恵輔, 久倉勝治, 榎本剛史, 稲川智, 大河内信弘. 陰圧閉鎖療法が奏効した難治性創離開の3例. *日本臨床外科学会雑誌* 74(8):2337-2341, 2013
7. 宮崎貴寛, 田村孝史, 榎本剛史, 玄良三, 中山健, 久倉勝治, 稲川智, 大河内信弘. 破裂危険のある内腸骨動脈瘤を合併した高度狭窄を伴うS状結腸癌の1例. *日本臨床外科学会雑誌* 74(3):750-755, 2013

神経生理学

1) 英文論文

1. Inaba K, Mizuhiki T, Setogawa T, Toda K, Richmond BJ, Shidara M. Neurons in monkey dorsal raphe nucleus code beginning and progress of step-by-step schedule, reward expectation, and amount of reward outcome in the reward schedule task. *J Neurosci* 33(8):3477-3491, 2013
2. Matsumoto M, Takada M. Distinct representations of cognitive and motivational signals in midbrain dopamine neurons. *Neuron* 79(5):1011-1024, 2013
3. Nakamagoe K, Fujizuka N, Koganezawa T, Shimizu K, Takiguchi S, Horaguchi T, Ishii K, Tamaoka A. Residual central nervous system damage due to organoarsenic poisoning. *Neurotoxicol Teratol* 37:33-38, 2013
4. Nakamagoe K, Fujizuka N, Koganezawa T, Yamaguchi T, Tamaoka A. Downbeat nystagmus associated with damage to the medial longitudinal fasciculus of the pons: a vestibular balance control mechanism via the lower brainstem paramedian tract neurons. *J Neurol Sci* 328(1-2):98-101, 2013
5. Toyoda Y, Shinohara R, Thumkeo D, Kamijo H, Nishimaru H, Hioki H, Kaneko T, Ishizaki T, Furuyashiki T, Narumiya S. EphA4-dependent axon retraction and midline localization of Ephrin-B3 are disrupted in the spinal cord of mice lacking mDia1 and mDia3 in combination. *Genes Cells* 18(10):873-885, 2013
6. Yamada H, Inokawa H, Matsumoto N, Ueda Y, Enomoto K, Kimura M. Coding of the long-term value of multiple future rewards in the primate striatum. *J Neurophysiol* 109(4):1140-1151, 2013
7. Yamada H, Tymula A, Louie K, Glimcher PW. Thirst-dependent risk preferences in monkeys identify a primitive form of wealth. *Proc Natl Acad Sci U S A* 110(39):15788-15793, 2013
8. Yoshikawa M, Murakami Y, Senzaki K, Masuda T, Ozaki S, Ito Y, Shiga T. Coexpression of Runx1 and Runx3 in mechanoreceptive dorsal root ganglion neurons. *Dev Neurobiol* 73(6):469-479, 2013

4) 英文以外の著書

1. 尾崎繁. 第3章. 感じる脳 (まえがき); "感性認知脳科学への招待 (第1版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013; pp47-48
2. 設楽宗孝. 第6章第3節. モチベーションと意欲の神経科学; "感性認知脳科学への招待 (第1版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013;

pp182-196

行動決定の脳内情報処理機構

1) 英文論文

1. Akiyama E. Evolutionary Leader Game and Social Hierarchy. *SICE Journal of Control, Measurement, and System Integration* 6(2):102-107, 2013
2. Furuie H, Yamada K, Ichitani Y. MK-801-induced and scopolamine-induced hyperactivity in rats neonatally treated chronically with MK-801. *Behav Pharmacol* 24(8):678-683, 2013
3. Hori M, Yamada K, Ohnishi J, Sakamoto S, Takimoto-Ohnishi E, Miyabe S, Murakami K, Ichitani Y. Effects of repeated tickling on conditioned fear and hormonal responses in socially isolated rats. *Neurosci Lett* 536:85-89, 2013
4. Horie K, Suemitsu A, Morita M. Direct Estimation of Hand Motion Speed from Surface EMG Using Selective Desensitization Neural Network. *Proceedings of the 2014 RISP International Workshop on Nonlinear Circuits, Communications and Signal Processing*:661-664, 2013
5. Inaba K, Mizuhiki T, Setogawa T, Toda K, Richmond BJ, Shidara M. Neurons in monkey dorsal raphe nucleus code beginning and progress of step-by-step schedule, reward expectation, and amount of reward outcome in the reward schedule task. *J Neurosci* 33(8):3477-3491, 2013
6. Kaku M, Yamada K, Ichitani Y. Can rats control previously acquired spatial information? Evidence of "directed forgetting" phenomenon in delay-interposed radial maze behavior. *Behav Brain Res* 248:1-6, 2013
7. Sugita M, Yamada K, Ichitani Y. Effects of number of items and interval length on the acquisition of temporal order discrimination in radial maze in rats. *Learn Mem* 20(3):125-129, 2013
8. Tanaka F, Takahashi T, Matsuzoe S, Tazawa N, Morita M. Child-Operated Telepresence Robot: a Field Trial Connecting Classrooms between Australia and Japan. *Proceedings of IEEE/RSJ International Conference on Intelligent Robots and Systems*:5896-5901, 2013
9. Tanaka F, Takahashi T, Matsuzoe S, Tazawa N, Morita M. Telepresence Robot Helps Children in Communicating with Teachers who Speak a Different Language. *Proceedings of the 2014 ACM/IEEE International Conference on Human-Robot Interaction*:399-406, 2013
10. Tanaka F, Takahashi T, Morita M. Tricycle-style operation interface for children to control a telepresence robot. *Advanced Robotics* 27(17):1375-1384, 2013
11. Yoshikawa M, Murakami Y, Senzaki K, Masuda T, Ozaki S, Ito Y, Shiga T. Coexpression of Runx1 and Runx3 in mechanoreceptive dorsal root ganglion neurons. *Dev Neurobiol*

3) 英文著書

1. Akiyama E, Ishikawa R, Kaneko M, Kline JJ. Chapter3. Inductive game theory: A simulation study of learning a social situation.; in "Game Theory Relunched (1st edition)" (edited by Hanappi H), InTech (Rijeka) 2013 pp55-76

4) 英文以外の著書

1. 秋山英三. 第 10 章. 少数派ゲーム --- 参加者の能力の分布が社会全体の効率に与える影響; "ゲーム理論 : 応用ガイドブック (第 1 版)" (編集 中山幹夫, 武藤滋夫, 船木由喜彦), 東洋経済新報社 (東京) 2013; pp209-233
2. 秋山英三, 沼澤政信. 第 II 部第 4 章. シミュレーション学からの接近; "グローバルな危機の構造と日本の戦略 (第 1 版)" (編集 吉田和男, 藤本茂), 晃洋書房 (京都府) 2013; pp230-251
3. 一谷幸男. 第 6 章第 2 節. 記憶と学習の神経科学; "感性認知脳科学への招待 (第 1 版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013; pp171-181
4. "感性認知脳科学への招待 (第 1 版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013; pp201
5. 設楽宗孝. 第 6 章 第 3 節. モチベーションと意欲の神経科学; "感性認知脳科学への招待 (第 1 版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013; pp182-196

統合的神経回路

1) 英文論文

1. Akamatsu M, Takuma H, Yamashita T, Okada T, Keino-Masu K, Ishii K, Kwak S, Masu M, Tamaoka A. A unique mouse model for investigating the properties of amyotrophic lateral sclerosis-associated protein TDP-43, by in utero electroporation. *Neurosci Res* 77(4):234-241, 2013
2. Furukawa M, Tochigi M, Otowa T, Arinami T, Inada T, Ujike H, Watanabe Y, Iwata N, Itokawa M, Kunugi H, Hashimoto R, Ozaki N, Kakiuchi C, Kasai K, Sasaki T. An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population. *Psychiatr Genet* 23(4):179-180, 2013
3. Horiuchi Y, Ishikawa M, Kaito N, Iijima Y, Tanabe Y, Ishiguro H, Arinami T. Experimental evidence for the involvement of PDLIM5 in mood disorders in hetero knockout mice. *PLoS One* 8(4):e59320, 2013
4. Iwakura T, Sakoh M, Tsutiya A, Yamashita N, Ohtani A, Tsuda MC, Ogawa S, Tsukahara S, Nishihara M, Shiga T, Goshima Y, Kato T, Ohtani-Kaneko R. Collapsin response mediator protein 4 affects the number of tyrosine hydroxylase-immunoreactive neurons in the sexually dimorphic nucleus in female mice. *Dev Neurobiol* 73(7):502-517, 2013
5. Li F, Ohtani A, Senzaki K, Shiga T. Receptor-dependent regulation of dendrite formation of noradrenaline and dopamine in non-GABAergic cerebral cortical neurons. *Dev Neurobiol* 73(5):370-383, 2013
6. Nakamagoe K, Fujizuka N, Koganezawa T, Shimizu K, Takiguchi S, Horaguchi T, Ishii K, Tamaoka A. Residual central nervous system damage due to organoarsenic poisoning. *Neurotoxicol Teratol* 37:33-38, 2013
7. Nakamagoe K, Fujizuka N, Koganezawa T, Yamaguchi T, Tamaoka A. Downbeat nystagmus associated with damage to the medial longitudinal fasciculus of the pons: a vestibular balance control mechanism via the lower brainstem paramedian tract neurons. *J Neurol Sci* 328(1-2):98-101, 2013
8. Shibata H, Yamamoto K, Sun Z, Oka A, Inoko H, Arinami T, Inada T, Ujike H, Itokawa M, Tochigi M, Watanabe Y, Someya T, Kunugi H, Suzuki T, Iwata N, Ozaki N, Fukumaki Y. Genome-wide association study of schizophrenia using microsatellite markers in the Japanese population. *Psychiatr Genet* 23(3):117-123, 2013
9. Toyoda Y, Shinohara R, Thumkeo D, Kamijo H, Nishimaru H, Hioki H, Kaneko T, Ishizaki T, Furuyashiki T, Narumiya S. EphA4-dependent axon retraction and midline localization of

Ephrin-B3 are disrupted in the spinal cord of mice lacking mDia1 and mDia3 in combination. *Genes Cells* 18(10):873-885, 2013

10. Wang R, Iwakura Y, Araki K, Keino-Masu K, Masu M, Wang XY, Takei N, Higashiyama S, Nawa H. ErbB2 dephosphorylation and anti-proliferative effects of neuregulin-1 in ErbB2-overexpressing cells; re-evaluation of their low-affinity interaction. *Sci Rep* 3:1402, 2013
11. Watanabe Y, Iijima Y, Egawa J, Nunokawa A, Kaneko N, Arinami T, Ujike H, Inada T, Iwata N, Kunugi H, Itokawa M, Sasaki T, Ozaki N, Hashimoto R, Shibuya M, Igeta H, Someya T. Replication in a Japanese population that a MIR30E gene variation is associated with schizophrenia. *Schizophr Res* 150(2-3):596-597, 2013
12. Yamamuro T, Hori M, Nakagawa Y, Hayashi T, Sakamoto S, Ohnishi J, Takeuchi S, Mihara Y, Shiga T, Murakami K, Urayama O. Tickling stimulation causes the up-regulation of the kallikrein family in the submandibular gland of the rat. *Behav Brain Res* 236(1):236-243, 2013
13. Yoshikawa M, Murakami Y, Senzaki K, Masuda T, Ozaki S, Ito Y, Shiga T. Coexpression of Runx1 and Runx3 in mechanoreceptive dorsal root ganglion neurons. *Dev Neurobiol* 73(6):469-479, 2013

2) 英文以外の論文

1. 梶和子, 梶正幸. ヘパラン硫酸微細構造の組織特異性とその決定機構. 医学のあゆみ 245(7):600-602, 2013

3) 英文著書

1. Masu M. Emerging roles of heparan sulfate in axon guidance; in "Cortical Development: Neural Diversity and Neocortical Organization (1st edition)" (edited by Kageyama R, Yamamori T), Springer-Verlag (Tokyo) 2013; pp203-214
2. Masu M, Koike S, Okada T, Keino-Masu K. Studies on autotaxin signaling in endocytic vesicle biogenesis and embryonic development using whole embryo culture and electroporation; in "Lysophospholipid Receptors: Signaling and Biochemistry (1st edition)" (edited by Chun J, Hla T, Spiegel S, Moolenaar W), John Wiley & Son Inc. (Hoboken, NJ, USA) 2013; pp121-136

4) 英文以外の著書

1. 尾崎繁. 第3章. 感じる脳 (まえがき); "感性認知脳科学への招待 (第1版)" (編集 久野節二, 山田一夫, 尾崎繁, 内山俊朗), 筑波大学出版会 (つくば) 2013; pp47-48
2. 志賀隆. 第5章 第1節. 個体発生の神経科学: 脳はどのように作られるのか; "感性認知脳科学への招待 (第1版)" (編集 筑波大学感性認知脳科学研究プロジェクト), 筑波大学出版会 (つくば) 2013; pp116-129

基礎・社会・臨床医学の連携による健康長寿の実現

1) 英文論文

1. Akamatsu M, Takuma H, Yamashita T, Okada T, Keino-Masu K, Ishii K, Kwak S, Masu M, Tamaoka A. A unique mouse model for investigating the properties of amyotrophic lateral sclerosis-associated protein TDP-43, by in utero electroporation. *Neurosci Res* 77(4):234-241, 2013
2. Ano S, Morishima Y, Ishii Y, Kawaguchi M, Matsuno Y, Hizawa N. Defecation-related asthma. *Intern Med* 52(6):685-687, 2013
3. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and ROR γ t are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
4. Arai S, Maehara N, Iwamura Y, Honda S, Nakashima K, Kai T, Ogishi M, Morita K, Kurokawa J, Mori M, Motoi Y, Miyake K, Matsushashi N, Yamamura K, Ohara O, Shibuya A, Wakeland EK, Li QZ, Miyazaki T. Obesity-associated autoantibody production requires AIM to retain the immunoglobulin M immune complex on follicular dendritic cells. *Cell Rep* 3(4):1187-1198, 2013
5. Danisch S, Qiu Q, Seth S, Ravens I, Dorsch M, Shibuya A, Shibuya K, Forster R, Bernhardt G. CD226 interaction with CD155 impacts on retention and negative selection of CD8 positive thymocytes as well as T cell differentiation to follicular helper cells in Peyer's Patches. *Immunobiology* 218(2):152-158, 2013
6. Enoki S, Shimizu A, Hayashi C, Imanishi H, Hashizume O, Mekada K, Suzuki H, Hashimoto T, Nakada K, Hayashi J. Selection of rodent species appropriate for mtDNA transfer to generate transmitochondrial mito-mice expressing mitochondrial respiration defects. *Exp Anim* <http://dx.doi.org/10.1538/expanim.63.21>, 2013
7. Fujihara K, Kodama S, Horikawa C, Yoshizawa S, Sugawara A, Hirasawa R, Shimano H, Yachi Y, Suzuki A, Hanyu O, Sone H. The Relationship between Diabetic Neuropathy and Sleep Apnea Syndrome: A Meta-Analysis. *Sleep Disord* 2013:150371, 2013
8. Fujihara K, Suzuki H, Sato A, Kodama S, Heianza Y, Saito K, Iwasaki H, Kobayashi K, Yatoh S, Takahashi A, Yamada N, Sone H, Shimano H. Carotid artery plaque and LDL-to-HDL cholesterol ratio predict atherosclerotic status in coronary arteries in asymptomatic patients with type 2 diabetes mellitus. *J Atheroscler Thromb* 20(5):452-464, 2013

9. Fujimoto Y, Nakagawa Y, Satoh A, Okuda K, Shingyouchi A, Naka A, Matsuzaka T, Iwasaki H, Kobayashi K, Yahagi N, Shimada M, Yatoh S, Suzuki H, Yogosawa S, Izumi T, Sone H, Urayama O, Yamada N, Shimano H. TFE3 controls lipid metabolism in adipose tissue of male mice by suppressing lipolysis and thermogenesis. *Endocrinology* 154(10):3577-3588, 2013
10. Fukushima H, Fukushima T, Sakai A, Suzuki R, Nakajima-Yamaguchi R, Kobayashi C, Iwabuchi A, Saito M, Yoshimi A, Nakao T, Kato K, Tsuchida M, Takahashi H, Koike K, Kiyokawa N, Noguchi E, Sumazaki R. Polymorphisms of MTHFR Associated with Higher Relapse/Death Ratio and Delayed Weekly MTX Administration in Pediatric Lymphoid Malignancies. *Leuk Res Treatment* 2013:238528, 2013
11. Fukuzawa T, Ishida J, Kato A, Ichinose T, Ariestanti DM, Takahashi T, Ito K, Abe J, Suzuki T, Wakana S, Fukamizu A, Nakamura N, Hirose S. Lung surfactant levels are regulated by Ig-Hepta/GPR116 by monitoring surfactant protein D. *PLoS One* 8(7):e69451, 2013
12. Gejyo F, Amano I, Ando T, Ishida M, Obayashi S, Ogawa H, Ono T, Kanno Y, Kitaoka T, Kukita K, Kurihara S, Sato M, Shin J, Suzuki M, Takahashi S, Taguma Y, Takemoto Y, Nakazawa R, Nakanishi T, Nakamura H, Hara S, Hiramatsu M, Furuya R, Masakane I, Tsuchida K, Motomiya Y, Morita H, Yamagata K, Yoshiya K, Yamakawa T. Survey of the effects of a column for adsorption of β 2-microglobulin in patients with dialysis-related amyloidosis in Japan. *Ther Apher Dial* 17(1):40-47, 2013
13. Georgiev H, Danisch S, Chambers BJ, Shibuya A, Forster R, Bernhardt G. To the editor: TIGIT versus CD226: hegemony or coexistence? *Eur J Immunol* doi: 10.1002/eji.201343925, 2013
14. Hamanaka S, Ooehara J, Morita Y, Ema H, Takahashi S, Miyawaki A, Otsu M, Yamaguchi T, Onodera M, Nakauchi H. Generation of transgenic mouse line expressing Kusabira Orange throughout body, including erythrocytes, by random segregation of provirus method. *Biochem Biophys Res Commun* 435(4):586-591, 2013
15. Hasegawa Y, Daitoku Y, Sekiguchi K, Tanimoto Y, Mizuno-Iijima S, Mizuno S, Kajiwara N, Ema M, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama F, Yagami K. Novel ROSA26 Cre-reporter knock-in C57BL/6N mice exhibiting green emission before and red emission after Cre-mediated recombination. *Exp Anim* 62(4):295-304, 2013
16. Heianza Y, Arase Y, Kodama S, Hsieh SD, Tsuji H, Saito K, Shimano H, Hara S, Sone H. Effect of postmenopausal status and age at menopause on type 2 diabetes and prediabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 17 (TOPICS

- 17). *Diabetes Care* 36(12):4007-4014, 2013
17. Heianza Y, Arase Y, Kodama S, Hsieh SD, Tsuji H, Saito K, Shimano H, Hara S, Sone H. Association of living alone with the presence of undiagnosed diabetes in Japanese men: the role of modifiable risk factors for diabetes: Toranomon Hospital Health Management Center Study 13 (TOPICS 13). *Diabet Med* 30(11):1355-1359, 2013
18. Heianza Y, Arase Y, Saito K, Hsieh SD, Tsuji H, Kodama S, Tanaka S, Ohashi Y, Shimano H, Yamada N, Hara S, Sone H. Development of a screening score for undiagnosed diabetes and its application in estimating absolute risk of future type 2 diabetes in Japan: Toranomon Hospital Health Management Center Study 10 (TOPICS 10). *J Clin Endocrinol Metab* 98(3):1051-1060, 2013
19. Heianza Y, Arase Y, Saito K, Tsuji H, Fujihara K, Hsieh SD, Kodama S, Shimano H, Yamada N, Hara S, Sone H. Role of alcohol drinking pattern in type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 11 (TOPICS 11). *Am J Clin Nutr* 97(3):561-568, 2013
20. Hirasawa R, Yachi Y, Yoshizawa S, Horikawa C, Heianza Y, Sugawara A, Sone Y, Kondo K, Shimano H, Saito K, Kodama S, Sone H. Quality and accuracy of Internet information concerning a healthy diet. *Int J Food Sci Nutr* 64(8):1007-1013, 2013
21. Hirayama K, Yamagata K. The antiglomerular basement membrane disease: treatments and outcomes. *OA Nephrology* 1(1):1, 2013
22. Hizawa N. [Bronchial asthma: progress in diagnosis and treatments. Topics: II. Pathogenesis and pathophysiology; 2. Genes associated with asthma and asthma-related phenotypes]. *Nihon Naika Gakkai Zasshi* 102(6):1365-1369, 2013
23. Hizawa N. Pharmacogenetics of chronic obstructive pulmonary disease. *Pharmacogenomics* 14(10):1215-1225, 2013
24. Honda Y, Kondo M, McGregor G, Kim H, Guo YL, Hijioka Y, Yoshikawa M, Oka K, Takano S, Hales S, Kovats RS. Heat-related mortality risk model for climate change impact projection. *Environ Health Prev Med* doi: 10.1007/s12199-013-0354-6, 2013
25. Horie T, Nishino T, Baba O, Kuwabara Y, Nakao T, Nishiga M, Usami S, Izuhara M, Sowa N, Yahagi N, Shimano H, Matsumura S, Inoue K, Marusawa H, Nakamura T, Hasegawa K, Kume N, Yokode M, Kita T, Kimura T, Ono K. MicroRNA-33 regulates sterol regulatory element-binding protein 1 expression in mice. *Nat Commun* 4:2883, 2013
26. Hoshi SL, Kondo M, Okubo I. Economic evaluation of vaccination programme of 13-valent pneumococcal conjugate vaccine to the birth cohort in Japan. *Vaccine* 31(25):2762-2771,

2013

27. Hoshino J, Mehrotra R, Rhee CM, Yamagata K, Ubara Y, Takaichi K, Kovesdy CP, Molnar MZ, Kalantar-Zadeh K. Using hemoglobin A1c to derive mean blood glucose in peritoneal dialysis patients. *Am J Nephrol* 37(5):413-420, 2013
28. Hoshino J, Molnar MZ, Yamagata K, Ubara Y, Takaichi K, Kovesdy CP, Kalantar-Zadeh K. Developing an HbA(1c)-based equation to estimate blood glucose in maintenance hemodialysis patients. *Diabetes Care* 36(4):922-927, 2013
29. Ikeda T, Ishii KA, Saito Y, Miura M, Otagiri A, Kawakami Y, Shimano H, Hara H, Takekoshi K. Inhibition of autophagy enhances sunitinib-induced cytotoxicity in rat pheochromocytoma PC12 cells. *J Pharmacol Sci* 121(1):67-73, 2013
30. Imanishi H, Takibuchi G, Kobayashi T, Ishikawa K, Nakada K, Mori M, Kikkawa Y, Takenaga K, Toyama-Sorimachi N, Hayashi J. Specific mtDNA mutations in mouse carcinoma cells suppress their tumor formation via activation of the host innate immune system. *PLoS One* 8(9):e75981, 2013
31. Inui Y, Mochida H, Yamairi F, Okada M, Ishida J, Fukamizu A, Arakawa K. Effects of aging and uninephrectomy on renal changes in Tsukuba hypertensive mice. *Biomed Rep* 1(3):359-364, 2013
32. Ishida T, Ohta M, Nakakuki M, Kami H, Uchiyama R, Kawano H, Notsu T, Imada K, Shimano H. Distinct regulation of plasma LDL cholesterol by eicosapentaenoic acid and docosahexaenoic acid in high fat diet-fed hamsters: participation of cholesterol ester transfer protein and LDL receptor. *Prostaglandins Leukot Essent Fatty Acids* 88(4):281-288, 2013
33. Ishizu A, Tomaru U, Murai T, Yamamoto T, Atsumi T, Yoshiki T, Yumura W, Yamagata K, Yamada H, Kumagai S, Kurokawa MS, Suka M, Makino H, Ozaki S. Prediction of response to treatment by gene expression profiling of peripheral blood in patients with microscopic polyangiitis. *PLoS One* 8(5):e63182, 2013
34. Izumida Y, Yahagi N, Takeuchi Y, Nishi M, Shikama A, Takarada A, Masuda Y, Kubota M, Matsuzaka T, Nakagawa Y, Iizuka Y, Itaka K, Kataoka K, Shioda S, Nijima A, Yamada T, Katagiri H, Nagai R, Yamada N, Kadowaki T, Shimano H. Glycogen shortage during fasting triggers liver-brain-adipose neurocircuitry to facilitate fat utilization. *Nat Commun* 4:2316, 2013
35. Kaburagi T, Satoh H, Hayashihara K, Endo T, Hizawa N, Kurishima K, Nishimura Y, Hashimoto T, Nakamura H, Kishi K, Inagaki M, Nawa T, Ichimura H, Ishikawa H, Kagohashi K, Fukuoka T, Shinohara Y, Kamiyama K, Sato Y, Sakai M, Matsumura T,

- Uchiumi K, Furukawa K. Observational study on the efficacy and safety of erlotinib in patients with non-small cell lung cancer. *Oncol Lett* 5(2):435-439, 2013
36. Kaneko Y, Masuko H, Sakamoto T, Iijima H, Naito T, Yatagai Y, Yamada H, Konno S, Nishimura M, Noguchi E, Hizawa N. Asthma phenotypes in Japanese adults - their associations with the CCL5 and ADRB2 genotypes. *Allergol Int* 62(1):113-121, 2013
37. Kaneko Y, Yatagai Y, Yamada H, Iijima H, Masuko H, Sakamoto T, Hizawa N. The search for common pathways underlying asthma and COPD. *Int J Chron Obstruct Pulmon Dis* 8:65-78, 2013
38. Kanemoto A, Mizumoto M, Okumura T, Takahashi H, Hashimoto T, Oshiro Y, Fukumitsu N, Moritake T, Tsuboi K, Sakae T, Sakurai H. Dose-volume histogram analysis for risk factors of radiation-induced rib fracture after hypofractionated proton beam therapy for hepatocellular carcinoma. *Acta Oncol* 52(3):538-544, 2013
39. Katada S, Mito T, Ogasawara E, Hayashi J, Nakada K. Mitochondrial DNA with a large-scale deletion causes two distinct mitochondrial disease phenotypes in mice. *G3 (Bethesda)* 3(9):1545-1552, 2013
40. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of beta cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
41. Kawamura T, Usui J, Kaseda K, Takada K, Ebihara I, Ishizu T, Iitsuka T, Sakai K, Takemura K, Kobayashi M, Koyama A, Kanemoto K, Sumazaki R, Uesugi N, Noguchi M, Nagata M, Suka M, Yamagata K. Primary membranoproliferative glomerulonephritis on the decline: decreased rate from the 1970s to the 2000s in Japan. *Clin Exp Nephrol* 17(2):248-254, 2013
42. Kim J, Tanabe K, Yokoyama N, Zempo H, Kuno S. Objectively measured light-intensity lifestyle activity and sedentary time are independently associated with metabolic syndrome: a cross-sectional study of Japanese adults. *Int J Behav Nutr Phys Act* 10:30, 2013
43. Kim J, Tanabe K, Yoshizawa Y, Yokoyama N, Suga Y, Kuno S. Lifestyle-Based Physical Activity Intervention for One Year Improves Metabolic Syndrome in Overweight Male Employees. *Tohoku J Exp Med* 229:11-17, 2013
44. Kodama S, Horikawa C, Fujihara K, Hirasawa R, Yachi Y, Yoshizawa S, Tanaka S, Sone Y, Shimano H, Iida KT, Saito K, Sone H. Use of high-normal levels of haemoglobin A(1C) and fasting plasma glucose for diabetes screening and for prediction: a meta-analysis. *Diabetes Metab Res Rev* 29(8):680-692, 2013
45. Kodama S, Tanaka S, Heianza Y, Fujihara K, Horikawa C, Shimano H, Saito K, Yamada N,

- Ohashi Y, Sone H. Association between physical activity and risk of all-cause mortality and cardiovascular disease in patients with diabetes: a meta-analysis. *Diabetes Care* 36(2):471-479, 2013
46. Kondo K, Fujimori M, Shirai Y, Yamada Y, Ogawa A, Hizawa N, Uchitomi Y. Characteristics associated with empathic behavior in Japanese oncologists. *Patient Educ Couns* 93(2):350-353, 2013
47. Kondo M, Ono M, Nakazawa K, Kayaba M, Minakuchi E, Sugimoto K, Honda Y. Population at high-risk of indoor heatstroke: the usage of cooling appliances among urban elderlies in Japan. *Environ Health Prev Med* 18(3):251-257, 2013
48. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1galt1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
49. Kurishima K, Homma S, Kagohashi K, Miyazaki K, Kawaguchi M, Satoh H, Hizawa N. Brain metastasis as an isolated late recurrence in small cell lung cancer. *Mol Clin Oncol* 2(2):305-307, 2013
50. Kurishima K, Satoh H, Kaburagi T, Nishimura Y, Shinohara Y, Inagaki M, Endo T, Saito T, Hayashihara K, Hizawa N, Nakamura H, Nawa T, Kagohashi K, Kishi K, Ishikawa H, Ichimura H, Hashimoto T, Sato Y, Sakai M, Kamiyama K, Matsumura T, Unoura K, Fukuoka T, Uchiumi K, Nomura A, Furukawa K. Erlotinib for elderly patients with non-small-cell lung cancer: Subset analysis from a population-based observational study by the Ibaraki Thoracic Integrative (POSITIVE) Research Group. *Mol Clin Oncol* 1(5):828-832, 2013
51. Mito T, Kikkawa Y, Shimizu A, Hashizume O, Katada S, Imanishi H, Ota A, Kato Y, Nakada K, Hayashi J. Mitochondrial DNA mutations in mutator mice confer respiration defects and B-cell lymphoma development. *PLoS One* 8(2):e55789, 2013
52. Mizuno S, Tra DT, Mizobuchi A, Iseki H, Mizuno-Iijima S, Kim JD, Ishida J, Matsuda Y, Kunita S, Fukamizu A, Sugiyama F, Yagami K. Truncated Cables1 causes agenesis of the corpus callosum in mice. *Lab Invest* doi: 10.1038/labinvest.2013, 2013
53. Morishima Y, Ano S, Ishii Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Hizawa N. Th17-associated cytokines as a therapeutic target for steroid-insensitive asthma. *Clin Dev Immunol* 2013:609395, 2013
54. Murata K, Saito C, Ishida J, Hamada J, Sugiyama F, Yagami K, Fukamizu A. Effect of lactation on postpartum cardiac function of pregnancy-associated hypertensive mice.

Endocrinology 154(2):597-602, 2013

55. Nagai K, Saito C, Watanabe F, Ohkubo R, Sato C, Kawamura T, Uchida K, Hiwatashi A, Kai H, Ishida K, Sairenchi T, Yamagata K. Annual incidence of persistent proteinuria in the general population from Ibaraki annual urinalysis study. *Clin Exp Nephrol* 17(2):255-260, 2013
56. Nagai K, Tahara-Hanaoka S, Morishima Y, Tokunaga T, Imoto Y, Noguchi E, Kanemaru K, Imai M, Shibayama S, Hizawa N, Fujieda S, Yamagata K, Shibuya A. Expression and function of Allergin-1 on human primary mast cells. *PLoS One* 8(10):e76160, 2013
57. Nagai K, Ueda A, Yamagata K. Successful Use of Tocilizumab in a Case of Multicentric Castleman's Disease and End-Stage Renal Disease. *Ther Apher Dial* doi: 10.1111/1744-9987.12128, 2013
58. Nagano K, Ishida J, Unno M, Matsukura T, Fukamizu A. Apelin elevates blood pressure in ICR mice with LNAME-induced endothelial dysfunction. *Mol Med Rep* 7(5):1371-1375, 2013
59. Nagata M, Yamaguchi Y. Diabetic nephrotic syndrome 25 years after tumor-forming pancreatitis surgery--reply. *Hum Pathol* 44(2):300, 2013
60. Nakahara S, Tomio J, Takahashi H, Ichikawa M, Nishida M, Morimura N, Sakamoto T. Evaluation of pre-hospital administration of adrenaline (epinephrine) by emergency medical services for patients with out of hospital cardiac arrest in Japan: controlled propensity matched retrospective cohort study. *BMJ* 347:f6829, 2013
61. Nakai S, Watanabe Y, Masakane I, Wada A, Shoji T, Hasegawa T, Nakamoto H, Yamagata K, Kazama JJ, Fujii N, Itami N, Shinoda T, Shigematsu T, Marubayashi S, Morita O, Hashimoto S, Suzuki K, Kimata N, Hanafusa N, Wakai K, Hamano T, Ogata S, Tsuchida K, Taniguchi M, Nishi H, Iseki K, Tsubakihara Y. Overview of regular dialysis treatment in Japan (as of 31 December 2011). *Ther Apher Dial* 17(6):567-611, 2013
62. Nakazawa K, Kurishima K, Tamura T, Ishikawa H, Satoh H, Hizawa N. Survival difference in NSCLC and SCLC patients with diabetes mellitus according to the first-line therapy. *Med Oncol* 30(1):367, 2013
63. Nishimoto M, Katano M, Yamagishi T, Hishida T, Kamon M, Suzuki A, Hirasaki M, Nabeshima Y, Nabeshima Y, Katsura Y, Satta Y, Deakin JE, Graves JA, Kuroki Y, Ono R, Ishino F, Ema M, Takahashi S, Kato H, Okuda A. In vivo function and evolution of the eutherian-specific pluripotency marker UTF1. *PLoS One* 8(7):e68119, 2013
64. Oishi H, Tsubaki T, Miyazaki T, Ono M, Nose M, Takahashi S. A bacterial artificial

- chromosome transgene with polymorphic Cd72 inhibits the development of glomerulonephritis and vasculitis in MRL-Faslpr lupus mice. *J Immunol* 190(5):2129-2137, 2013
65. Okubo R, Kai H, Kondo M, Saito C, Yoh K, Morito N, Usui J, Yamagata K. Health-related quality of life and prognosis in patients with chronic kidney disease: a 3-year follow-up study. *Clin Exp Nephrol* doi:10.1007/s10157-013-0901-x, 2013
66. Oshiro Y, Sasaki R, Fukunaga K, Kondo T, Oda T, Takahashi H, Ohkohchi N. Inflammation-based prognostic score is a useful predictor of postoperative outcome in patients with extrahepatic cholangiocarcinoma. *J Hepatobiliary Pancreat Sci* 20(3):389-395, 2013
67. Saida T, Mori K, Yabe H, Shindo M, Nasu K, Shiigai M, Takahashi H, Minami M. Noninvasive visualization of endoleaks after endovascular aortic aneurysm repair through unenhanced MRI with motion-sensitized driven equilibrium preparation: Phantom experiments. *J Magn Reson Imaging* 38(3):714-721, 2013
68. Saito T, Takahashi H, Kaneda H, Binnie M, Azad S, Sato M, Waddell TK, Cypel M, Liu M, Keshavjee S. Impact of cytokine expression in the pre-implanted donor lung on the development of chronic lung allograft dysfunction subtypes. *Am J Transplant* 13(12):3192-3201, 2013
69. Sakurai H, Kurishima K, Homma S, Kagohashi K, Miyazaki K, Kawaguchi M, Satoh H, Hizawa N. Isolated solitary brain metastasis as a relapse of small cell lung cancer. *Oncol Lett* 6(4):1108-1110, 2013
70. Sakurai H, Morishima Y, Itoguchi N, Ohtsuka S, Yamadori I, Oto T, Ishii Y, Sakamoto T, Noguchi M, Hizawa N. Broncho-bronchiolitis obliterans after living-donor lung transplantation: a unique manifestation of chronic allograft rejection. *Transplantation* 96(4):e29-30, 2013
71. Satoh H, Kagohashi K, Ohara G, Sato S, Miyazaki K, Nakazawa K, Tamura T, Kurishima K, Kawaguchi M, Hizawa N. Use of tiotropium in patients with COPD aged 80 years and older. *Exp Ther Med* 5(4):997-1000, 2013
72. Suga Y, Tanabe K, Kim J, Sato H, Iwashita S, Hamada K, Kuno S. A Comparison of the Influences of Soy- vs. Wheat-based Supplements on Weight Loss in Middle-aged Subjects. *Int J Sports Health Sci* 11:10-19, 2013
73. Sugiyama H, Yokoyama H, Sato H, Saito T, Kohda Y, Nishi S, Tsuruya K, Kiyomoto H, Iida H, Sasaki T, Higuchi M, Hattori M, Oka K, Kagami S, Kawamura T, Takeda T, Hataya H,

- Fukasawa Y, Fukatsu A, Morozumi K, Yoshikawa N, Shimizu A, Kitamura H, Yuzawa Y, Matsuo S, Kiyohara Y, Joh K, Nagata M, Taguchi T, Makino H. Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. *Clin Exp Nephrol* 17(2):155-173, 2013
74. Sunaga H, Matsui H, Ueno M, Maeno T, Iso T, Syamsunarno MR, Anjo S, Matsuzaka T, Shimano H, Yokoyama T, Kurabayashi M. Deranged fatty acid composition causes pulmonary fibrosis in Elovl6-deficient mice. *Nat Commun* 4:2563, 2013
75. Takagaki K, Satoh K, Honda S, Shibuya A. Molecular characterization of the dimer formation of Fc α /mu receptor (CD351). *Mol Immunol* 56(1-2):23-27, 2013
76. Takahashi S, Hiromura K, Tsukida M, Ohishi Y, Hamatani H, Sakurai N, Sakairi T, Ikeuchi H, Kaneko Y, Maeshima A, Kuroiwa T, Yokoo H, Aoki T, Nagata M, Nojima Y. Nephrotic syndrome caused by immune-mediated acquired LCAT deficiency. *J Am Soc Nephrol* 24(8):1305-1312, 2013
77. Takibuchi G, Imanishi H, Morimoto M, Ishikawa K, Nakada K, Toyama-Sorimachi N, Kikkawa Y, Takenaga K, Hayashi J. Polymorphic mutations in mouse mitochondrial DNA regulate a tumor phenotype. *Mitochondrion* 13(6):881-887, 2013
78. Taniguchi N, Konno S, Hattori T, Isada A, Shimizu K, Shimizu K, Shijubo N, Huang SK, Hizawa N, Nishimura M. The CC16 A38G polymorphism is associated with asymptomatic airway hyper-responsiveness and development of late-onset asthma. *Ann Allergy Asthma Immunol* 111(5):376-381 e371, 2013
79. Teramoto S, Hida N, Ishikawa H, Hizawa N. Inverse U shape of the trachea during an asthma attack. *Intern Med* 52(19):2289-2290, 2013
80. Tomita K, Sakashita M, Hirota T, Tanaka S, Masuyama K, Yamada T, Fujieda S, Miyatake A, Hizawa N, Kubo M, Nakamura Y, Tamari M. Variants in the 17q21 asthma susceptibility locus are associated with allergic rhinitis in the Japanese population. *Allergy* 68(1):92-100, 2013
81. Tsuruoka S, Kai H, Usui J, Morito N, Saito C, Yoh K, Yamagata K. Effects of irbesartan on inflammatory cytokine concentrations in patients with chronic glomerulonephritis. *Intern Med* 52(3):303-308, 2013
82. Tsuruoka S, Yokota N, Hayasaka T, Saito T, Yamagata K. Dialyzability and pharmacokinetics of sitafloxacin following multiple oral dosing in infected hemodialysis patients. *Ther Apher Dial* 17(3):319-324, 2013
83. Ueno T, Kobayashi N, Nakayama M, Takashima Y, Ohse T, Pastan I, Pippin JW, Shankland

- SJ, Uesugi N, Matsusaka T, Nagata M. Aberrant Notch1-dependent effects on glomerular parietal epithelial cells promotes collapsing focal segmental glomerulosclerosis with progressive podocyte loss. *Kidney Int* 83(6):1065-1075, 2013
84. Wada T, Miyashita Y, Sasaki M, Aruga Y, Nakamura Y, Ishii Y, Sasahara M, Kanasaki K, Kitada M, Koya D, Shimano H, Tsuneki H, Sasaoka T. Eplerenone ameliorates the phenotypes of metabolic syndrome with NASH in liver-specific SREBP-1c Tg mice fed high-fat and high-fructose diet. *Am J Physiol Endocrinol Metab* 305(11):E1415-1425, 2013
85. Wang R, Iwakura Y, Araki K, Keino-Masu K, Masu M, Wang XY, Takei N, Higashiyama S, Nawa H. ErbB2 dephosphorylation and anti-proliferative effects of neuregulin-1 in ErbB2-overexpressing cells; re-evaluation of their low-affinity interaction. *Sci Rep* 3:1402, 2013
86. Yageta Y, Ishii Y, Morishima Y, Ano S, Ohtsuka S, Matsuyama M, Takeuchi K, Itoh K, Yamamoto M, Hizawa N. Carbocysteine Reduces Viral-Induced Pulmonary Inflammation in Mice Exposed to Cigarette Smoke. *Am J Respir Cell Mol Biol* doi: 10.1165/rcmb.2012-0292OC, 2013
87. Yamagata K, Usui J, Sugiyama H, Nitta K, Wada T, Muso E, Arimura Y, Koyama A, Makino H, Matsuo S. Clinical findings on ANCA-associated renal vasculitis from the Japan RPGN registry obtained via a questionnaire survey. *Clin Exp Nephrol* 17(5):646-649, 2013
88. Yamashita Y, Abe F, Hirochika R, Tahara-Hanaoka S, Shibuya A, Shibuya K. Establishment and characterization of a novel anti-DNAM-1 monoclonal antibody. *Monoclon Antib Immunodiagn Immunother* 32(1):60-64, 2013
89. Yatagai Y, Sakamoto T, Masuko H, Kaneko Y, Yamada H, Iijima H, Naito T, Noguchi E, Hirota T, Tamari M, Imoto Y, Tokunaga T, Fujieda S, Konno S, Nishimura M, Hizawa N. Genome-wide association study for levels of total serum IgE identifies HLA-C in a Japanese population. *PLoS One* 8(12):e80941, 2013
90. Yoshinaga M, Ushinohama H, Sato S, Tauchi N, Horigome H, Takahashi H, Sumitomo N, Kucho Y, Shiraishi H, Nomura Y, Shimizu W, Nagashima M. Electrocardiographic screening of 1-month-old infants for identifying prolonged QT intervals. *Circ Arrhythm Electrophysiol* 6(5):932-938, 2013
91. Yoshizawa Y, Honda S, Shibuya A. Involvement of F χ α /vR (CD351) in autoantibody production. *Mol Immunol* doi: 10.1016/j.molimm.2013.10.002, 2013

2) 英文以外の論文

1. 加藤尚子, 近藤正英, 大久保一郎, 長谷川敏彦. 病院機能分化施策に応じた私的病院の変遷について 福岡県私設病院を対象とした 1998 年・2012 年の繰り返し調査から. 日本医療マネジメント学会雑誌 14(1):9-13, 2013
2. 萱場桃子, 中澤浩一, 近藤正英, 小野雅司, 水口恵美子, 杉本和俊, 本田靖. 夏期における高齢者の夜間のエアコン使用に関する研究. 民族衛生 79(2):47-53, 2013
3. 星淑玲, 近藤正英, 大久保一郎. 23 価肺炎球菌ワクチンの再接種およびインフルエンザワクチンとの同時接種に関する実態 自治体の接種に対する助成の有無による相違について. 厚生指標 60(8):23-29, 2013
4. 榭和子, 榭正幸. ヘパラン硫酸微細構造の組織特異性とその決定機構. 医学のあゆみ 245(7):600-602, 2013
5. 村田知弥, 石田純治, 深水昭吉. 【腎と妊娠】 遺伝子改変マウスを活用した産前産後の疾患発症メカニズムに関する研究. 腎と透析 75(5):725-729, 2013
6. 吉澤裕世, 横山典子, 菅洋子, 田辺解, 西尾チヅル, 久野譜也. 地域コミュニティの再構築がソーシャルキャピタル及び身体活動量に及ぼす影響. 日本臨床スポーツ医学会誌 21(1):201-210, 2013

3) 英文著書

1. Masu M. 9. Emerging roles of heparan sulfate in axon guidance; in "Cortical Development (1st edition)" (edited by Kageyama R, Yamamori T), Springer-Verlag (Tokyo) 2013; pp203-214
2. Masu M, Koike S, Okada T, Keino-Masu K. 7. Studies on autotaxin signaling in endocytic vesicle biogenesis and embryonic development using whole embryo culture and electroporation; in "Lysophospholipid Receptors: Signaling and Biochemistry (1st edition)" (edited by Chun J, Hla T, Spiegel S, Moolenaar W), John Wiley & Son Inc. (Hoboken, NJ, USA) 2013; pp121-136

4) 英文以外の著書

1. 相川健, 赤塚東司雄, 旭浩一, 伊藤稔, 上野誠司, 大友浩志, 大森聡, 折笠一彦, 風間順一郎, 川口洋, 川崎忠行, 川名篤子, 木全直樹, 木村朋由, 熊川健二郎, 小島祥敬, 小林正人, 新村浩明, 鈴木一裕, 関野宏, 常盤峻士, 戸澤修平, 中山昌明, 橋本樹, 堀井秀夫, 榎昭弘, 政金生人, 松岡久光, 水口潤, 宮崎真理子, 柳田知彦, 山川智之, 山縣邦弘, 渡辺毅. "東日本大震災 学術調査報告書 一災害時透析医療展開への提言一" (編集 一般社団法人

- 日本透析医学会東日本大震災学術ワーキンググループ), 医学図書出版 (東京) 2013 年 (全 267 ページ)
2. 岩崎仁, 島野仁. IV 章. トピックス 肝臓における脂質代謝研究の進歩 (IV 章. 肝臓-代謝性疾患); "専門医のための消化器病学 (第 2 版)" (監修 小俣政男, 千葉勉, 編集 下瀬川徹, 渡辺守, 木下芳一, 金子周一, 樫田博史), 医学書院 (東京) 2013; pp386-387
 3. 岩崎仁, 島野仁. 2 章-2. 脂肪酸の主な働き; "そうだったんだ! 脂肪酸-循環器疾患との深い関係-(第 1 版)" (編集 伊藤浩), 文光堂 (東京) 2013; pp17-21
 4. 臼井丈一. ANCA 関連腎炎の患者をどう治療するか; "Bunkodo Essential & Advanced Mook シリーズ患者を末期腎不全にしないための CKD 診療のコツ" (編集 今井圓裕), 文光堂 (東京) 2013; pp206-212
 5. 臼井丈一, 山縣邦弘. CASE08. 感冒を契機に急性腎不全と肺胞出血を呈した 53 歳男性; "New 専門医を目指すケースメソッドアプローチ 腎臓疾患 (第 2 版)" (編集 槇野博史), 日本医事新報社 (東京) 2013; pp68-74
 6. 臼井俊明, 山縣邦弘. Q14 わが国の末期腎不全患者数は増加し続けるのでしょうか?; "CKD 診療ガイド 2012 Q&A (第 1 版)" (編集 今井圓裕), 診断と治療社 (東京) 2013 pp31-33
 7. 河村哲也, 山縣邦弘. Q22 CKD のリスクは何でしょうか?; "CKD 診療ガイド 2012 Q&A (第 1 版)" (編集 今井圓裕), 診断と治療社 (東京) 2013; pp48-49
 8. 加瀬田幸司, 山縣邦弘. Q39 CKD 患者の専門医への紹介の時期について教えてください; "CKD 診療ガイド 2012 Q&A (第 1 版)" (編集 今井圓裕), 診断と治療社 (東京) 2013; pp91-93
 9. 富樫周, 山縣邦弘. Q41. CKD 患者に対して透析導入はいつ、どのように説明すればいいのでしょうか?; "CKD 診療ガイド 2012 Q&A (第 1 版)" (編集 今井圓裕), 診断と治療社 (東京) 2013; pp97-99
 10. 久野譜也. 股関節の痛みをとると健康になる【台湾語版】. PHP 研究所 (東京) 2013 年 (全 151 ページ)
 11. 煙山 (鈴木) 紀子, 松坂賢, 島野仁. 第 18 章. 慢性炎症と栄養; "「慢性炎症と生活習慣病」循環器・代謝・呼吸器・消化器疾患の基盤病態へのアプローチ (第 1 版)" (編集 小川佳宏, 眞鍋一郎), 南山堂 (東京) 2013; pp161-168
 12. 近藤正英. 医療経済; "最新医学別冊新しい診断と治療の ABC11 CKD (慢性腎臓病) 慢性腎不全 (第 2 版)" (編集 佐々木成), 最新医学社 (大阪) 2013; pp227-234
 13. 斎藤知栄, 山縣邦弘. 第 2 章 3. 国の CKD 診療に対する取り組み; "あなたも名医! jmedmook29 透析まで行かせない! CKD 診療" (編集 海津嘉蔵), 日本医事新報社 (東

- 京) 2013; pp6-11
14. 斎藤知栄, 山縣邦弘. I 慢性腎臓病 (CKD) 3. CKD の治療全般・管理目標; "腎不全治療レシピ (第 1 版)" (編集 丹羽利允), 医学出版 (東京) 2013; pp26-37
 15. 島野仁. 第 6 章-B. 脂肪酸の生合成とその酸化; "人体の構造と機能及び疾病の成り立ち (第 2 版)" (編集 香川靖雄, 近藤和雄, 石田均, 門脇孝), 南江堂 (東京) 2013; pp151-154
 16. 島野仁. III 章 1~4. 療養指導各論 (III 章 1~4, 1 診断と治療に関する知識, 2 食事療法, 3 運動療法, 4 薬物療法); "日本糖尿病療養指導士受験ガイドブック 2013 (第 1 版)" (編集 日本糖尿病療養指導士認定機構), メディカルレビュー社 (大阪) 2013; pp33-68
 17. 島野仁. 内分泌・代謝疾患; "ガイドラインに基づく臨床指針 (第 10 版)" (監修 福井次矢), 2013; pp274-296
 18. 菅野洋子, 島野仁. 第 2 部. リポ蛋白とその分画; "臨床検査ガイド 2013~2014 (第 1 版)" (編集 MedicalPractice 編集委員会), 文光堂 (東京) 2013; pp272-276
 19. 堀江重郎, 伊藤秀一, 岡田浩一, 菊池春人, 成田一衛, 西山勉, 長谷川友紀, 三上裕司, 山縣邦弘, 油野友二, 武藤智. 血尿診断ガイドライン. ライフサイエンス出版 (東京) 2013 年 (全 80 ページ)
 20. 槇野博史, 木村健二郎, 山縣邦弘. "NHK きょうの健康 ここが聞きたい! 名医に Q 腎臓病のベストアンサー (第 1 版)" (編集 槇野博史, 木村健二郎, 山縣邦弘), 主婦と生活社 (東京) 2013 (全 128 ページ)
 21. 松永恒明, 山縣邦弘. 3 巻. 尿細管間質性腎炎; "臨床病態学 3 (第 2 版)" (編集 北村聖), スーヴェルヒロカワ (東京) 2013; pp463-464
 22. 矢藤繁, 島野仁. I-10 章-A. NAFLD と糖代謝異常 (NASH 編 I. 基本編~NASH を診る前の基礎知識~); "NASH・アルコール性肝障害の診療を極める 基本から最前線まで (Hepatology Practice 第 2 巻) (第 1 版)" (編集 竹井謙之 (ゲスト編集), 竹原徹郎, 持田智 (常任編集)), 文光堂 (東京) 2013; pp71-74
 23. 矢藤繁, 島野仁. 16-1.1. 生活習慣病 (生活・社会・環境要因); "内科学 (第 10 版)" (編集 矢崎義雄総編集), 朝倉書店 (東京) 2013; pp2348-2352
 24. 山縣邦弘. 第 2 章 病理・病態生理. 病因 1. 微小変化型ネフローゼ症候群; "最新医学 別冊 新しい診断と治療の ABC80/腎 8 ネフローゼ症候群" (編集 今井圓裕), 最新医学社 (大阪) 2013; pp46-53
 25. 山縣邦弘. 2. 急速進行性糸球体腎炎症候群; "腎臓病薬物療法 実践ガイド (第 1 版)" (編集 丹羽利允), 中山書店 (東京) 2013; pp203-214
 26. 山縣邦弘. 主な原発性糸球体腎炎. 1. 溶連菌感染後急性糸球体腎炎; "内科学書 (第 8

- 版)”(編集 小川聡), 中山書店 (東京) 2013; pp453-455
27. 山縣邦弘, 主な原発性糸球体腎炎. 2. 急速進行性糸球体腎炎; "内科学書 (第8版)" (編集 小川聡), 中山書店 (東京) 2013; pp455-459
 28. 山縣邦弘, Part3. 慢性腎臓病の治療 —原因疾患とその対処法; "別冊 NHK 今日の健康 慢性腎臓病 (CKD)" (編集 富野康日己), NHK 出版 (東京) 2013; pp42-64
 29. 山縣邦弘, 9.腎疾患. 急速進行性腎炎症候群 (ANCA 関連腎炎を含む); "今日の治療 指針 私はこう治療している 2013 (第1版)" (編集 山口徹, 北原光夫, 福井次矢), 医学書院 (東京) 2013; pp538-540
 30. 山縣邦弘, 第6章. 第1節、第2節 「ネフローゼ症候群」、「腎炎」; "ナーシング・グラフィカ 健康の回復と看護⑦ 「疾病と治療」 (第2版)" (編集 林正健二, 山内豊明), メディカ出版 (大阪) 2013; pp150-159
 31. 山縣邦弘, 第10章. CKD 患者を専門医に紹介するタイミング—腎臓専門医との連携; "CKD 診療ガイド 2012 ガイドブック (第1版)" (編集 今井圓裕), 医歯薬出版株式会社 (東京) pp61-66
 32. 山縣邦弘, 臼井丈一. VI.糸球体疾患. 7.半月体形成性糸球体腎炎と ANCA 関連腎炎; "臨床腎臓内科学 (第1版)" (編集 安田孝, 平和伸仁, 小山雄太), 南山堂 (東京) 2013; pp386-393
 33. 山縣邦弘, 臼井丈一. VI.糸球体疾患 14.感染に伴う糸球体疾患 (MRSA, 細菌感染, ウイルス: 肝炎ウイルスや HIV, その他); "臨床腎臓内科学 (第1版)" (編集 安田孝, 平和伸仁, 小山雄太), 南山堂 (東京) 2013; pp448-456

心臓血管

1) 英文論文

1. Abe D, Sato A, Hoshi T, Kakefuda Y, Watabe H, Ojima E, Hiraya D, Harunari T, Takeyasu N, Aonuma K. Clinical predictors of contrast-induced acute kidney injury in patients undergoing emergency versus elective percutaneous coronary intervention. *Circ J* 78(1):85-91, 2013
2. Abe D, Sato A, Hoshi T, Takeyasu N, Misaki M, Hayashi M, Aonuma K. Initial culprit-only versus initial multivessel percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction: results from the Ibaraki Cardiovascular Assessment Study registry. *Heart Vessels* doi: 10.1007/s00380-013-0342-1, 2013
3. Adachi T, Sato A, Baba M, Hiraya D, Hasegawa T, Kuroki K, Hoshi T, Aonuma K. Novel use of the ultra-short-acting intravenous beta1-selective blocker landiolol for supraventricular tachyarrhythmias in patients with congestive heart failure. *Heart Vessels* doi: 10.1007/s00380-013-0377-3, 2013
4. Atsumi A, Ishizu T, Kameda Y, Yamamoto M, Harimura Y, Machino-Ohtsuka T, Kawamura R, Enomoto M, Seo Y, Aonuma K. Application of 3-dimensional speckle tracking imaging to the assessment of right ventricular regional deformation. *Circ J* 77(7):1760-1768, 2013
5. Atsumi A, Ueda K, Irie F, Sairenchi T, Iimura K, Watanabe H, Iso H, Ota H, Aonuma K. Relationship between cold temperature and cardiovascular mortality, with assessment of effect modification by individual characteristics: Ibaraki Prefectural Health Study. *Circ J* 77(7):1854-1861, 2013
6. Bezzina CR, Barc J, Mizusawa Y, Remme CA, Gourraud JB, Simonet F, Verkerk AO, Schwartz PJ, Crotti L, Dagradi F, Guicheney P, Fressart V, Leenhardt A, Antzelevitch C, Bartkowiak S, Borggrefe M, Schimpf R, Schulze-Bahr E, Zumhagen S, Behr ER, Bastiaenen R, Tfelt-Hansen J, Olesen MS, Kaab S, Beckmann BM, Weeke P, Watanabe H, Endo N, Minamino T, Horie M, Ohno S, Hasegawa K, Makita N, Nogami A, Shimizu W, Aiba T, Froguel P, Balkau B, Lantieri O, Torchio M, Wiese C, Weber D, Wolswinkel R, Coronel R, Boukens BJ, Bezieau S, Charpentier E, Chatel S, Despres A, Gros F, Kyndt F, Lecoite S, Lindenbaum P, Portero V, Violleau J, Gessler M, Tan HL, Roden DM, Christoffels VM, Le Marec H, Wilde AA, Probst V, Schott JJ, Dina C, Redon R. Common variants at SCN5A-SCN10A and HEY2 are associated with Brugada syndrome, a rare disease with high risk of sudden cardiac death. *Nat Genet* 45(9):1044-1049, 2013
7. Birnie D, Lemke B, Aonuma K, Krum H, Lee KL, Gasparini M, Starling RC, Milasinovic G, Gorcsan J, 3rd, Houmsse M, Abeyratne A, Sambelashvili A, Martin DO. Clinical outcomes

- with synchronized left ventricular pacing: analysis of the adaptive CRT trial. *Heart Rhythm* 10(9):1368-1374, 2013
8. D'Ascenzo F, Corleto A, Biondi-Zoccai G, Anselmino M, Ferraris F, di Biase L, Natale A, Hunter RJ, Schilling RJ, Miyazaki S, Tada H, Aonuma K, Yenn-Jiang L, Tao H, Ma C, Packer D, Hammill S, Gaita F. Which are the most reliable predictors of recurrence of atrial fibrillation after transcatheter ablation?: a meta-analysis. *Int J Cardiol* 167(5):1984-1989, 2013
 9. Doki K, Homma M, Kuga K, Aonuma K, Kohda Y. SCN5A promoter haplotype affects the therapeutic range for serum flecainide concentration in Asian patients. *Pharmacogenet Genomics* 23(7):349-354, 2013
 10. Fujihara K, Suzuki H, Sato A, Kodama S, Heianza Y, Saito K, Iwasaki H, Kobayashi K, Yatoh S, Takahashi A, Yamada N, Sone H, Shimano H. Carotid artery plaque and LDL-to-HDL cholesterol ratio predict atherosclerotic status in coronary arteries in asymptomatic patients with type 2 diabetes mellitus. *J Atheroscler Thromb* 20(5):452-464, 2013
 11. Hashii H, Hashimoto T, Okawa A, Shida K, Isobe T, Hanmura M, Nishimura T, Aonuma K, Sakae T, Sakurai H. Comparison of the effects of high-energy photon beam irradiation (10 and 18 MV) on 2 types of implantable cardioverter-defibrillators. *Int J Radiat Oncol Biol Phys* 85(3):840-845, 2013
 12. Hikita H, Kuroda S, Oosaka Y, Kawaguchi N, Nakashima E, Sugiyama T, Akiyama D, Kamiishi T, Kimura S, Takahashi Y, Kuwahara T, Sato A, Takahashi A, Isobe M. Impact of statin use before the onset of acute myocardial infarction on coronary plaque morphology of the culprit lesion. *Angiology* 64(5):375-378, 2013
 13. Hikita H, Shigeta T, Kojima K, Oosaka Y, Hishikari K, Kawaguchi N, Nakashima E, Sugiyama T, Akiyama D, Kamiishi T, Kimura S, Takahashi Y, Kuwahara T, Sato A, Takahashi A, Isobe M. Lipoprotein(a) is an important factor to determine coronary artery plaque morphology in patients with acute myocardial infarction. *Coron Artery Dis* 24(5):381-385, 2013
 14. Hiraoka M, Takagi M, Yokoyama Y, Sekiguchi Y, Aihara N, Aonuma K. Prognosis and risk stratification of young adults with Brugada syndrome. *J Electrocardiol* 46(4):279-283, 2013
 15. Hirata Y, Nabekura T, Maruyama H, Aonuma K, Satoh M. Elevation of plasma basic fibroblast growth factor after nocturnal hypoxic events in patients with obstructive sleep apnea syndrome. *Springerplus* 2(1):260, 2013

16. Hoshi T, Sato A, Hiraya D, Kimura T, Wang Z, Aonuma K. Multimodality intracoronary imaging in spontaneous coronary artery dissection: impacts of intravascular ultrasound, optical coherence tomography, and coronary angiography. *Catheter Cardiovasc Interv* 81(3):E151-154, 2013
17. Hoshi T, Sato A, Kakefuda Y, Harunari T, Watabe H, Ojima E, Hiraya D, Abe D, Nishina H, Takeyasu N, Noguchi Y, Aonuma K. Preventive effect of statin pretreatment on contrast-induced acute kidney injury in patients undergoing coronary angioplasty: propensity score analysis from a multicenter registry. *Int J Cardiol* doi: 10.1016/j.ijcard.2013.12.017, 2013
18. Ito H, Matsushita S, Hyodo K, Sato Y, Sakakibara Y. Using synchrotron radiation angiography with a highly sensitive detector to identify impaired peripheral perfusion in rat pulmonary emphysema. *J Synchrotron Radiat* 20(Pt 2):376-382, 2013
19. Ito H, Matsushita S, Ishikawa S, Goto Y, Sakai M, Onizuka M, Sato Y, Sakakibara Y. Significant correlation between endothelial nitric oxide synthase (eNOS) expression and alveolar repair in elastase-induced rat pulmonary emphysema. *Surg Today* 43(3):293-299, 2013
20. Ito Y, Yamasaki H, Naruse Y, Yoshida K, Kaneshiro T, Murakoshi N, Igarashi M, Kuroki K, Machino T, Xu D, Kunugita F, Sekiguchi Y, Sato A, Tada H, Aonuma K. Effect of eplerenone on maintenance of sinus rhythm after catheter ablation in patients with long-standing persistent atrial fibrillation. *Am J Cardiol* 111(7):1012-1018, 2013
21. Kaneko H, Suzuki S, Uejima T, Kano H, Matsuno S, Otsuka T, Takai H, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Sagara K, Tanabe H, Sawada H, Aizawa T, Yamashita T. Prevalence and the long-term prognosis of functional mitral regurgitation in Japanese patients with symptomatic heart failure. *Heart Vessels* doi: 10.1007/s00380-013-0448-5, 2013
22. Kaneko H, Suzuki S, Yajima J, Oikawa Y, Sagara K, Otsuka T, Matsuno S, Kano H, Uejima T, Koike A, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T. Clinical characteristics and long-term clinical outcomes of Japanese heart failure patients with preserved versus reduced left ventricular ejection fraction: a prospective cohort of Shinken Database 2004-2011. *J Cardiol* 62(2):102-109, 2013
23. Kaneko H, Yajima J, Oikawa Y, Tanaka S, Fukamachi D, Suzuki S, Sagara K, Otsuka T, Matsuno S, Funada R, Kano H, Uejima T, Koike A, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T. Recent characteristics and outcomes of Japanese stable angina

- pectoris after percutaneous coronary intervention. An observational cohort study using the Shinken Database. *Int Heart J* 54(6):335-340, 2013
24. Kaneko H, Yajima J, Oikawa Y, Tanaka S, Fukamachi D, Suzuki S, Sagara K, Otsuka T, Matsuno S, Funada R, Kano H, Uejima T, Koike A, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T. Obesity paradox in Japanese patients after percutaneous coronary intervention: an observation cohort study. *J Cardiol* 62(1):18-24, 2013
25. Kaneko H, Yajima J, Oikawa Y, Tanaka S, Fukamachi D, Suzuki S, Sagara K, Otsuka T, Matsuno S, Kano H, Uejima T, Koike A, Nagashima K, Kirigaya H, Sawada H, Aizawa T, Yamashita T. Long-term incidence and prognostic factors of the progression of new coronary lesions in Japanese coronary artery disease patients after percutaneous coronary intervention. *Heart Vessels* doi: 10.1007/s00380-013-0382-6, 2013
26. Kaneshiro T, Aonuma K. [General therapeutic strategy for atrial fibrillation]. *Nihon Rinsho* 71(1):60-66, 2013
27. Kato J, Koike A, Hoshimoto-Iwamoto M, Nagayama O, Sakurada K, Sato A, Yamashita T, Wasserman K, Aonuma K. Relation between oscillatory breathing and cardiopulmonary function during exercise in cardiac patients. *Circ J* 77(3):661-666, 2013
28. Kawamura M, Ohno S, Naiki N, Nagaoka I, Dochi K, Wang Q, Hasegawa K, Kimura H, Miyamoto A, Mizusawa Y, Itoh H, Makiyama T, Sumitomo N, Ushinohama H, Oyama K, Murakoshi N, Aonuma K, Horigome H, Honda T, Yoshinaga M, Ito M, Horie M. Genetic background of catecholaminergic polymorphic ventricular tachycardia in Japan. *Circ J* 77(7):1705-1713, 2013
29. Kawamura R, Seo Y, Ishizu T, Atsumi A, Yamamoto M, Machino-Ohtsuka T, Nakajima H, Sakai S, Tanaka YO, Minami M, Aonuma K. Feasibility of left ventricular volume measurements by three-dimensional speckle tracking echocardiography depends on image quality and degree of left ventricular enlargement: Validation study with cardiac magnetic resonance imaging. *J Cardiol* doi: 10.1016/j.jjcc.2013.08.010, 2013
30. Koshizuka R, Ishizu T, Kameda Y, Kawamura R, Seo Y, Aonuma K. Longitudinal strain impairment as a marker of the progression of heart failure with preserved ejection fraction in a rat model. *J Am Soc Echocardiogr* 26(3):316-323, 2013
31. Kumagai K, Sakamoto T, Nakamura K, Nishiuchi S, Hayano M, Hayashi T, Sasaki T, Aonuma K, Oshima S. Combined dominant frequency and complex fractionated atrial electrogram ablation after circumferential pulmonary vein isolation of atrial fibrillation. *J Cardiovasc Electrophysiol* 24(9):975-983, 2013

32. Kurosaki K, Nogami A, Shirai Y, Kowase S. Positive QRS complex in lead i as a malignant sign in right ventricular outflow tract tachycardia: comparison between polymorphic and monomorphic ventricular tachycardia. *Circ J* 77(4):968-974, 2013
33. Kuwahara T, Takahashi A, Takahashi Y, Kobori A, Miyazaki S, Takei A, Fujino T, Okubo K, Takagi K, Fujii A, Takigawa M, Watari Y, Hikita H, Sato A, Aonuma K. Prevention of periprocedural ischemic stroke and management of hemorrhagic complications in atrial fibrillation ablation under continuous warfarin administration. *J Cardiovasc Electrophysiol* 24(5):510-515, 2013
34. Kuwahara T, Takahashi A, Takahashi Y, Kobori A, Miyazaki S, Takei A, Fujino T, Okubo K, Takagi K, Fujii A, Takigawa M, Watari Y, Hikita H, Sato A, Aonuma K. Clinical characteristics and management of periesophageal vagal nerve injury complicating left atrial ablation of atrial fibrillation: lessons from eleven cases. *J Cardiovasc Electrophysiol* 24(8):847-851, 2013
35. Machino T, Tada H, Sekiguchi Y, Aonuma K. Three-dimensional visualization of the entire reentrant circuit of bundle branch reentrant tachycardia. *Heart Rhythm* 10(3):459-460, 2013
36. Machino-Ohtsuka T, Seo Y, Ishizu T, Sugano A, Atsumi A, Yamamoto M, Kawamura R, Machino T, Kuroki K, Yamasaki H, Igarashi M, Sekiguchi Y, Aonuma K. Efficacy, safety, and outcomes of catheter ablation of atrial fibrillation in patients with heart failure with preserved ejection fraction. *J Am Coll Cardiol* 62(20):1857-1865, 2013
37. Machino-Ohtsuka T, Seo Y, Ishizu T, Yanaka S, Nakajima H, Atsumi A, Yamamoto M, Kawamura R, Koshino Y, Machino T, Kuroki K, Yamasaki H, Igarashi M, Sekiguchi Y, Tada H, Aonuma K. Significant improvement of left atrial and left atrial appendage function after catheter ablation for persistent atrial fibrillation. *Circ J* 77(7):1695-1704, 2013
38. Morizumi S, Hiramatsu Y, Matsuzaki K, Goto Y, Sato S, Abe M, Kato H, Matsubara M, Sakakibara Y. Early heparin administration attenuates tissue factor-mediated thrombin generation during simulated cardiopulmonary bypass. *J Card Surg* doi: 10.1111/jocs.12254, 2013
39. Murakoshi N, Aonuma K. Epidemiology of arrhythmias and sudden cardiac death in Asia. *Circ J* 77(10):2419-2431, 2013
40. Nakano Y, Chayama K, Ochi H, Toshishige M, Hayashida Y, Miki D, Hayes CN, Suzuki H, Tokuyama T, Oda N, Suenari K, Uchimura-Makita Y, Kajihara K, Sairaku A, Motoda C, Fujiwara M, Watanabe Y, Yoshida Y, Ohkubo K, Watanabe I, Nogami A, Hasegawa K, Watanabe H, Endo N, Aiba T, Shimizu W, Ohno S, Horie M, Arihiro K, Tashiro S, Makita N,

- Kihara Y. A nonsynonymous polymorphism in semaphorin 3A as a risk factor for human unexplained cardiac arrest with documented ventricular fibrillation. *PLoS Genet* 9(4):e1003364, 2013
41. Naruse Y, Sato A, Hoshi T, Takeyasu N, Kakefuda Y, Ishibashi M, Misaki M, Abe D, Aonuma K. Triple antithrombotic therapy is the independent predictor for the occurrence of major bleeding complications: analysis of percent time in therapeutic range. *Circ Cardiovasc Interv* 6(4):444-451, 2013
42. Naruse Y, Tada H, Satoh M, Yanagihara M, Tsuneoka H, Hirata Y, Ito Y, Kuroki K, Machino T, Yamasaki H, Igarashi M, Sekiguchi Y, Sato A, Aonuma K. Concomitant obstructive sleep apnea increases the recurrence of atrial fibrillation following radiofrequency catheter ablation of atrial fibrillation: clinical impact of continuous positive airway pressure therapy. *Heart Rhythm* 10(3):331-337, 2013
43. Nishiuchi S, Nogami A, Naito S. A case with occurrence of antidromic tachycardia after ablation of idiopathic left fascicular tachycardia: mechanism of left upper septal ventricular tachycardia. *J Cardiovasc Electrophysiol* 24(7):825-827, 2013
44. Nogami Y, Ishizu T, Atsumi A, Yamamoto M, Kawamura R, Seo Y, Aonuma K. Abnormal early diastolic intraventricular flow 'kinetic energy index' assessed by vector flow mapping in patients with elevated filling pressure. *Eur Heart J Cardiovasc Imaging* 14(3):253-260, 2013
45. Nozato T, Sato A, Hirose S, Hikita H, Takahashi A, Endo H, Imanaka-Yoshida K, Yoshida T, Aonuma K, Hiroe M. Preliminary study of serum tenascin-C levels as a diagnostic or prognostic biomarker of type B acute aortic dissection. *Int J Cardiol* 168(4):4267-4269, 2013
46. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hibi K, Michishita I. Effects of statins on serum n-3 to n-6 polyunsaturated fatty acid ratios in patients with coronary artery disease. *J Cardiovasc Pharmacol Ther* 18(4):320-326, 2013
47. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hibi K, Terashima M, Michishita I. Effects of serum n-3 to n-6 polyunsaturated fatty acids ratios on coronary atherosclerosis in statin-treated patients with coronary artery disease. *Am J Cardiol* 111(1):6-11, 2013
48. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hibi K, Terashima

- M, Michishita I. Comparison of change in coronary atherosclerosis in patients with stable versus unstable angina pectoris receiving statin therapy (from the Treatment With Statin on Atheroma Regression Evaluated by Intravascular Ultrasound With Virtual Histology [TRUTH] study). *Am J Cardiol* 111(7):923-929, 2013
49. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hibi K, Terashima M, Michishita I. Comparison of effects of serum n-3 to n-6 polyunsaturated fatty acid ratios on coronary atherosclerosis in patients treated with pitavastatin or pravastatin undergoing percutaneous coronary intervention. *Am J Cardiol* 111(11):1570-1575, 2013
50. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hibi K, Terashima M, Michishita I. Comparison of the effects of pitavastatin versus pravastatin on coronary artery plaque phenotype assessed by tissue characterization using serial virtual histology intravascular ultrasound. *Heart Vessels* doi: 10.1007/s00380-013-0453-8, 2013
51. Nozue T, Yamamoto S, Tohyama S, Fukui K, Umezawa S, Onishi Y, Kunishima T, Sato A, Nozato T, Miyake S, Takeyama Y, Morino Y, Yamauchi T, Muramatsu T, Hirano T, Hibi K, Terashima M, Michishita I. Impacts of age on coronary atherosclerosis and vascular response to statin therapy. *Heart Vessels* doi: 10.1007/s00380-013-0387-1, 2013
52. Ohno I, Hayashi H, Aonuma K, Horio M, Kashihara N, Okada H, Komatsu Y, Tamura S, Awai K, Yamashita Y, Kuwatsuru R, Hirayama A, Saito Y, Murohara T, Tamaki N, Sato A, Takayama T, Imai E, Yasuda Y, Koya D, Tsubakihara Y, Horie S, Korogi Y, Narumi Y, Hayakawa K, Daida H, Node K, Kubota I. Guidelines on the use of iodinated contrast media in patients with kidney disease 2012: digest version. *Circ J* 77(7):1883-1914, 2013
53. Ohno I, Hayashi H, Aonuma K, Horio M, Kashihara N, Okada H, Komatsu Y, Tamura S, Awai K, Yamashita Y, Kuwatsuru R, Hirayama A, Saito Y, Murohara T, Tamaki N, Sato A, Takayama T, Imai E, Yasuda Y, Koya D, Tsubakihara Y, Horie S, Korogi Y, Narumi Y, Hayakawa K, Daida H, Node K, Kubota I. Guidelines on the use of iodinated contrast media in patients with kidney disease 2012: digest version. JSN, JRS, and JCS Joint Working Group. *Jpn J Radiol* 31(8):546-584, 2013
54. Ohno I, Hayashi H, Aonuma K, Horio M, Kashihara N, Okada H, Komatsu Y, Tamura S, Awai K, Yamashita Y, Kuwatsuru R, Hirayama A, Saito Y, Murohara T, Tamaki N, Sato A, Takayama T, Imai E, Yasuda Y, Koya D, Tsubakihara Y, Horie S, Korogi Y, Narumi Y, Hayakawa K, Daida H, Node K, Kubota I. Guidelines on the use of iodinated contrast media

- in patients with kidney disease 2012: digest version : JSN, JRS, and JCS Joint Working Group. *Clin Exp Nephrol* 17(4):441-479, 2013
55. Sacher F, Probst V, Maury P, Babuty D, Mansourati J, Komatsu Y, Marquie C, Rosa A, Diallo A, Cassagneau R, Loizeau C, Martins R, Field ME, Derval N, Miyazaki S, Denis A, Nogami A, Ritter P, Gourraud JB, Ploux S, Rollin A, Zemmoura A, Lamaison D, Bordachar P, Pierre B, Jais P, Pasquie JL, Hocini M, Legal F, Defaye P, Boveda S, Iesaka Y, Mabo P, Haissaguerre M. Outcome after implantation of a cardioverter-defibrillator in patients with Brugada syndrome: a multicenter study-part 2. *Circulation* 128(16):1739-1747, 2013
56. Sakuramoto H, Shimojo N, Jesmin S, Unoki T, Kamiyama J, Oki M, Miya K, Kawano S, Mizutani T. Repeated open endotracheal suctioning causes gradual desaturation but does not exacerbate lung injury compared to closed endotracheal suctioning in a rabbit model of ARDS. *BMC Anesthesiol* 13(1):47, 2013
57. Sasaki K, Matsushita S, Sato E, Tokunaga C, Hyodo K, Sakakibara Y. Cardiac sympathetic activity assessed by heart rate variability indicates myocardial ischemia on cold exposure in diabetes. *Ann Vasc Dis* 6(3):583-589, 2013
58. Schuetz GM, Schlattmann P, Achenbach S, Budoff M, Garcia MJ, Roehle R, Pontone G, Meijboom WB, Andreini D, Alkadhi H, Honoris L, Bettencourt N, Hausleiter J, Leschka S, Gerber BL, Meijjs MF, Shabestari AA, Sato A, Zimmermann E, Schoepf UJ, Diederichsen A, Halon DA, Mendoza-Rodriguez V, Hamdan A, Norgaard BL, Brodoefel H, Ovrehus KA, Jenkins SM, Halvorsen BA, Rixe J, Sheikh M, Langer C, Martuscelli E, Romagnoli A, Scholte AJ, Marcus RP, Ulmoen GR, Nieman K, Mickley H, Nikolaou K, Tardif JC, Johnson TR, Muraglia S, Chow BJ, Maintz D, Laule M, Dewey M. Individual patient data meta-analysis for the clinical assessment of coronary computed tomography angiography: protocol of the Collaborative Meta-Analysis of Cardiac CT (CoMe-CCT). *Syst Rev* 2:13, 2013
59. Sekiguchi Y, Aonuma K, Takagi M, Aihara N, Yokoyama Y, Hiraoka M. New clinical and electrocardiographic classification in patients with idiopathic ventricular fibrillation. *J Cardiovasc Electrophysiol* 24(8):902-908, 2013
60. Seo Y, Yamasaki H, Kawamura R, Ishizu T, Igarashi M, Sekiguchi Y, Tada H, Aonuma K. Left ventricular activation imaging by 3-dimensional speckle-tracking echocardiography. Comparison with electrical activation mapping. *Circ J* 77(10):2481-2489, 2013
61. Seto K, Uchida F, Baba O, Yamatoji M, Karube R, Warabi E, Sakai S, Hasegawa S, Yamagata K, Yanagawa T, Onizawa K, Miyoshi E, Shoda J, Bukawa H. Negative expression

- of N-acetylglucosaminyltransferase V in oral squamous cell carcinoma correlates with poor prognosis. *Springerplus* 2:657, 2013
62. Suzuki S, Sagara K, Otsuka T, Kano H, Matsuno S, Takai H, Uejima T, Oikawa Y, Koike A, Nagashima K, Kirigaya H, Yajima J, Tanabe H, Sawada H, Aizawa T, Yamashita T. Effects of smoking habit on the prevalence of atrial fibrillation in Japanese patients with special reference to sex differences. *Circ J* 77(12):2948-2953, 2013
63. Suzuki S, Sagara K, Otsuka T, Kano H, Matsuno S, Takai H, Uejima T, Oikawa Y, Koike A, Nagashima K, Kirigaya H, Yajima J, Tanabe H, Sawada H, Aizawa T, Yamashita T. "Blue letter effects": Changes in physicians' attitudes toward dabigatran after a safety advisory in a specialized hospital for cardiovascular care in Japan. *J Cardiol* 62(6):366-373, 2013
64. Suzuki S, Sagara K, Otsuka T, Kano H, Matsuno S, Takai H, Uejima T, Oikawa Y, Koike A, Nagashima K, Kirigaya H, Yajima J, Tanabe H, Sawada H, Aizawa T, Yamashita T. Usefulness of frequent supraventricular extrasystoles and a high CHADS2 score to predict first-time appearance of atrial fibrillation. *Am J Cardiol* 111(11):1602-1607, 2013
65. Tajiri K, Shimojo N, Sakai S, Machino-Ohtsuka T, Imanaka-Yoshida K, Hiroe M, Tsujimura Y, Kimura T, Sato A, Yasutomi Y, Aonuma K. Pitavastatin regulates helper T-cell differentiation and ameliorates autoimmune myocarditis in mice. *Cardiovasc Drugs Ther* 27(5):413-424, 2013
66. Takagi M, Aonuma K, Sekiguchi Y, Yokoyama Y, Aihara N, Hiraoka M. The prognostic value of early repolarization (J wave) and ST-segment morphology after J wave in Brugada syndrome: multicenter study in Japan. *Heart Rhythm* 10(4):533-539, 2013
67. Tokunaga C, Hiramatsu Y, Kanemoto S, Takahashi-Igari M, Abe M, Horigome H, Sakakibara Y. Effects of landiolol hydrochloride on intractable tachyarrhythmia after pediatric cardiac surgery. *Ann Thorac Surg* 95(5):1685-1688, 2013
68. Wang Z, Sato A, Akiyama D, Kimura T, Tajiri K, Hoshi T, Sakai S, Koike A, Miyauchi T, Aonuma K. Clinical value of plasma pentraxin 3 levels for predicting cardiac troponin elevation after percutaneous coronary intervention. *Life Sci* doi: 10.1016/j.lfs.2013.11.021, 2013
69. Watabe H, Sato A, Hoshi T, Obara K, Kawamura R, Aonuma K. Dislodged and mechanically distorted stent stuck within a previously implanted drug-eluting stent. *Heart Vessels* 28(4):541-545, 2013
70. Watanabe H, Kawarazaki M, Yoshida K, Sato A. Wearable ECG monitoring and alerting system associated with smartphone: iHeart. *International Journal of E-Health and Medical*

Communications 4(4):1-15, 2013

71. Yamasaki H, Kaneshiro T, Sekiguchi Y, Tada H, Aonuma K. Ischemic esophageal ulceration that developed after an early endoscopic surveillance in a patient receiving catheter ablation for atrial fibrillation. *Circulation* 127(21):e635-636, 2013
72. Yamasaki H, Tada H, Arimoto T, Sekiguchi Y, Sato A, Aonuma K. Coronary venous lead implantation after an evaluation by virtual histology intravascular ultrasound and stenting of a stenosis. *Pacing Clin Electrophysiol* 36(2):e59-63, 2013

2) 英文以外の論文

1. 青沼和隆. 心房細動カテーテルアブレーション治療. *心臓* 45(6):735-737, 2013
2. 青山結希, 青沼和隆, 瀬尾由広, 石津智子, 川村龍, 町野智子, 山本昌良, 渥美安紀子, 榎本真美, 佐藤誠. 心不全患者に対する陽圧換気療法の効果. *日本心臓病学会誌* 8(Suppl.I):479, 2013
3. 浅川哲也, 中川和也, 望田哲司, 松村国佳, 山内康熙, 山崎浩, 青沼和隆. 非持続性心室頻拍様心電図所見と Mobitz II 型の偽性第 2 度房室ブロック所見を呈した心室二重応答の 1 例. *臨床心臓電気生理* 36:169-176, 2013
4. 安達亨, 吉田健太郎, 山崎浩, 五十嵐都, 関口幸夫, 石津智子, 瀬尾由広, 冨田浩, 久賀圭祐, 青沼和隆. 心室 3 点ペーシングの有効性が確認された拡張型心筋症による重症左心不全の 1 例. *Therapeutic Research* 34(1):85-87, 2013
5. 渥美安紀子, 石津智子, 瀬尾由広, 青沼和隆. 心臓再同期療法の効果予測における右室機能評価の付加的価値 START 研究からの検討. *超音波医学* 40(Suppl.):S467, 2013
6. 五十嵐都, 青沼和隆. 不整脈 心房細動のカテーテルアブレーションの新しいエビデンス 適応と成績を中心に. *Annual Review 循環器* 2013:145-151, 2013
7. 五十嵐都, 村越伸行, 許東洙, 冨田浩, 関口幸夫, 山崎浩, 黒木健志, 町野毅, 井藤葉子, 石津智子, 瀬尾由広, 久賀圭祐, 青沼和隆. 高血圧ラットにおけるアミオダロンの心房細動抑制のメカニズムについて ペプリジルとの比較検討. *Progress in Medicine* 33(Suppl.1):698-703, 2013
8. 石津智子, 青沼和隆. 【進化した 3D イメージング(後編)-超音波検査の見かた・撮りかた】 総論. *CIRCULATION Up-to-Date* 8(4):380-389, 2013
9. 石津智子, 瀬尾由広, 関口幸夫, 青沼和隆. WPW 症候群における心エコー 3 次元スペクトルトラッキング法を用いた副伝導路の評価. *日本心臓病学会誌* 8(Suppl.I):378, 2013
10. 井藤葉子, 野上昭彦, 山崎浩, 成瀬代士久, 黒木健志, 町野毅, 五十嵐都, 関口幸夫, 青沼和隆. 長期持続型心房細動に対するカテーテルアブレーションにおけるレニン-アン

- ジオテンシン-アルドステロン系阻害薬の併用効果について. 日本心臓病学会誌 8(Suppl.I):383, 2013
11. 今井章人, 渡邊寛, 佐藤藤夫, 平松祐司, 榊原謙. 肋間動脈瘤と脊髄神経症状を合併した成人型大動脈縮窄症の1手術例. 日本血管外科学会雑誌 22(4):747 2013
 12. 岩瀧麻衣, 瀬尾由広, 永田泰史, 桑木恒, 大谷恭子, 芳谷英俊, 竹内正明, 尾辻豊, 青沼和隆. 心臓再同期療法による左室機能改善の局在 2次元スペックルトラッキング法を用いた検討. 日本心臓病学会誌 8(Suppl.I):609, 2013
 13. 榎本真美, 石津智子, 瀬尾由広, 酒井俊, 青沼和隆, 鈴木浩明, 川上康, 島野仁. 糖尿病における左房 stiffness と血清レプチンとの関連. 成人病と生活習慣病 43(5):635, 2013
 14. 榎本真美, 石津智子, 瀬尾由広, 酒井俊, 鈴木浩明, 川上康, 島野仁, 青沼和隆. 糖尿病における左房 stiffness と血清レプチンとの関連. 日本成人病(生活習慣病)学会会誌 39:72, 2013
 15. 大塚紗土美, 瀬尾由広, 根崎里美, 小林紘子, 中島英樹, 飯田典子, 酒巻文子, 上牧隆, 石津智子, 青沼和隆. 術後仮性心室瘤を生じた劇症型感染性心内膜炎の一例. 超音波医学 40(2):219, 2013
 16. 奥村謙, 相澤義房, 相原直彦, 青沼和隆, 沖重薫, 熊谷浩一郎, 庄田守男, 住友直方, 高橋淳, 内藤滋人, 中村好秀, 野上昭彦, 平尾見三, 松本万夫, 村川裕二, 山根禎一, 大和田真玄, 佐々木真吾, 里見和浩, 冨田浩, 池主雅臣, 蜂谷仁, 新博次, 家坂義人, 櫻田春水, 筒井裕之, 三田村秀雄, 日本循環器学会. 循環器病の診断と治療に関するガイドライン (2010-2011 年度合同研究班報告) カテーテルアブレーションの適応と手技に関するガイドライン. 循環器病の診断と治療に関するガイドライン 2012:3-67, 2013
 17. 奥村謙, 相澤義房, 相原直彦, 青沼和隆, 沖重薫, 熊谷浩一郎, 庄田守男, 住友直方, 高橋淳, 内藤滋人, 中村好秀, 野上昭彦, 平尾見三, 松本万夫, 村川裕二, 山根禎一, 大和田真玄, 佐々木真吾, 里見和浩, 冨田浩, 池主雅臣, 蜂谷仁, 新博次, 家坂義人, 櫻田春水, 筒井裕之, 三田村秀雄, 日本循環器学会. 循環器病の診断と治療に関するガイドライン (2010-2011 年度合同研究班報告) 【ダイジェスト版】 カテーテルアブレーションの適応と手技に関するガイドライン. 循環器病の診断と治療に関するガイドライン 2012:69-88, 2013
 18. 柏原直樹, 今井圓裕, 青沼和隆, 林宏光. 【造影剤腎症】. Nephrology Frontier 12(3):244-252, 2013
 19. 加藤愛章, 高橋実穂, 林立申, 中村昭宏, 石川伸行, 今川和生, 野崎良寛, 関口幸夫, 青沼和隆, 堀米仁志. Changelopathy の管理 そのエビデンス カテコラミン誘発多形性心室頻拍に対する非薬物治療. 日本小児循環器学会雑誌 29(Suppl.):s95, 2013

20. 金城貴士, 青沼和隆. 【心房細動-診断・治療の最新動向-】 心房細動の治療 心房細動に対する治療総論. 日本臨床 71(1):60-66, 2013
21. 金城貴士, 青沼和隆. 【進歩する慢性心不全の治療-薬物治療と非薬物治療の最前線を学ぶ】 ここまで進化した非薬物治療 CD と CRT. Mebio 30(1):60-66, 2013
22. 川松直人, 石津智子, 玄哲樹, 会田敏, 木全啓, 酒井俊介, 佐藤希美, 菅野昭憲, 加藤穰, 川辺正之, 許東洙, 木村泰三, 原唯史, 榎本佳治, 瀬尾由広, 青沼和隆. 大動脈弁置換術後の弁不全において PET-CT が治療方針決定に有用であった自己免疫性血管炎. 日本心臓病学会誌 8(Suppl.I):676, 2013
23. 川松直人, 瀬尾由広, 中島英樹, 佐藤希美, 菅野昭憲, 渥美安紀子, 山本昌良, 町野智子, 井藤葉子, 黒木健志, 山崎浩, 川村龍, 五十嵐都, 関口幸夫, 石津智子, 青沼和隆. ペースメーカーリード起因性三尖弁逆流症の有病率及びリスクファクターについての検討. 日本心臓病学会誌 8(Suppl.I):289, 2013
24. 許東洙, 村越伸行, 青沼和隆. 【心腎貧血連関】 慢性腎臓病と心房細動発症のリスク. 循環器内科 74(5):479-483, 2013
25. 黒木健志, 青沼和隆. 【循環器医の腕の魅せどころ-進化するデバイスを使いこなす】 心機能低下例に対する ICD 治療 不適切作動回避のための ICD 設定と薬物療法の実際. Circulation 3(2):35-42, 2013
26. 酒井俊, 蕨栄次, 柳川徹, 青沼和隆, 宮内卓, 石井哲郎. p62 遺伝子欠損肥満モデルマウスにおける血圧動態の解析. 日本高血圧学会臨床高血圧フォーラムプログラム・抄録集 2 回:159, 2013
27. 酒巻文子, 瀬尾由広, 山本昌良, 大塚聡美, 根崎里美, 小林紘子, 飯田典子, 中島英樹, 石津智子, 青沼和隆. CRT 後に残存する高度左室拡張障害と予後の関連について. 超音波検査技術 38(Suppl.):S166, 2013
28. 坂元雄介, 縮恭一, 鳥羽清志郎, 赤星博和, 川上康, 町野毅, 黒木健志, 山崎浩, 五十嵐都, 関口幸夫, 青沼和隆. 当院のカテーテル・アブレーション業務における臨床工学技士の取り組みと現状. 日本臨床工学技士会誌 48:147, 2013
29. 坂元雄介, 縮恭一, 鳥羽清志郎, 赤星博和, 山本純偉, 平谷太吾, 春成智彦, 秋山大樹, 星智也, 佐藤明, 青沼和隆. 低分子デキストランを使用したフラッシュ法による FD-OCT の画像評価についての検討. 日本心血管インターベンション治療学会誌 5(Suppl.I):720, 2013
30. 佐藤明, 青沼和隆. 【心筋症の画像診断】 たこつぼ心筋症の画像診断. 循環器内科 73(4):423-429, 2013
31. 佐藤明, 関口幸夫, 野上昭彦, 青沼和隆. 虚血と不整脈 急性冠症候群に伴う不整脈と

- その対処. 心電図 33(Suppl.4):S-4-74, 2013
32. 佐藤希美, 瀬尾由広, 石津智子, 竹内正明, 出雲昌樹, 鈴木健吾, 山下英治, 大島茂, 三宅良彦, 尾辻豊, 青沼和隆. 低流量低圧較差重症大動脈弁狭窄症の予後評価における Longitudinal strain の有用性. 日本心臓病学会誌 8(Suppl.I):371, 2013
 33. 佐藤希美, 瀬尾由広, 竹内正明, 出雲昌樹, 山下英治, 大島茂, 三宅良彦, 尾辻豊, 青沼和隆. 重症大動脈弁狭窄症のエコー指標による予後評価の検討. 超音波医学 40(Suppl.):S501, 2013
 34. 白井康大, 野上昭彦, 荻ノ沢泰司, 小和瀬晋弥, 黒崎健司, 村瀬達彦, 篠田康俊, 佐々木法常, 福澤朋幸, 西山大樹, 青木元, 柚本和彦, 玉木利幸, 加藤健一. 頻拍中のみ心室刺激による室房伝導を認め, 機序として遅伝導路の順行性潜在伝導が考えられた Long RP' 頻拍の 1 例. 臨床心臓電気生理 36:117-126, 2013
 35. 菅野昭憲, 瀬尾由広, 渥美安紀子, 山本昌良, 町野智子, 針村佳江, 川村龍, 石津智子, 青沼和隆. QRS 幅の狭い左室収縮障害患者における心筋線維化と左室非同期の関連. 超音波医学 40(Suppl.):S641, 2013
 36. 菅野昭憲, 瀬尾由広, 渥美安紀子, 山本昌良, 町野智子, 針村佳江, 川村龍, 榎本真美, 石津智子, 青沼和隆. 肥大型心筋症患者における不整脈イベントと 2 次元スペクトルトラッキング法との関連. 日本内科学会雑誌 102(Suppl.):165, 2013
 37. 菅野昭憲, 瀬尾由広, 佐藤希美, 渥美安紀子, 山本昌良, 町野智子, 針村佳江, 川村龍, 石津智子, 野口祐一, 青沼和隆. 肥大型心筋症における左室 longitudinal strain と不整脈イベントとの関連. 日本心臓病学会誌 8(Suppl.I):561, 2013
 38. 鈴木篤, 山内康熙, 柳下敦彦, 佐藤弘典, 川初寛道, 臼井英祐, 宮崎亮一, 山口徹雄, 小西裕二, 原信博, 梅本朋幸, 宮本貴庸, 尾林徹, 田尾進, 平尾見三, 青沼和隆. 高位右房中隔での焼灼により根治し得た peri-mitral atrial flutter の 1 例. 心臓 45(Suppl.3):61-67, 2013
 39. 瀬尾由広, 青沼和隆. 心臓再同期療法のエビデンス 心エコーによるレスポンス予測 J-CRT、START 研究から. 日本心臓病学会誌 8(Suppl.I):184, 2013
 40. 瀬尾由広, 青沼和隆. リバーズ・リモデリングへの挑戦 リバーズ・リモデリングへの挑戦 CRT. 日本心臓病学会誌 8(Suppl.I):222, 2013
 41. 関口幸夫, 野上昭彦, 黒木健志, 町野毅, 山崎浩, 五十嵐都, 青沼和隆. 3D マッピング・イメージングを用いた不整脈の診断と治療 CARTO システムを用いた VT アブレーション. 心電図 33(Suppl.4):S-4-84, 2013
 42. 田尾進, 山内康熙, 岡田寛之, 前田真吾, 鍵山暢之, 小西裕二, 原信博, 山口徹雄, 内藤貴基, 宮崎亮一, 梅本朋幸, 宮本貴庸, 尾林徹, 平尾見三, 青沼和隆. 肺静脈隔離中に肺静脈左房間の偽性一方向性伝導の所見を認めた持続性心房細動の 1 例. 臨床心臓電気生理

36:1-8, 2013

43. 縮恭一, 佐藤明, 坂元雄介, 山本純偉, 酒井俊介, 平谷太吾, 田尻和子, 木村泰三, 星智也, 青沼和隆. Everolimus-Eluting stent 留置後のステント内新生内膜被膜状態をウサギモデル及び臨床症例での血管内視鏡所見と OCT の検討. 日本心血管インターベンション治療学会誌 5(Suppl.I):730, 2013
44. 縮恭一, 関口幸夫, 坂元雄介, 赤星博和, 茂木芳賢, 古垣達也, 山本純偉, 油井慶晃, 石津智子, 瀬尾由広, 河野了, 青沼和隆, 吉川裕之, 宮園弥生, 榊原謙. 慢性心不全患者の出産時に補助循環およびスワングantz・カテーテル使用下での周産期治療の関わりについて. 日本臨床工学技士会誌 48:192, 2013
45. 縮恭一, 関口幸夫, 福田隆徳, 鳥羽清志郎, 茂木芳賢, 坂元雄介, 赤星博和, 古垣達也, 山本純偉, 安達亨, 黒木健志, 町野毅, 山崎浩, 五十嵐都, 青沼和隆. Non-ischemic VT-ABL 中に誘発された VT が DC にても改善せず補助循環と ABL によって治療した 1 例. 日本臨床工学技士会誌 48:147, 2013
46. 土岐浩介, 関口幸夫, 久賀圭祐, 青沼和隆, 本間真人. β 1-アドレナリン受容体 Arg389Gly 遺伝子多型がフレカイニドの治療効果におよぼす影響. 臨床薬理 44(Suppl.):S236, 2013
47. 土岐浩介, 本間真人, 久賀圭祐, 青沼和隆, 幸田幸直. フレカイニド光学異性体濃度測定のための逆相 HPLC. TDM 研究 30(3):199, 2013
48. 徳永千穂. 【古くて新しい心臓病-成人先天性心疾患】 Eisenmenger 症候群. 成人病と生活習慣病 43(2):218-222, 2013
49. 中島英樹, 瀬尾由広, 佐藤希美, 菅野昭憲, 渥美安紀子, 山本昌良, 川村龍, 榎本真美, 石津智子, 青沼和隆. <教育に活かす>超音波検査士に望まれる画像調整とレポート作成 診断価値のある画像と臨床医が求める検査レポートとはなにか. 超音波医学 40(Suppl.):S186, 2013
50. 成瀬代士久, 小和瀬晋弥, 黒崎健司, 安倍大輔, 吉田健太郎, 武安法之, 青沼和隆. 右室心尖部ペーシングが左室一回拍出量に与える悪影響. 日本心臓病学会誌 8(Suppl.I):306, 2013
51. 成瀬代士久, 瀬尾由広, 青沼和隆. 【不整脈の非薬物療法】 治す もう一步進んだデバイスの植え込みと管理 CRT-P と CRT-D の選択と最適化の妙. Heart View 17(10):1142-1147, 2013
52. 西内英, 内藤滋人, 佐々木健人, 塚田直史, 早野護, 福家悦子, 三樹祐子, 坂本有, 中村啓二郎, 中村紘規, 粕野健一, 熊谷浩司, 大島茂, 野上昭彦. 多極電極カテーテルで記録された左室中中隔前収縮期電位を指標にとし, アブレーションに成功した上部中隔型特

- 発性左側心室頻拍 (ILVT) の 1 例. 臨床心臓電気生理 36:211-222, 2013
53. 野上昭彦. 基礎心疾患のない持続性心室頻拍の治療. *Medicina* 50(13):2216-2220, 2013
54. 野上昭彦. 侵襲的治療の現状と可能性. *最新医学* 68:1552-1563, 2013
55. 野上佳恵, 瀬尾由広, 渥美安紀子, 山本昌良, 石津智子, 青沼和隆. 高齢者高血圧症例における Wave-Intensity の意義について. *超音波医学* 40(Suppl.):S449, 2013
56. 野寺穰, 武田寛人, 渡邊俊介, 金澤晃子, 石田悟朗, 遠藤教子, 新妻健夫, 小松宣夫, 竹石恭知, 関口幸夫, 青沼和隆. 如何なる方法にても停止困難な持続性心室頻拍に対し、緊急で心外膜アプローチにてアブレーションに成功した心サルコイドーシスの 1 例. *心電図* 33(Suppl.4):S-4-192, 2013
57. 羽鳥光晴, 中西啓太, 酒井俊介, 小原健一, 前田裕史, 青沼和隆. 胸痛を主訴に来院した局所心筋炎の 2 症例. *日本心臓病学会誌* 8(Suppl.I):668, 2013
58. 古垣達也, 高橋宏, 茂木芳賢, 森谷忠生, 川上康, 榊原謙. 二度にわたる自然災害の被害 (大震災・竜巻) と防災訓練の効果. *体外循環技術* 40(1):67-71, 2013
59. 星智也, 青沼和隆. 【循環器疾患の診断と治療(II)】 不安定狭心症. *医学と薬学* 69(5):751-760, 2013
60. 星智也, 青沼和隆. 【ACS の診断と治療】 ACS の不整脈. *Circulation* 3(5):92-102, 2013
61. 本田洵也, 渡辺重行, 外山昌弘, 五十野博基, 住谷智恵子, 黒田裕久, 仁科秀崇. V1 の T 波が陽性の右脚ブロックは何を意味するか. *茨城循環器研究会雑誌* 20:71-74, 2013
62. 町野智子, 瀬尾由広, 石津智子, 五十嵐都, 関口幸夫, 青沼和隆. Elimination of Atrial Fibrillation by Catheter Ablation Suppresses Adverse Cardiac Events in HFPEF. *日本心臓病学会誌* 8(Suppl.I):172, 2013
63. 宮内裕美, 酒井俊, ジェスミン・サブリーナ, 下條信威, 本間覚, 前田清司, 渡辺重行, 青沼和隆, 宮内卓. エンドセリン A/B デュアル受容体遮断薬の心臓血管系と腎臓に対する効果 高血圧肥大心、糖尿病性心筋症、高血圧性血管障害のモデルにおいて. *日本高血圧学会臨床高血圧フォーラムプログラム・抄録集* 2 回:179, 2013
64. 村越伸行, 青沼和隆. 【高血圧診療のすべて】 高血圧治療の実際 合併症を有する高血圧患者の薬物療法 心房細動の血圧管理. *日本医師会雑誌* 142(特別 1):S244-S246, 2013
65. 安島良輝子, 梅津努, 助川みわこ, 五十嵐都, 山崎浩, 関口幸夫, 青沼和隆. アブレーション治療におけるメディカルスタッフの連携 アブレーションにおける看護師の役割. *日本心臓病学会誌* 8(Suppl.I):206, 2013
66. 柳下敦彦, 山内康熙, 佐藤弘典, 山下周, 平尾龍彦, 川初寛道, 白井英祐, 宮崎亮一, 山口徹雄, 原信博, 梅本朋幸, 宮本貴庸, 尾林徹, 平尾見三, 青沼和隆. Termination without

global capture を認めた部位での通電により心室頻拍の停止が得られなかった陳旧性心筋梗塞の 1 例. 心電図 33(Suppl.4):S-4-157, 2013

67. 山崎浩, 青沼和隆. 【循環器病学における臨床研究-いかに確実に臨床に還元するか】 循環器臨床研究の展望 不整脈疾患に対する新規治療アプローチ 有効性と安全性の向上をめざして. 医学のあゆみ 244(13):1335-1338, 2013
68. 山崎浩, 青沼和隆. 【最新の心房細動の診療】 心房細動の治療 カテーテルアブレーション治療. 臨牀と研究 90(9):1180-1185, 2013
69. 山崎浩, 関口幸夫, 多田浩, 町野毅, 黒木健志, 成瀬代士久, 井藤葉子, 五十嵐都, 吉田健太郎, 青沼和隆. "時計"および"反時計"方向に巡回する 2 種の Localized Reentry が認められた僧帽弁輪峡部焼灼術後の 1 例. 臨床心臓電気生理 36:55-63, 2013
70. 山本昌良, 瀬尾由広, 川松直人, 佐藤希美, 菅野昭憲, 渥美安紀子, 町野智子, 中島英樹, 石津智子, 青沼和隆. 左房圧の上昇は左心耳を拡大させるか. 超音波医学 40(Suppl.):S471, 2013

3) 英文著書

1. Miyauchi T, Goto K. 190. Endothelins; in "Handbook of biologically active peptides (1st edition)" (edited by Kastin A J), Academic Press (Elsevier Inc.) (San Diego) 2013; pp1402-1407
2. Nogami A, Olshansky B. Chapter 83. Bundle Branch Reentry Tachycardia; in "Cardiac Electrophysiology: From Cell to Bedside (6th edition)" (edited by Zipes D P, Jalife J), Elsevier (Philadelphia) 2013; pp835-847

4) 英文以外の著書

1. 青沼和隆. 第 6 章. カテーテル・アブレーション; "今日の治療指針 -私はこう治療している-(2013 年)" (編集 山口徹, 北原三夫, 福井次矢), 医学書院 (東京) 2013; pp331-332
2. 五十嵐都, 青沼和隆. 第 4 章. 心房細動のカテーテルアブレーションの新しいエビデンス -適応と成績を中心に; "循環器 (Annual Review 2013)" (編集 小室一成, 佐地勉, 坂田隆造, 赤坂隆史), 中外医学社 (東京) 2013; pp145-151
3. 金城貴士, 青沼和隆. 第 4 章. 心房細動に対する治療総論; "日本臨牀 (第 71 版)" 日本臨牀社 (東京) 2013; pp60-66
4. 黒木健志, 青沼和隆. 第 4 章. 心機能低下例に対する ICD 治療; "月刊循環器 2013 年 2 月号 (第 1 版)" (編集 島本和明, 小川聡, 松崎益徳, 竹中克, 小室一成, 山科章, 代田浩之, 三田村秀雄), 医学出版 (東京) 2013; pp35-42

5. 榊原謙. 筑波大学における新しい医学教育の祖.堀 原一; "医学教育 (第 1 版)", 篠原出版新社 (東京) 2013; pp457
6. 榊原謙. 桐で生い立つ若者たち; "桐医会会報 (第 1 版)", 桐医会 (茨城) 2013; pp26-38
7. 佐藤明, 青沼和隆. 特集. 急性冠症候群に併発する不整脈; "日本医師会雑誌 (第 141 巻 12 号)" (編集 跡見裕, 北川泰久, 足立満, 五十嵐隆, 磯部光章, 井廻道夫, 岩本安彦, 大曲貴夫, 小川郁, 片山一朗, 木村理, 黒川峰夫, 児玉浩子, 杉浦真弓, 田中栄, 寺崎浩子, 寺本明, 花岡一雄, 廣澤信作, 福田国彦, 松尾清一, 丸茂健, 三村将, 弓倉整), 日本医師会 (東京) 2013; pp2665-2668
8. 関口幸夫, 青沼和隆. 第 2 章. 緊急を要する不整脈の処置; "今日の循環器疾患治療指針 (第 3 版)" (編集 井上博, 許俊悦, 檜垣寛男, 代田浩之, 筒井裕之), 医学書院 (東京) 2013; pp85-88
9. 星智也, 青沼和隆. 第 12 章. ACS の不整脈; "月刊循環器 Circulation" (編集 医学出版 (東京) 2013; pp92-102
10. 村越伸行, 青沼和隆. 第 6 章. 心房細動の血圧管理; "日本医師会雑誌 高血圧診療のすべて (第 142 巻 特別号)" (編集 刈尾七臣, 斎藤能彦, 長谷部直幸, 弓倉整), 日本医師会 (東京) 2013; pp244-266

女性の健康と母性看護学に関連する研究

1) 英文論文

1. Kawano A, Emori Y. Changes in maternal secretory immunoglobulin a levels in human milk during 12 weeks after parturition. *Am J Hum Biol* 25(3):399-403, 2013
2. Koizumi H, Hotta K. Processing the experience of midwives who have opened and maintained a private practice. *Medicine and Biology* 157(6(3)):1284-1288, 2013
3. Koizumi H, Saeki Y, Kawano A, Sankai C. Demographic factors, resilience, and occupational stress symptoms among female nurses in Japan. *Medicine and Biology* 157(2):191-200, 2013
4. Koizumi H, Takayama N. Career development of hospital midwives; The experience process before reaching the mid-level. *Medicine and Biology* 157(6(3)):1278-1283, 2013
5. Takayama N, Emori Y, Takayama M, Koizumi H. Oral Environment of Pregnant Women and Factors Associated with the Presence of Streptococcus Mutans. *General Medicine* 14(1):48-56, 2013

2) 英文以外の論文

1. 大森美保, 江守陽子, 日高紀久江. 回復期リハビリ病棟における運動器系疾患患者の日常生活機能評価得点と退院先との関連. 日本プライマリ・ケア連合学会誌 36(3):186-190, 2013
2. 岡島梨花, 村井文江, 江守陽子. コンドーム使用教育がその後のコンドーム使用行動に与える有効性の検討 高校生に対する調査から. 思春期学 31(1):57-58, 2013
3. 岡本佐智子, 江守陽子. 商業的マッサージと看護技術としてのマッサージについての考察. 看護実践の科学 38(13):59-64, 2013
4. 楠見由里子, 江守陽子. 妊娠女性の冷え症と周産期アウトカムとの関連. 日本助産学会誌 27(1):40-47, 2013
5. 小泉仁子, 川野亜津子, 山海千保子, 佐伯由香. 女性看護師の職業性ストレス反応と個人背景およびレジリエンスとの関連 Demographic factors, resilience, and occupational stress symptoms among female nurses in Japan. 医学と生物学 157(2):191-200, 2013
6. 山海千保子, 江守陽子, 佐藤康江. 「育児ストレス絵画テスト」の作成 P-F スタディをモデルとして. Health Sciences 29(2):65-74, 2013
7. 鶴巻陽子, 江守陽子, 村井文江, 永井泰, 小笠原加代子, 石渡勇. 不妊治療の長期化が女性の日常生活と健康に与える影響について. 母性衛生 54(1):78-85, 2013
8. 中田久恵, 村井文江, 江守陽子. 初めて育児をする母親が離乳をとおして母親役割を獲得していくプロセス 離乳後期における母親役割獲得の質的研究. 母性衛生

54(1):69-77, 2013

9. 南雲史代, 村井文江, 江守陽子. 低出生体重児を持つ母親の育児に対する自信に関連する要因の検討 レジリエンスに焦点をあてて. 小児保健研究 72(4):500-507, 2013

聴覚障害発症機序の解明に関する検討

1) 英文論文

1. Ano S, Morishima Y, Ishii Y, Yoh K, Yageta Y, Ohtsuka S, Matsuyama M, Kawaguchi M, Takahashi S, Hizawa N. Transcription factors GATA-3 and ROR γ are important for determining the phenotype of allergic airway inflammation in a murine model of asthma. *J Immunol* 190(3):1056-1065, 2013
2. Fujishiro SH, Nakano K, Mizukami Y, Azami T, Arai Y, Matsunari H, Ishino R, Nishimura T, Watanabe M, Abe T, Furukawa Y, Umeyama K, Yamanaka S, Ema M, Nagashima H, Hanazono Y. Generation of naive-like porcine-induced pluripotent stem cells capable of contributing to embryonic and fetal development. *Stem Cells Dev* 22(3):473-482, 2013
3. Hamanaka S, Ooehara J, Morita Y, Ema H, Takahashi S, Miyawaki A, Otsu M, Yamaguchi T, Onodera M, Nakauchi H. Generation of transgenic mouse line expressing Kusabira Orange throughout body, including erythrocytes, by random segregation of provirus method. *Biochem Biophys Res Commun* 435(4):586-591, 2013
4. Hasegawa Y, Daitoku Y, Sekiguchi K, Tanimoto Y, Mizuno-Iijima S, Mizuno S, Kajiwara N, Ema M, Miwa Y, Mekada K, Yoshiki A, Takahashi S, Sugiyama E, Yagami K. Novel ROSA26 Cre-reporter knock-in C57BL/6N mice exhibiting green emission before and red emission after Cre-mediated recombination. *Exp Anim* 62(4):295-304, 2013
5. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of beta cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
6. Kudo T, Sato T, Hagiwara K, Kozuma Y, Yamaguchi T, Ikehara Y, Hamada M, Matsumoto K, Ema M, Murata S, Ohkohchi N, Narimatsu H, Takahashi S. C1gal1-deficient mice exhibit thrombocytopenia due to abnormal terminal differentiation of megakaryocytes. *Blood* 122(9):1649-1657, 2013
7. Nishimoto M, Katano M, Yamagishi T, Hishida T, Kamon M, Suzuki A, Hirasaki M, Nabeshima Y, Nabeshima Y, Katsura Y, Satta Y, Deakin JE, Graves JA, Kuroki Y, Ono R, Ishino F, Ema M, Takahashi S, Kato H, Okuda A. In vivo function and evolution of the eutherian-specific pluripotency marker UTF1. *PLoS One* 8(7):e68119, 2013
8. Oishi H, Tsubaki T, Miyazaki T, Ono M, Nose M, Takahashi S. A bacterial artificial chromosome transgene with polymorphic Cd72 inhibits the development of glomerulonephritis and vasculitis in MRL-Fas^{lpr} lupus mice. *J Immunol* 190(5):2129-2137, 2013

9. Shimbo M, Ando S, Sugiura N, Kimata K, Ichijo H. Moderate repulsive effects of E-unit-containing chondroitin sulfate (CSE) on behavior of retinal growth cones. *Brain Res* 1491:34-43, 2013
10. Uemaetomari I, Wada T, Nishimura B, Tanaka S, Nakayama M, Ashizawa K, Tabuchi K, Minami Y, Hara A. Vessel sealing device in parotid gland surgery: clinical and pathological study. *Advances in Cancer Research & Treatment* doi:10.5171/2013.992721, 2013

2) 英文以外の論文

1. 芦澤圭, 田淵経司, 田中秀峰, 廣瀬由紀, 原晃. 鼻腔に発生したグロムス血管周皮腫例. 耳鼻咽喉科臨床 106(8):705-710, 2013
2. 上前泊功, 芦澤圭, 中山雅博, 田中秀峰, 西村文吾, 田淵経司, 和田哲郎, 高橋邦明, 原晃. 喉頭摘出後の気管食道シャント発声者と食道発声者における QOL 評価 Voice Handicap Index(VHI)日本語改定版および Voice-Related Quality of Life(V-RQOL)日本語版を用いて. 耳鼻咽喉科臨床 106(11):1033-1038, 2013

3) 英文著書

1. Nakayama M, Tabuchi K, Hara A. 4. Neck pain induced by deep neck infections; in "Neck pain caused, diahnosis management (1st edition)" (edited by Lombardi G), Nova Science (New York) 2013; pp45-56

がん看護・緩和ケア

4) 英文以外の著書

1. 笹原朋代, 1章8節. チームアプローチ; "ナーシンググラフィカ 緩和ケア (第1版)" (編集 宮下光令), メディカ出版 (大阪) 2013; pp38-41
2. 笹原朋代, 3章1~3節. チームアプローチ、精神症状概論、不安の治療と看護、抑うつ
の治療と看護; "ナーシンググラフィカ 緩和ケア (第1版)" (編集 宮下光令), メディ
カ出版 (大阪) 2013; pp126-136
3. 佐藤正美, 第5章2節. 排便行動の障害と看護; "ナーシンググラフィカ 栄養代謝機能
障害 (第2版)" (編集 明石恵子, 野口孝), メディカ出版 (大阪) 2013; pp180-187
4. 佐藤正美, 第2部7章. 排便行動の変更への支援; "ナーシンググラフィカ 健康危機状
況 (第2版)" (編集 安酸史子, 鈴木純恵, 吉田澄恵), メディカ出版 (大阪) 2013;
pp106-120
5. 佐藤正美, 第V章. がん手術患者に対するリハビリテーション看護 直腸がんで前方
切除術を受けた患者の看護; "がん看護増刊号 手術をめぐるがん看護" (編集 雄西智
恵美, 秋元典子), 南江堂 (東京) 2013; pp251-254

レギュラトリーサイエンス

1) 英文論文

1. Bang L, Tsuru K, Munar M, Ishikawa K, Othman R. Mechanical behavior and cell response of PCL coated α -TCP foam for cancellous-type bone replacement. *Ceramics International* 39(5):5631-5637, 2013
2. Funayama T, Sakane M, Yoshizawa T, Takeuchi Y, Ochiai N. Tanycytic ependymoma of the filum terminale associated with multiple endocrine neoplasia type 1: first reported case. *Spine J* 13(8):e49-54, 2013
3. Funayama T, Tsukanishi T, Hara I, Ozeki E, Sakane M. Tumor-selective near-infrared photodynamic therapy with novel indocyanine green-loaded nanocarrier delays paralysis in rats with spinal metastasis. *Photodiagnosis Photodyn Ther* 10(4):374-378, 2013
4. Funayama T, Tsukanishi T, Hara I, Ozeki E, Sakane M. Tumor-selective near-infrared photodynamic therapy with novel indocyanine green-loaded nanocarrier delays paralysis in rats with spinal metastasis. *Photodiagnosis Photodyn Ther* 10(4):374-378, 2013
5. Kawamoto H, Kamibayashi K, Nakata Y, Yamawaki K, Ariyasu R, Sankai Y, Sakane M, Eguchi K, Ochiai N. Pilot study of locomotion improvement using hybrid assistive limb in chronic stroke patients. *BMC Neurol* 13:141, 2013
6. Kubota S, Nakata Y, Eguchi K, Kawamoto H, Kamibayashi K, Sakane M, Sankai Y, Ochiai N. Feasibility of rehabilitation training with a newly developed wearable robot for patients with limited mobility. *Arch Phys Med Rehabil* 94(6):1080-1087, 2013
7. Munar GM, Munar ML, Tsuru K, Ishikawa K. Influence of PLGA concentrations on structural and mechanical properties of carbonate apatite foam. *Dent Mater J* 32(4):608-614, 2013
8. Mutsuzaki H, Sogo Y, Oyane A, Ito A. Improved bonding of partially osteomyelitic bone to titanium pins owing to biomimetic coating of apatite. *Int J Mol Sci* 14(12):24366-24379, 2013
9. Mutsuzaki H, Yokoyama Y, Ito A, Oyane A. Formation of apatite coatings on an artificial ligament using a plasma- and precursor-assisted biomimetic process. *Int J Mol Sci* 14(9):19155-19168, 2013
10. Shiozaki Y, Kitajima T, Mazaki T, Yoshida A, Tanaka M, Umezawa A, Nakamura M, Yoshida Y, Ito Y, Ozaki T, Matsukawa A. Enhanced in vivo osteogenesis by nanocarrier-fused bone morphogenetic protein-4. *Int J Nanomedicine* 8:1349-1360, 2013

2) 英文以外の論文

1. 安部哲哉, 坂根正孝, 船山徹, 俣木優輝, 竹内陽介, 兵頭康次郎, 神山翔, 日置繁, 山崎正志. 全身麻酔下の経椎間孔アプローチの PELD の手術成績. *Journal of Spine Research* 4(8):1264-1269, 2013
2. 鎌田浩史, 竹内亮子, 中川将吾, 三島初, 坂根正孝, 山崎正志, 落合直之, 岡本嘉一. 【小児整形外科疾患 診断・治療の進歩】 診断・評価の進歩 MRI 発育性股関節形成不全における三次元 MRI を用いた三次元的評価. *別冊整形外科* 64:11-17, 2013
3. 鈴木恒, 馬見塚尚孝, 芋生祥之, 大瀧保明, 奈良隆章, 藤江敬子, 橋本幸一, 中田由夫, 原田義則, 坂根正孝, 平野篤, 落合直之. 腰部脊柱管狭窄症患者に対する日本語版チューリッヒ跛行質問票と 6 分間歩行試験の試用評価と基準関連妥当性検証. *Journal of Spine Research* 4(1):63-67, 2013
4. 西田雄亮, 西野衆文, 金森章浩, 坂根正孝. 腱部分切除術とラジオ波焼灼術を併用した膝蓋腱炎の 1 例. *日本整形外科スポーツ医学会雑誌* 33(3):327-331, 2013
5. 牧原武史, 坂根正孝, 藤井賢吾, 大西信三. 後頭下減圧術後に関節窩の骨リモデリングを生じた Charcot 肩の一例. *肩関節* 37(2):893-896, 2013
6. 俣木健太郎, 野澤大輔, 三島初, 牧原武史, 岡野英里子, 和田大志, 坂根正孝. 外反母趾に対する DLMO 法の経験. *関東整形災害外科学会雑誌* 44(2):48-51, 2013

4) 英文以外の著書

1. 伊藤敦夫. 第 1 章 スキャホールド. 無機系材料; "再生医療技術の最前線 普及版 (編集 岡野光夫, 監修 大和雅之), シーエムシー出版 (東京) 2013; pp10-16
2. 大矢根綾子, 伊藤敦夫. 第 2 節 足場材料の開発事例. リン酸カルシウム研究の骨組織再生への応用; "再生医療における臨床研究と製品開発 (第 1 版)" 技術情報協会 (東京) 2013; pp287-292
3. 坂根正孝. 6 章脊椎 (頸椎、胸椎、腰椎) . 脊椎・脊髄損傷; "新版 スポーツ整形外科マニュアル (第 1 版)" (監修 福林徹, 編集 篠塚昌述), 株式会社中外医学者 (東京) 2013; pp104-107
4. 坂根正孝. 6 章脊椎 (頸椎、胸椎、腰椎) . 胸腰椎の外傷 (圧迫骨折、破裂骨折、横突起骨折) ; "新版 スポーツ整形外科マニュアル (第 1 版)" (監修 福林徹, 編集 篠塚昌述), 株式会社中外医学者 (東京) 2013; pp111-114
5. 坂根正孝, 安部哲哉. II. 脊椎内視鏡下手術のための基本手技 [PED] 手術器具 (特殊器具を含む) ; " [スキル関節鏡下手術アトラス] シリーズ 「脊椎内視鏡下手術」 (第

- 1 版)”(編集 吉田宗人, 監修 越智光夫), 株式会社文光堂 (東京) 2013; pp48-51
6. 坂根正孝, 安部哲哉. V. 脊椎内視鏡下手術とそのスキル. [PED] 2. 頸椎間孔的ヘルニア摘出; " [スキル関節鏡下手術アトラス] シリーズ 「脊椎内視鏡下手術」 (第 1 版)” (編集 吉田宗人, 監修 越智光夫), 株式会社文光堂 (東京) 2013; pp140-144
7. 六崎裕高, 伊藤敦夫, 坂根正孝, 十河友, 大矢根綾子, 山崎正志. 第 4 節 体内固定用ネジ・ボルトなど. 挿入路感染を防止する創外固定用ピンの開発; "体内埋め込み医療材料の開発とその理想的な性能・デザインの要件 (第 1 版)” 技術情報協会 (東京) 2013; pp42-46

心肺脳蘇生

1) 英文論文

1. Nakayama S, Vest R, Traystman RJ, Herson PS. Sexually dimorphic response of TRPM2 inhibition following cardiac arrest-induced global cerebral ischemia in mice. *J Mol Neurosci* 51(1):92-98, 2013
2. Satsumae T, Yamaguchi H, Inomata S, Tanaka M. Magnesium sulfate attenuates tourniquet pain in healthy volunteers. *J Anesth* 27(2):231-235, 2013
3. Tokuwaka J, Takahashi S, Tanaka M. Anaphylaxis after sugammadex administration. *Can J Anesth* 60(7):733-734, 2013

2) 英文以外の論文

1. 加藤真也, 山下創一郎, 田中誠. 先天性高インスリン血症を合併した心室中隔欠損パッチ閉鎖術の麻酔経験. *Cardiovascular Anesthesia* 17(Suppl.):168, 2013
2. 徳若純子, 山下創一郎, 高橋伸二, 田中誠. 心室中隔欠損症と肺動脈狭窄症を合併した18 トリソミー患者の胃食道逆流症に対する腹腔鏡下噴門形成術の麻酔経験. *麻酔* 62(3):326-329, 2013
3. 中山慎. 小児の鎮痛・鎮静モニタリング・リスク管理. *小児科臨床* 66(12):227-234, 2013
4. 村田雄哉, 高橋宏, 徳若純子, 田中誠. 麻酔器の気化器接続部からのリーク. *麻酔* 62(12):1472-1475, 2013

ソーシャルインクルージョン

1) 英文論文

1. Ichikawa M, Inada H, Kumeji M. Reconsidering the effects of blue-light installation for prevention of railway suicides. *J Affect Disord* doi: 10.1016/j.jad.2013.09.006, 2013
2. Ichikawa M, Nakahara S, Phommachanh S, Mayxay M, Kimura A. Roadside observation of secondary school students' commuting to school in Vientiane, Laos. *Int J Inj Contr Saf Promot* doi:10.1080/17457300.2013.843570, 2013
3. Kaneko H, Ohi Y, Doki S, Hirai Y, Suzuki S, Kobayashi N, Seki A, Sho N, Usami K, Tomotsune Y, Sasahara S, Matsuzaki I. Conditions Surrounding Potential Suicide Victims in Japan: an Analysis of Calls to Ibaraki Inochi No Denwa. *Journal of Physical Fitness, Nutrition and Immunology* 23(2):72-86, 2013
4. Kobayashi N, Haoka T, Usami K, Yoshino S, Kikuchi A, Suzuki S, Doki S, Hirai Y, Kaneko H, Seki A, Sho N, Ohi Y, Tomotsune Y, Sasahara S, Matsuzaki I. Long-term Variability in the Sense of Coherence among Return-to-Work Program. *Journal of Physical Fitness, Nutrition and Immunology* 23(2):56-63, 2013
5. Morita N, Nomoto Y, Ukeda E, Sufu K. How does trauma caused by violence influence the risk of relapse in and effects of cognitive behavioral therapy for drug addicts in prison? *Acta Criminologiae et Medicinae Legalis Japonica* 179(1):3-15, 2013
6. Nakahara S, Ichikawa M. Mortality in the 2011 tsunami in Japan. *J Epidemiol* 23(1):70-73, 2013
7. Nakahara S, Katanoda K, Ichikawa M. Onset of a declining trend in fatal motor vehicle crashes involving drunk-driving in Japan. *J Epidemiol* 23(3):195-204, 2013
8. Nakahara S, Tomio J, Takahashi H, Ichikawa M, Nishida M, Morimura N, Sakamoto T. Evaluation of pre-hospital administration of adrenaline (epinephrine) by emergency medical services for patients with out of hospital cardiac arrest in Japan: controlled propensity matched retrospective cohort study. *BMJ* 347:f6829, 2013
9. Seki A, Tomotsune Y, Ohi Y, Hirai Y, Suzuki S, Doki S, Kaneko H, Sho N, Usami K, Sasahara S, Matsuzaki I. A Relationship between Sense of Coherence and Psycho-social Work Characteristics -Validation of Causal Relationship Using Structural Equation Modeling-. *Journal of Physical Fitness, Nutrition and Immunology* 23(2):64-71, 2013
10. Southivong B, Ichikawa M, Nakahara S, Southivong C. A cross-sectional community study of post-traumatic stress disorder and social support in Lao People's Democratic Republic. *Bull World Health Organ* 91(10):765-772, 2013

2) 英文以外の論文

1. 新井清美, 森田展彰, 葦澤博一. プレアルコホリックの認識における変化のプロセス
アルコール依存症患者とその家族の語りからの分析. 日本アルコール・薬物医学会雑誌 48(3):198-215, 2013
2. 大脇由紀子, 森田展彰, 大谷保和, 梁京賢, 松山紀子, 藤田教子, 川畠弘子. 消化器内科入院患者におけるアルコール依存症と有害使用の実態および支援に関する研究. 日本アルコール・薬物医学会雑誌 48(2):126-144, 2013
3. 須賀朋子, 森田展彰, 斎藤環. 中学生のための DV 予防教育プログラム開発と効果研究.
思春期学 31(4):384-393, 2013
4. 菅原田鶴子, 森田展彰, 中谷陽二. アルコール依存症異性愛評価尺度の開発. 日本アルコール・薬物医学会雑誌 48(5):261-281, 2013
5. 菅原田鶴子, 森田展彰, 中谷陽二. アルコール依存症者の異性愛と回復について-施設スタッフの認識調査-. 日本アルコール・薬物医学会雑誌 48(6):389-406 2013
6. 菅原田鶴子, 森田展彰, 中谷陽二. 依存症者本人が認識するアルコール依存症に対するパートナーの態度尺度の作成. 日本アルコール・薬物医学会雑誌 48(6):373-388 2013
7. 玉井紀子, 森田展彰, 大谷保和. 児童養護施設におけるリービングケアに関する研究
生活担当職員を対象とした中高生のケアに関する調査. 子どもの虐待とネグレクト 15(1):66-77, 2013
8. 友常祐介, 平井康仁, 小林直紀, 大井雄一, 笹原信一朗, 松崎一葉. 心の健康問題を抱えた労働者への対応における産業医-精神科医間の意識差に関する研究. 体力・栄養・免疫学雑誌 23(2):87-94, 2013
9. 西村香, 森田展彰. 大学生における支配的恋愛関係チェックリストの作成、および信頼性、妥当性の検討 「束縛」に焦点化した dating violence 調査票. アディクションと家族 29(3):244-253, 2013
10. 羽岡健史, 吉野聡, 鈴木瞬, 小林直紀, 宇佐見和哉, 友常祐介. うつ病による長期休業者のリワークプログラム利用中の認知機能の変化. 臨床精神医学 42(4):497-503, 2013

4) 英文以外の著書

1. 斎藤環. 承認をめぐる病. 日本評論社 2013 年 (全 279 ページ)
2. 友常祐介. 正しく知る 会社「うつ」の治し方・接し方 -知っておきたいメンタルヘルス対策. 技術評論社 2013 年 (全 192 ページ)
3. 森田展彰. 第 6 章 4. 暴力などのトラウマ問題を抱えた薬物依存症者に対する治療; "

依存と嗜癖: どう理解し,どう対処するか (第 1 版)” (編集 和田清), 医学書院 (東京) 2013; pp35-40

4. 森田展彰. 第 5 章. 家庭内の暴力に関する安全保障-ドメスティックバイオレンスに対する包括的対応; "ヒューマン・セキュリティ-ヒューマン・ケアの視点から (第 1 版)” (編集 松田ひとみ, 大久保一郎, 岩浅昌幸, 柏木志保), 医学評論社 (東京) 2013; pp65-82
5. 森田展彰. 第 28 章. 親が暴力をふるう; "中高生のためのメンタル系サバイバルガイド (第 1 版)” (編集 松本俊彦), 日本評論社 (東京) 2013; pp179-183

ニュートリゲノミクス

1) 英文論文

1. Fujimoto Y, Nakagawa Y, Satoh A, Okuda K, Shingyouchi A, Naka A, Matsuzaka T, Iwasaki H, Kobayashi K, Yahagi N, Shimada M, Yatoh S, Suzuki H, Yogosawa S, Izumi T, Sone H, Urayama O, Yamada N, Shimano H. TFE3 controls lipid metabolism in adipose tissue of male mice by suppressing lipolysis and thermogenesis. *Endocrinology* 154(10):3577-3588, 2013
2. Horie T, Nishino T, Baba O, Kuwabara Y, Nakao T, Nishiga M, Usami S, Izuhara M, Sowa N, Yahagi N, Shimano H, Matsumura S, Inoue K, Marusawa H, Nakamura T, Hasegawa K, Kume N, Yokode M, Kita T, Kimura T, Ono K. MicroRNA-33 regulates sterol regulatory element-binding protein 1 expression in mice. *Nat Commun* 4:2883, 2013
3. Izumida Y, Yahagi N, Takeuchi Y, Nishi M, Shikama A, Takarada A, Masuda Y, Kubota M, Matsuzaka T, Nakagawa Y, Iizuka Y, Itaka K, Kataoka K, Shioda S, Niijima A, Yamada T, Katagiri H, Nagai R, Yamada N, Kadowaki T, Shimano H. Glycogen shortage during fasting triggers liver-brain-adipose neurocircuitry to facilitate fat utilization. *Nat Commun* 4:2316, 2013
4. Naka A, Iida KT, Nakagawa Y, Iwasaki H, Takeuchi Y, Satoh A, Matsuzaka T, Ishii KA, Kobayashi K, Yatoh S, Shimada M, Yahagi N, Suzuki H, Sone H, Yamada N, Shimano H. TFE3 inhibits myoblast differentiation in C2C12 cells via down-regulating gene expression of myogenin. *Biochem Biophys Res Commun* 430(2):664-669, 2013

2) 英文以外の論文

1. 矢作直也. 脂肪酸の量・質と細胞応答. 肥満研究 19(3):162-166, 2013
2. 矢作直也. スタチン薬による糖尿病発症リスク. 内分泌・糖尿病・代謝内科 37(3):313-315, 2013
3. 矢作直也. ダイエットの最新戦略(第 3 回) 肥満・ダイエットと検査. アニムス 18(2):41-43, 2013

4) 英文以外の著書

1. 泉田欣彦, 矢作直也. リパーゼ; "糖尿病の分子標的と治療薬事典 (第 1 版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp232-233
2. 大崎芳典, 矢作直也. URAT1; "糖尿病の分子標的と治療薬事典 (第 1 版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp230-231

3. 久芳素子, 矢作直也. CETP; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp236-238
4. 煙山紀子, 矢作直也. GPR120; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp234-235
5. 志鎌明人, 矢作直也. SGLT2; "糖尿病の分子標的と治療薬事典 (第1版)" (編集 春日雅人, 綿田裕孝, 松本道宏), 羊土社 (東京) 2013; pp228-229
6. 矢作直也. 筑波大学附属病院とクックパッドのおいしく治す「糖尿病食」講談社 2013年 (全 200 ページ)

脳腫瘍研究

1) 英文論文

1. Hara T, Akutsu H, Yamamoto T, Ishikawa E, Matsuda M, Matsumura A. Cushing's disease presenting with gastrointestinal perforation: a case report. *Endocrinology, diabetes and metabolism. Case reports* Nov:1-4, 2013
2. Hara T, Matsuda M, Watanabe S, Nakai K, Yamamoto T, Matsumura A. Remote cerebellar hemorrhage after removal of a supratentorial glioma without perioperative CSF loss: A case report. *Case Rep Surg* 2013:305039, 2013
3. Kin H, Ishikawa E, Takano S, Ayuzawa S, Matsushita A, Muragaki Y, Aiyama H, Sakamoto N, Yamamoto T, Matsumura A. Language areas involving the inferior temporal cortex on intraoperative mapping in a bilingual patient with glioblastoma. *Neurol Med Chir (Tokyo)* 53(4):256-258, 2013
4. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
5. Onuma K, Ishikawa E, Matsuda M, Hirata K, Osuka S, Yamamoto T, Masumoto T, Zaboronok A, Matsumura A. Clinical characteristics and neuroimaging findings in 12 cases of recurrent glioblastoma with communicating hydrocephalus. *Neurol Med Chir (Tokyo)* 53(7):474-481, 2013
6. Sakamoto N, Akutsu H, Takano S, Yamamoto T, Matsumura A. Useful 'sliding-lock-knot' technique for suturing dural patch to prevent cerebrospinal fluid leakage after extended transsphenoidal surgery. *Surg Neurol Int* 4:19, 2013
7. Takano S, Kimu H, Tsuda K, Osuka S, Nakai K, Yamamoto T, Ishikawa E, Akutsu H, Matsuda M, Matsumura A. Decrease in the apparent diffusion coefficient in peritumoral edema for the assessment of recurrent glioblastoma treated by bevacizumab. *Acta Neurochir Suppl* 118:185-189, 2013
8. Tsuda K, Tsurushima H, Takano S, Tsuboi K, Matsumura A. Brain metastasis from papillary thyroid carcinomas. *Molecular and clinical oncology* 1:817-819, 2013
9. Yamamoto T, Tsuboi K, Nakai K, Kumada H, Sakurai H, Matsumura A. Boron neutron capture therapy for brain tumors. *Transl Cancer Res* 2:80-86, 2013
10. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant

glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013

11. Zaboronok A, Tsurushima H, Yamamoto T, Isoe T, Takada K, Sakae T, Yoshida F, Matsumura A. Size-dependent radiosensitization effects of gold nanoparticles on human U251 malignant glioma cells. *Nanosci nanotech lett* 5(9):9904, 2013

2) 英文以外の論文

1. 坪井康次, 水本齊志. 【悪性脳腫瘍の治療-最新のトピックス】 放射線治療のトピックス 陽子線・重粒子線治療. *Clinical Neuroscience* 31(10):1169-1172, 2013
2. 原拓真, 阿久津博義, 高野晋吾, 山本哲哉, 鈴木浩明, 松村明. Cushing 病に対する手術および放射線照射例の長期予後. *日本内分泌学会雑誌* 89(Suppl.HPT):63-64, 2013

4) 英文以外の著書

1. 阿久津博義. 第7章. 神経内視鏡における止血・凝固機器; "先端医療シリーズ45 臨床医のための最新脳神経外科 (第1版)" (編集 橋本信夫, 寺本明, 小川彰, 嘉山孝正), (株)寺田国際事務所/先端医療技術研究所 (東京) 2013
2. 磯辺智範. Chapter3. 核医学検査; "若葉マーク 臨床検査学エッセンス・ノート3 臨床生物化学分析検査 (第1版)" (編集 山内一由), メジカルビュー社 (東京) 2013; pp169-189
3. 磯辺智範. I-7. MRS; "MRI 応用自在 (第3版)" (編集 高橋光幸, 堀江朋彦, 中村理宣, 北川久, 高原太郎), メジカルビュー社 (東京) 2013; pp28-33
4. 松村明, 松田真秀. 脳神経外科分野における陽子線治療の適用; "定位放射線治療 17" (編集 好本裕平), 定位放射線治療学会 (東京) 2013; pp11-19
5. 松村明, 山本哲哉. 小児脳腫瘍に対する放射線治療; "小児脳神経外科診療ガイドブック (第1版)" (編集 新井一, 伊達裕昭, 西本博) メディカルビュー社 (東京) 2013; pp14-21

放射線基礎医学

1) 英文論文

1. Abei M, Okumura T, Fukuda K, Hashimoto T, Araki M, Ishige K, Hyodo I, Kanemoto A, Numajiri H, Mizumoto M, Sakae T, Sakurai H, Zenkoh J, Ariungerel G, Sogo Y, Ito A, Ohno T, Tsuboi K. A phase I study on combined therapy with proton-beam radiotherapy and in situ tumor vaccination for locally advanced recurrent hepatocellular carcinoma. *Radiat Oncol* 8:239, 2013
2. Davis AJ, Chen DJ. DNA double strand break repair via non-homologous end-joining. *Transl Cancer Res* 2(3):130-143, 2013
3. Davis AJ, Lee KJ, Chen DJ. The N-terminal region of the DNA-dependent protein kinase catalytic subunit is required for its DNA double-stranded break-mediated activation. *J Biol Chem* 288(10):7037-7046, 2013
4. Ding N, Pei H, He J, Furusawa Y, Hirayama R, Cuihua Liu, Matsumoto Y, Li H, Hu W, Li Y, Wang J, Wang T, Zhou G. Simulated studies on the biological effects of space radiation on quiescent human fibroblasts. *Advances in Space Research* 52:1314-1319, 2013
5. Hirayama R, Ito A, Noguchi M, Matsumoto Y, Uzawa A, Kobashi G, Okayasu R, Furusawa Y. OH radicals from the indirect actions of X-rays induce cell lethality and mediate the majority of the oxygen enhancement effect. *Radiat Res* 180(5):514-523, 2013
6. Hirayama R, Uzawa A, Takase N, Matsumoto Y, Noguchi M, Koda K, Ozaki M, Yamashita K, Li H, Kase Y, Matsufuji N, Koike S, Masunaga S, Ando K, Okayasu R, Furusawa Y. Evaluation of SCCVII tumor cell survival in clamped and non-clamped solid tumors exposed to carbon-ion beams in comparison to X-rays. *Mutat Res* 756(1-2):146-151, 2013
7. Hong Z, Kase Y, Moritake T, Gerelchuluun A, Sun L, Suzuki K, Terunuma T, Yasuoka K, Kumada H, Anzai K, Sakurai H, Sakae T, Tsuboi K. Lineal energy-based evaluation of oxidative DNA damage induced by proton beams and X-rays. *Int J Radiat Biol* 89(1):36-43, 2013
8. Isobe T, Mori Y, Takada K, Sato E, Sakurai H, Sakae T. Robust technique using an imaging plate to detect environmental radioactivity. *Health Phys* 104(4):362-365, 2013
9. Isobe T, Mori Y, Takada K, Sato E, Takahashi H, Sekiguchi T, Yoshimura Y, Sakurai H, Sakae T. Evaluation of vegetables in Tsukuba for contamination with radioactive materials from the accident at Fukushima Daiichi nuclear power plant. *Health Phys* 105(4):311-317, 2013
10. Kageji T, Mizobuchi Y, Nagahiro S, Nakagawa Y, Kumada H. Correlation between radiation dose and histopathological findings in patients with glioblastoma treated with boron neutron

- capture therapy (BNCT). *Appl Radiat Isot* doi: 10.1016/j.apradiso.2013.12.014, 2013
11. Kanemoto A, Okumura T, Ishikawa H, Mizumoto M, Oshiro Y, Kurishima K, Homma S, Hashimoto T, Ohkawa A, Numajiri H, Ohno T, Moritake T, Tsuboi K, Sakae T, Sakurai H. Outcomes and prognostic factors for recurrence after high-dose proton beam therapy for centrally and peripherally located stage I non--small-cell lung cancer. *Clin Lung Cancer* doi: 10.1016/j.clcc.2013.11.002, 2013
 12. Kawamura H, Sakae T, Terunuma T, Ishida M, Shibata Y, Matsumura A. Evaluation of three-dimensional polymer gel dosimetry using X-ray CT and R2 MRI. *Appl Radiat Isot* 77:94-102, 2013
 13. Masunaga S, Sakurai Y, Tanaka H, Hirayama R, Matsumoto Y, Uzawa A, Suzuki M, Kondo N, Narabayashi M, Maruhashi A, Ono K. Radiosensitivity of pimonidazole-unlabelled intratumour quiescent cell population to γ -rays, accelerated carbon ion beams and boron neutron capture reaction. *Br J Radiol* 86(1021):20120302, 2013
 14. Mizumoto M, Hashii H, Senarita M, Sakai S, Wada T, Okumura T, Tsuboi K, Sakurai H. Proton beam therapy for malignancy in Bloom syndrome. *Strahlenther Onkol* 189(4):335-338, 2013
 15. Mizumoto M, Okumura T, Ishikawa E, Yamamoto T, Takano S, Matsumura A, Oshiro Y, Ishikawa H, Sakurai H, Tsuboi K. Reirradiation for recurrent malignant brain tumor with radiotherapy or proton beam therapy. Technical considerations based on experience at a single institution. *Strahlenther Onkol* 189(8):656-663, 2013
 16. Nakajima NI, Brunton H, Watanabe R, Shrikhande A, Hirayama R, Matsufuji N, Fujimori A, Murakami T, Okayasu R, Jeggo P, Shibata A. Visualisation of gammaH2AX foci caused by heavy ion particle traversal; distinction between core track versus non-track damage. *PLoS One* 8(8):e70107, 2013
 17. Oliveira DV, Kato A, Nakamura K, Ikura T, Okada M, Kobayashi J, Yanagihara H, Saito Y, Tauchi H, Komatsu K. Histone chaperone FACT regulates homologous recombination by chromatin remodeling through interaction with RNF20. *J Cell Sci* doi: 10.1242/jcs.135855, 2013
 18. Oshiro Y, Mizumoto M, Okumura T, Sugahara S, Fukushima T, Ishikawa H, Nakao T, Hashimoto T, Tsuboi K, Ohkawa H, Kaneko M, Sakurai H. Clinical results of proton beam therapy for advanced neuroblastoma. *Radiat Oncol* 8(1):142, 2013
 19. Oshiro Y, Okumura T, Mizumoto M, Fukushima T, Ishikawa H, Hashimoto T, Tsuboi K, Kaneko M, Sakurai H. Proton beam therapy for unresectable hepatoblastoma in children:

- survival in one case. *Acta Oncol* 52(3):600-603, 2013
20. Oshiro Y, Sakurai H. The use of proton-beam therapy in the treatment of non-small-cell lung cancer. *Expert Rev Med Devices* 10(2):239-245, 2013
 21. Shimada M, Hirayama R, Komatsu K. High LET radiation amplifies centrosome overduplication through a pathway of γ -tubulin monoubiquitination. *Int J Radiat Oncol Biol Phys* 86(2):358-365, 2013
 22. Shimizu N, Nakajima NI, Tsunematsu T, Ogawa I, Kawai H, Hirayama R, Fujimori A, Yamada A, Okayasu R, Ishimaru N, Takata T, Kudo Y. Selective enhancing effect of early mitotic inhibitor 1 (Emi1) depletion on the sensitivity of doxorubicin or X-ray treatment in human cancer cells. *J Biol Chem* 288(24):17238-17252, 2013
 23. Sun L, Moritake T, Zheng YW, Suzuki K, Gerelchuluun A, Hong Z, Zenkoh J, Taniguchi H, Tsuboi K. In vitro stemness characterization of radio-resistant clones isolated from a medulloblastoma cell line GNS-76. *J Radiat Res* 54(1):61-69, 2013
 24. Suzuki K, Gerelchuluun A, Hong Z, Sun L, Zenkoh J, Moritake T, Tsuboi K. Celecoxib enhances radiosensitivity of hypoxic glioblastoma cells through endoplasmic reticulum stress. *Neuro Oncol* 15(9):1186-1199, 2013
 25. Wang H, Shi LZ, Wong CC, Han X, Hwang PY, Truong LN, Zhu Q, Shao Z, Chen DJ, Berns MW, Yates JR, 3rd, Chen L, Wu X. The interaction of CtIP and Nbs1 connects CDK and ATM to regulate HR-mediated double-strand break repair. *PLoS Genet* 9(2):e1003277, 2013
 26. Zaboronok A, Isobe T, Yamamoto T, Sato E, Takada K, Sakae T, Tsurushima H, Matsumura A. Proton beam irradiation stimulates migration and invasion of human U87 malignant glioma cells. *J Radiat Res* doi: 10.1093/jrr/rrt119, 2013

2) 英文以外の論文

1. 阿部孝憲, 江原威, 原田耕作, 白井克幸, 塩谷真里子, 鈴木義行, 櫻井英幸, 中野隆史. 温熱放射線療法が著効した多形性脂肪肉腫の 1 例 A Case of Recurrent Pleomorphic Liposarcoma that Exhibited a Remarkable Response to Hyperthermoradiotherapy. *Thermal Medicine* 29(3):63-67, 2013
2. 井垣浩, 櫻井英幸. 【肝胆膵領域への放射線療法 as of 2013】 肝臓領域の放射線療法 肝細胞癌治療アルゴリズムからみた放射線治療. *肝・胆・膵* 67(2):211-219, 2013
3. 井垣浩, 櫻井英幸, 肝癌診療ガイドライン第 3 版改訂委員会. 肝癌診療ガイドライン 第 3 版試案 公聴会 放射線治療. *肝臓* 54(Suppl.1):A11, 2013
4. 石川仁, 奥村敏之, 大西かよ子, 大城佳子, 水本齊志, 櫻井英幸. 早期肺癌に対する治療

- 戦略(外科治療 vs.非外科治療、重粒子線、陽子線、SRT、ラジオ波、凍結療法) 粒子線治療(陽子線治療、重粒子線治療). 肺癌 53(5):371, 2013
5. 石川仁, 橋本孝之, 牧島弘和, 水本斉志, 奥村敏之, 櫻井英幸. 高精度放射線治療の現状と Adaptive Therapy の展望 前立腺がんに対する放射線治療を中心に. 医学物理 32(3):138-147, 2013
 6. 今川和生, 福島敬, 鈴木涼子, 福島紘子, 小林千恵, 遠藤幹也, 前田美穂, 岩井艶子, 櫻井英幸, 須磨崎亮. 難治 Ewing 肉腫ファミリー腫瘍例への医療連携による陽子線併用療法は効果的である. 日本小児科学会雑誌 117(2):288, 2013
 7. 大久保英樹, 中山雅博, 廣瀬由紀, 田中秀峰, 西村文吾, 星野朝文, 上前泊功, 飛田忠道, 辻茂希, 田淵経司, 和田哲郎, 原晃, 橋井晴子, 石川仁, 水本斉志, 奥村敏之, 櫻井英幸. 過去 10 年間に当科で陽子線治療を行った頭頸部癌に関する検討. 耳鼻咽喉科展望 56(補冊 1):118-122, 2013
 8. 大城佳子, 水本斉志, 石川仁, 奥村敏之, 坪井康次, 榮武二, 福島敬, 須磨崎亮, 増本幸二, 金子道夫, 櫻井英幸. 固形腫瘍の治療の進歩 小児固形がんに対する陽子線治療. 日本小児血液・がん学会雑誌 50(3):331-334, 2013
 9. 奥村敏之, 水本斉志, 福光延吉, 大西かよ子, 沼尻晴子, 石川仁, 栗飯原輝人, 坪井康次, 榮武二, 櫻井英幸. 【肝胆膵領域への放射線療法 as of 2013】 肝臓領域の放射線療法 肝腫瘍に対する陽子線療法の現状と成績. 肝・胆・膵 67(2):271-278, 2013
 10. 兼安祐子, 藤原久也, 西村哲夫, 大野達也, 櫻井英幸, 生島仁史, 楮本智子, 宇野隆, 播磨洋子, 戸板孝文, 徳丸直郎, 五味弘道, 喜多みどり, 中野隆史, 高橋健夫, 加藤眞吾, 新部譲, 野田真永, 清原浩樹, 永田靖. 子宮頸癌放射線治療の新展開 子宮頸癌治療後の QOL に関する全国調査 放射線療法群と手術療法群の比較. 日本婦人科腫瘍学会雑誌 31(3):413, 2013
 11. 北島柚衣子, 布施拓, 瀬川達也, 志田晃一, 石川仁, 榮武二, 櫻井英幸. 前立腺 IMRT における CBCT を用いた Interfraction error の評価. 日本放射線技術学会雑誌 69(9):1007, 2013
 12. 釧持明, 久倉勝治, 栗盛洗, 松村英樹, 田野井智倫, 高野恵輔, 稲川智, 大河内信弘, 橋井晴子, 櫻井英幸. 陽子線治療適応拡大のためのスペーサー挿入術. 茨城県臨床医学雑誌 48:47, 2013
 13. 斎藤高, 石川仁, 水本斉志, 福光延吉, 奥村敏之, 櫻井英幸. 切除不能篩骨洞扁平上皮癌に対する陽子線治療の初期経験. 頭頸部癌 39(2):183, 2013
 14. 櫻井英幸. 【肝臓がん-標準治療と先進医療】 標準治療と先進医療 先進医療 手術やラジオ波で治療できない肝臓がんにも成果をあげる陽子線治療 肝臓がんて世界一の

- 症例数を誇る筑波大学陽子線センター. ライフライン 21 がんの先進医療 11:26-28, 2013
15. 櫻井英幸. 【食道がん】 標準治療と先進医療 先進医療 手術ができない食道がんに対する化学陽子線治療 X線による化学放射線治療に比べ心臓と肺の副作用が軽減. ライフライン 21 がんの先進医療 10:20-22, 2013
 16. 櫻井英幸. 【婦人科腫瘍に対する三次元画像誘導小線源治療】 小線源治療と粒子線治療に関する事例と考察. 臨床放射線 58(3):425-431, 2013
 17. 櫻井英幸, 大川綾子, 沼尻晴子, 菅原香織, 瀧澤大地, 牧島弘和, 大野豊然貴, 石川仁, 奥村敏之. 【婦人科がん放射線治療の最新知見】 放射線治療の最新技術 陽子線治療の概要と婦人科腫瘍への応用について. 産婦人科の実際 62(7):943-949, 2013
 18. 櫻井英幸, 奥村敏之, 石川仁, 福光延吉, 栗飯原輝人, 大西かよ子, 水本斉志, 大城佳子, 沼尻晴子, 盛武敬, 高田健太, 照沼利之, 安岡聖, 磯辺智範, 熊田博明, 坪井康次, 榮武二. 【Radiotherapy Today 2013 粒子線治療最前線-進化する粒子線治療の現況と展望-】 粒子線治療の現状と展望 粒子線治療実施施設からの報告 筑波大学陽子線医学利用研究センター PMRC. INNERVISION 28(7):19-21, 2013
 19. 孫略, 水野祐介, 岩本眞理, 後藤隆久, 小口靖弘, 坪井康次, 千田浩一, 盛武敬. 小児心カテーテル術中の患者の入射皮膚線量の直接測定法 Direct measurement of patient's entrance skin dose during pediatric cardiac catheterization. 日本放射線技術学会雑誌 69(9):1070, 2013
 20. 竹内秀輔, 鈴木涼子, 福島敬, 福島紘子, 岩淵敦, 中尾朋平, 山口玲子, 工藤寿子, 杉田真太郎, 稲留征典, 佐藤豊実, 櫻井英幸, 金子道夫, 須磨崎亮. 進行期卵巣小細胞癌に対して集学的治療を施行した女兒例. 日本小児血液・がん学会雑誌 50(2):269-273, 2013
 21. 坪井康次, 水本斉志. 【悪性脳腫瘍の治療-最新のトピックス】 放射線治療のトピックス 陽子線・重粒子線治療. Clinical Neuroscience 31(10):1169-1172, 2013
 22. 増永慎一郎, 松本孔貴, 平山亮一, 櫻井良憲, 田中浩基, 鶴澤玲子, 鈴木実, 近藤夏子, 榎林正流, 丸橋晃, 小野公二. 【基礎と臨床の対話】 放射線治療に資する転移研究 通常放射線照射および中性子捕捉療法後の局所腫瘍効果と肺転移抑制効果における腫瘍内酸素状況修飾処置併用の意義. 癌の臨床 59(2):149-153, 2013
 23. 吉田由香里, 安藤興一, 武者篤, 大野達也, 中野隆史, 鶴澤玲子, 松本孔貴, 平山亮一, 古澤佳也, 小池幸子, 安藤謙, 村田和俊, 吉本由哉, 久保亘輝, 河村英将, 高橋健夫. 正常組織と腫瘍の炭素線分割照射効果の比較. The Kitakanto Medical Journal 63(3):285, 2013

肺高血圧症・肺循環障害

1) 英文論文

1. Doki K, Homma M, Kuga K, Aonuma K, Kohda Y. SCN5A promoter haplotype affects the therapeutic range for serum flecainide concentration in Asian patients. *Pharmacogenet Genomics* 23 (7):349-355, 2013
2. Hoshi T, Sato A, Hiraya D, Kimura T, Wang Z, Aonuma K. Multimodality intracoronary imaging in spontaneous coronary artery dissection: impacts of intravascular ultrasound, optical coherence tomography, and coronary angiography. *Catheter Cardiovasc Interv* 81(3): E151-154, 2013
3. Katsumata T, Oishi H, Sekiguchi Y, Nagasaki H, Daassi D, Tai PH, Ema M, Kudo T, Takahashi S. Bioluminescence imaging of β cells and intrahepatic insulin gene activity under normal and pathological conditions. *PLoS One* 8(4):e60411, 2013
4. Kawamura R, Seo Y, Ishizu T, Atsumi A, Yamamoto M, Machino-Ohtsuka T, Nakajima H, Sakai S, Tanaka YO, Minami M, Aonuma K. Feasibility of left ventricular volume measurements by three-dimensional speckle tracking echocardiography depends on image quality and degree of left ventricular enlargement: validation study with cardiac magnetic resonance imaging. *J Cardiol* doi: 10.1016/j.jcc.2013.08.010, 2013
5. Seto K, Uchida F, Baba O, Yamatoji M, Karube R, Warabi E, Sakai S, Hasegawa S, Yamagata K, Yanagawa T, Onizawa K, Miyoshi E, Shoda J, Bukawa H. Negative expression of N-acetylglucosaminyltransferase V in oral squamous cell carcinoma correlates with poor prognosis. *Springerplus* 2:657, 2013
6. Tajiri K, Shimojo N, Sakai S, Machino-Ohtsuka T, Imanaka-Yoshida K, Hiroe M, Tsujimura Y, Kimura T, Sato A, Yasutomi Y, Aonuma K. Pitavastatin regulates helper T-cell differentiation and ameliorates autoimmune myocarditis in mice. *Cardiovasc Drugs Ther* 27(5):413-424, 2013
7. Tsuboi H, Hagiwara S, Asashima H, Umehara H, Kawakami A, Nakamura H, Sano H, Tsubota K, Ogawa Y, Takamura E, Saito I, Inoue H, Nakamura S, Moriyama M, Takeuchi T, Tanaka Y, Hirata S, Mimori T, Matsumoto I, Sumida T. Validation of different sets of criteria for the diagnosis of Sjogren's syndrome in Japanese patients. *Mod Rheumatol* 23(2):219-225, 2013
8. Umeda N, Matsumoto I, Ito I, Kawasaki A, Tanaka Y, Inoue A, Tsuboi H, Suzuki T, Hayashi T, Ito S, Tsuchiya N, Sumida T. Anti-citrullinated glucose-6-phosphate isomerase peptide antibodies in patients with rheumatoid arthritis are associated with HLA-DRB1 shared

epitope alleles and disease activity. *Clin Exp Immunol* 172(1):44-53, 2013

脊髓脊椎疾患

1) 英文論文

1. Tsuda K, Akutsu H, Yamamoto T, Ishikawa E, Saito A, Nakai K, Takano S, Matsumura A. Benign spinal meningioma without dural attachment presenting delayed CSF dissemination and malignant transformation. *Brain Tumor Pathol* 30(3):185-191, 2013

3) 英文著書

1. Nakai K, Matsumura A. 23. Feasibility for Intramedullary spinal Glioma; in "Neutron Capture Therapy (1st edition)" (edited by Sauerwein W, Wittig A, Moss R, Nakagawa Y), Springer Berlin Heidelberg (Berlin) 2013; pp407-415

角化制御因子

1) 英文論文

1. Arai M, Ikawa Y, Chujo S, Hamaguchi Y, Ishida W, Shirasaki F, Hasegawa M, Mukaida N, Fujimoto M, Takehara K. Chemokine receptors CCR2 and CX3CR1 regulate skin fibrosis in the mouse model of cytokine-induced systemic sclerosis. *J Dermatol Sci* 69(3):250-258, 2013
2. Fujimoto M, Matsushita T, Hamaguchi Y, Kaji K, Asano Y, Ogawa F, Yamaoka T, Fujikawa K, Tsukada T, Sato K, Echigo T, Hasegawa M, Takehara K. Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: comparison with a UK Caucasian cohort. *Ann Rheum Dis* 72(1):151-153, 2013
3. Fujisawa Y, Miyazono Y, Kawachi Y, Otsuka F. A case of sterile transient neonatal pustulosis presenting with large flaccid pustules. *Pediatr Dermatol* 30(6):e238-239, 2013
4. Fujisawa Y, Nakamura Y, Kawachi Y, Otsuka F. Docetaxel was effective in the management of metastatic angiosarcoma associated with disseminated intravascular coagulation syndrome. *Int J Dermatol* doi: 10.1111/j.1365-4632.2012.05671.x, 2013
5. Fujisawa Y, Nakamura Y, Kawachi Y, Otsuka F. Comparison between taxane-based chemotherapy with conventional surgery-based therapy for cutaneous angiosarcoma: a single-center experience. *J Dermatolog Treat* doi: 10.3109/09546634.2012.754839, 2013
6. Hamaguchi Y, Fujimoto M, Matsushita T, Kaji K, Komura K, Hasegawa M, Koder M, Muroi E, Fujikawa K, Seishima M, Yamada H, Yamada R, Sato S, Takehara K, Kuwana M. Common and distinct clinical features in adult patients with anti-aminoacyl-tRNA synthetase antibodies: heterogeneity within the syndrome. *PLoS One* 8(4):e60442, 2013
7. Hamaguchi Y, Fujimoto M, Oishi K, Kitajima S, Wada T, Takehara K. Cutaneous *Mycobacterium chelonae* infection in a rheumatoid arthritis patient treated with etanercept. *Eur J Dermatol* 23(5):700-701, 2013
8. Hamaguchi Y, Yamada K, Kawano M, Fujimoto M, Takehara K. Prurigo nodularis-like skin eruptions in a patient with IgG4-related disease. *Eur J Dermatol* 23(4):541-542, 2013
9. Hara S, Henmi T, Kawakami A, Fujikawa K, Mukae H, Ishimatsu Y, Sakamoto N, Kakugawa T, Kaji K, Fujimoto M, Kuwana M, Tsukada T, Satoh K, Motomura M, Tamai M, Nakamura H, Ida H, Hayashi T, Origuchi T, Eguchi K, Kohno S. Clinical, serologic and magnetic resonance imaging of 3 cases of inflammatory myopathy with abundant macrophages in the Japanese population. *Rheumatol Int* 33(4):1059-1064, 2013
10. Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O,

- Kawaguchi Y, Kuwana M, Ogawa F, Takahashi H, Tanaka S, Sato S, Takehara K. Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. *Mod Rheumatol* 23(6):1076-1084, 2013
11. Hasegawa M, Fujimoto M, Matsushita T, Hamaguchi Y, Takehara K. Augmented ICOS expression in patients with early diffuse cutaneous systemic sclerosis. *Rheumatology (Oxford)* 52(2):242-251, 2013
 12. Hasegawa M, Hatta Y, Matsushita T, Hamaguchi Y, Fujimoto M, Takehara K. Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. *Mod Rheumatol* 23(5):913-919, 2013
 13. Hasegawa M, Higashi K, Matsushita T, Hamaguchi Y, Saito K, Fujimoto M, Takehara K. Dermokine inhibits ELR(+)CXC chemokine expression and delays early skin wound healing. *J Dermatol Sci* 70(1):34-41, 2013
 14. Hasegawa M, Imura-Kumada S, Matsushita T, Hamaguchi Y, Fujimoto M, Takehara K. Anti-topoisomerase I antibody levels as serum markers of skin sclerosis in systemic sclerosis. *J Dermatol* 40(2):89-93, 2013
 15. Honda N, Jinnin M, Kira-Etoh T, Makino K, Kajihara I, Makino T, Fukushima S, Inoue Y, Okamoto Y, Hasegawa M, Fujimoto M, Ihn H. miR-150 down-regulation contributes to the constitutive type I collagen overexpression in scleroderma dermal fibroblasts via the induction of integrin β 3. *Am J Pathol* 182(1):206-216, 2013
 16. Horai Y, Isomoto E, Koga T, Okada A, Kawashiri SY, Tamai M, Yamasaki S, Nakamura H, Origuchi T, Hamaguchi Y, Fujimoto M, Kuwana M, Kawakami A. Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. *Mod Rheumatol* 23(1):190-194, 2013
 17. Huu DL, Matsushita T, Jin G, Hamaguchi Y, Hasegawa M, Takehara K, Fujimoto M. FTY720 ameliorates murine sclerodermatous chronic graft-versus-host disease by promoting expansion of splenic regulatory cells and inhibiting immune cell infiltration into skin. *Arthritis Rheum* 65(6):1624-1635, 2013
 18. Ishitsuka Y, Kawachi Y, Maruyama H, Taguchi S, Fujisawa Y, Furuta J, Nakamura Y, Ishii Y, Otsuka F. Pituitary tumor transforming gene 1 induces tumor necrosis factor-alpha production from keratinocytes: implication for involvement in the pathophysiology of psoriasis. *J Invest Dermatol* 133(11):2566-2575, 2013
 19. Ishitsuka Y, Kawachi Y, Taguchi S, Maruyama H, Nakamura Y, Fujisawa Y, Furuta J, Nakamura Y, Ishii Y, Otsuka F. Pituitary tumor-transforming gene 1 as a proliferation marker

- lacking prognostic value in cutaneous squamous cell carcinoma. *Exp Dermatol* 22(5):318-322, 2013
20. Ito K, Imafuku S, Hamaguchi Y, Fujimoto M, Nakayama J. Case report of anti-transcription intermediary factor-1- γ/α antibody-positive dermatomyositis associated with gastric cancer and immunoglobulin G4-positive pulmonary inflammatory pseudotumor. *J Dermatol* 40(7):567-569, 2013
21. Ito T, Kimura S, Seto K, Warabi E, Kawachi Y, Shoda J, Tabuchi K, Yamagata K, Hasegawa S, Bukawa H, Ishii T, Yanagawa T. Peroxiredoxin I plays a protective role against UVA irradiation through reduction of oxidative stress. *J Dermatol Sci* doi: 10.1016/j.jdermsci.2013.12.002, 2013
22. Jin G, Hamaguchi Y, Matsushita T, Hasegawa M, Le Huu D, Ishiura N, Naka K, Hirao A, Takehara K, Fujimoto M. B-cell linker protein expression contributes to controlling allergic and autoimmune diseases by mediating IL-10 production in regulatory B cells. *J Allergy Clin Immunol* 131(6):1674-1682, 2013
23. Kasuya A, Hamaguchi Y, Fujimoto M, Tokura Y. TIF1 γ -overexpressing, highly progressive endometrial carcinoma in a patient with dermato-myositis positive for malignancy-associated anti-p155/140 autoantibody. *Acta Derm Venereol* 93(6):715-716, 2013
24. Kawachi Y, Ishitsuka Y, Maruyama H, Fujisawa Y, Furuta J, Nakamura Y, Ishii Y, Ichikawa E, Otsuka F. The POU domain transcription factors Oct-6 and Oct-11 negatively regulate loricrin gene expression in keratinocytes: association with AP-1 and Sp1/Sp3. *Arch Dermatol Res* 305(5):371-378, 2013
25. Kawachi Y, Maruyama H, Ishitsuka Y, Fujisawa Y, Furuta J, Nakamura Y, Ichikawa E, Furumura M, Otsuka F. NF1 gene silencing induces upregulation of vascular endothelial growth factor expression in both Schwann and non-Schwann cells. *Exp Dermatol* 22(4):262-265, 2013
26. Kawachi Y, Obara S, Nakamura Y, Fujisawa Y, Nakamura Y, Ishii Y, Ichikawa E, Otsuka F. Ischemic leg ulcer due to vasculopathy associated with neurofibromatosis type 1. *Eur J Dermatol* 23(4):522-523, 2013
27. Kawashima H, Kawachi Y, Fujisawa Y, Furuta J, Nakamura Y, Ishii Y, Ichikawa E, Otsuka F. Circumscribed palmar hypokeratosis: implication of suppression of early epidermal differentiation. *Eur J Dermatol* 23(2):261-262, 2013
28. Le Huu D, Matsushita T, Jin G, Hamaguchi Y, Hasegawa M, Takehara K, Tedder TF, Fujimoto M. Donor-derived regulatory B cells are important for suppression of murine

- sclerodermatous chronic graft-versus-host disease. *Blood* 121(16):3274-3283, 2013
29. Maruyama H, Fujisawa Y, Nakamura Y, Kawachi Y, Otsuka F. Penile preservation surgery in a case of erythroplasia of Queyrat involving the glans penis and distal urethra. *Int J Dermatol* doi: 10.1111/ijd.12103, 2013
 30. Nakamura Y, Fujisawa Y, Nakamura Y, Maruyama H, Furuta J, Kawachi Y, Otsuka F. Improvement of the sentinel lymph node detection rate of cervical sentinel lymph node biopsy using real-time fluorescence navigation with indocyanine green in head and neck skin cancer. *J Dermatol* 40(6):453-457, 2013
 31. Nakamura Y, Iino Y, Nakamura Y, Fujisawa Y, Kawachi Y, Otsuka F. Intraneural granular cell tumor of the dorsal ramus of a thoracic nerve. *Indian J Dermatol Venereol Leprol* 79(2):258-260, 2013
 32. Nakamura Y, Kawachi Y, Nakamura Y, Iino Y, Fujisawa Y, Otsuka F. Linear lupus erythematosus profundus involving the muscle with an intractable deep ulcer, successfully treated with surgical excision. *Eur J Dermatol* 23(4):535-536, 2013
 33. Nakamura Y, Nakamura Y, Saito A, Fujisawa Y, Kawachi Y, Otsuka F. High-grade mucoepidermoid carcinoma of the columella successfully reconstructed using bilateral nasolabial flaps set up in a sandwich shape and an auricular cartilage graft after surgical resection. *J Dermatol* 40(11):911-914, 2013
 34. Taguchi S, Kawachi Y, Fujisawa Y, Nakamura Y, Furuta J, Otsuka F. Psoriasiform eruption associated with graft-versus-host disease. *Cutis* 92(3):151-153, 2013
 35. Ueda-Hayakawa I, Hasegawa M, Hamaguchi Y, Takehara K, Fujimoto M. Circulating γ/δ T cells in systemic sclerosis exhibit activated phenotype and enhance gene expression of proalpha2(I) collagen of fibroblasts. *J Dermatol Sci* 69(1):54-60, 2013
 36. Ueda-Hayakawa I, Kusuyama T, Isei T, Ozaki Y, Hamaguchi Y, Fujimoto M, Takehara K, Okamoto H. Cutaneous necrotizing vasculitis in a patient with dermatomyositis positive for anti-PL-7 antibody. *Eur J Dermatol* 23(6):889-890, 2013

2) 英文以外の論文

1. 飯野由佳, 中村泰大, 中村貴之, 藤澤康弘, 川内康弘, 大塚藤男, 鈴木英雄, 小田竜也, 野口恵美子. 鼻背の有棘細胞癌を合併した Muir-Torre 症候群. *Skin Cancer* 27(3):367-372, 2013
2. 石井良征, 境野昌行, 藤澤康弘, 中村泰大, 川内康弘, 大塚藤男. 基底細胞癌の全国調査. *Skin Cancer* 28(2):205-211, 2013

3. 石井良征, 境野昌行, 渡邊真也, 久保田典子, 鬼澤沙織, 丸山浩, 藤澤康弘, 中村泰大, 川内康弘, 大塚藤男. 有棘細胞癌およびボーエン病の全国調査. *Skin Cancer* 28(2):195-204, 2013
4. 小川文秀, 浅野善英, 石井貴之, 川上民裕, 小寺雅也, 藤本学. 創傷・熱傷ガイドライン第1版の課題と改訂に向けた取り組み 膠原病・血管炎に伴う皮膚潰瘍診療ガイドラインについて. *日本皮膚科学会雑誌* 123(13):2888-2891, 2013
5. 小原佐恵子, 石井良征, 川内康弘, 大塚藤男. 【代謝異常症】 硬化性粘液水腫の1例. *皮膚科の臨床* 55(13):1867-1870, 2013
6. 小原佐恵子, 中村泰大, 斎藤明允, 中村貴之, 藤澤康弘, 川内康弘, 大塚藤男. 隆起性皮膚線維肉腫転移巣に対してメシル酸イマチニブにて加療した2例. *Skin Cancer* 28(1):103-107, 2013
7. 小原佐恵子, 中村泰大, 藤澤康弘, 中村貴之, 川内康弘, 大塚藤男. 有棘細胞癌原発巣に対する放射線療法の治療成績. *Skin Cancer* 28(1):94-97, 2013
8. 川内康弘. 新・皮膚科セミナリウム 角化症診療のカッティング・エッジ 表皮の酸化ストレスとその防御機構. *日本皮膚科学会雑誌* 123(10):1915-1921, 2013
9. 斎藤明允, 石井良征, 小金丸博, 人見重美, 中村貴之, 古田淳一, 川内康弘, 大塚藤男. 【細菌・抗酸菌・スピロヘータ感染症】 神経梅毒を併発した悪性梅毒の1例. *皮膚科の臨床* 55(11):1382-1385, 2013
10. 斎藤明允, 中村貴之, 越田隆介, 下條信威, 中村泰大, 藤澤康弘, 古田淳一, 川内康弘, 大塚藤男. 高齢者に生じた灯油皮膚炎の1例. *皮膚科の臨床* 55(5):619-622, 2013
11. 斎藤明允, 中村泰大, 小原佐恵子, 中村貴之, 小林桂子, 藤澤康弘, 川内康弘, 大塚藤男. 放射線療法が奏功した Merkel 細胞癌の3例. *Skin Cancer* 27(3):373-378, 2013
12. 斎藤佑希, 小林忠弘, 熊田朗子, 水野美幸, 平野貴士, 濱口儒人, 長谷川稔, 藤本学, 竹原和彦. 早期の治療によって救命できた急速進行性間質性肺炎合併抗 CADM-140 抗体陽性皮膚筋炎の2例. *皮膚科の臨床* 55(2):187-192, 2013
13. 葉山愛弥, 石黒直子, 川島眞, 小関由美, 山中寿, 濱口儒人, 藤本学. 抗 MDA5 抗体(抗 CADM-140 抗体)陽性例にみられた一過性の皮膚筋炎症状. *日本皮膚科学会雑誌* 123(11):2079-2083, 2013
14. 藤澤康弘. 『術後補助療法(DAVFeron、フェロン療法、フェロン維持療法)は悪性黒色腫ステージⅡ・Ⅲ患者の予後を改善するか 831例の解析』への質問」の回答. *日本皮膚科学会雑誌* 123(2):155-156, 2013
15. 藤本学. 【リウマチ・膠原病における重要臓器障害と難治性病態-病態と治療の進歩】トピックス 重要な臓器障害 皮膚・粘膜. *日本内科学会雑誌* 102(10):2591-2599, 2013

16. 松本優香, 中村友紀, 正嶋千夏, 飯岡弘至, 大黒奈津子, 宮川史, 福本隆也, 小林信彦, 浅田秀夫, 杉江和馬, 濱口儒人, 藤本学. 抗 TIF1 抗体陽性皮膚筋炎の 3 例. 皮膚の科学 12(4):285-291, 2013
17. 丸山浩, 石井良征, 川島英恵, 田口詩路麻, 古田淳一, 川内康弘, 大塚藤男. 自家接種型を呈したスポロトリコーシス 当科におけるスポロトリコーシスの 10 年間の集計. 皮膚科の臨床 55(8):987-991, 2013
18. 山田延未, 伊藤美佳子, 小林桂子, 藤澤康弘. 著明な石灰化を伴った踵部の血管平滑筋腫の 1 例. 皮膚科の臨床 55(2):223-227, 2013

4) 英文以外の著書

1. 川内康弘. 第 4 章. Rud 症候群; "忘れてはならない皮膚科症候群 (第 1 版)" (編集 古江増孝, 土田哲也), 中山書店 (東京) 2013; pp114-117
2. 藤澤康弘, 大塚藤男. 第 1 章. 皮膚悪性腫瘍の疫学調査 日本と外国の国際比較; "皮膚悪性腫瘍-基礎と臨床の最新研究動向" (編集 日本臨牀), 日本臨牀 (大阪) 2013; pp 7-12
3. 藤澤康弘. 第 5 章 4. 基底細胞癌の発癌機序と関連遺伝子; "皮膚悪性腫瘍-基礎と臨床の最新研究動向" (編集 日本臨牀), 日本臨牀 (大阪) 2013; pp598-602
4. 古田淳一. リバステグミン使用で痒みや紅斑などの皮膚症状が出現し困っています. 皮膚症状に対する有効な対策を教えてください; "治療特別編集 認知症でお困りですか?-かかりつけ医のギモンにお答えします!-(第 1 版)" (編集 川畑信也), 南山堂 (東京) 2013; pp95-98

気候変動と健康

1) 英文論文

1. Fujii N, Ichinose M, Honda Y, Tsuji B, Watanabe K, Kondo N, Nishiyasu T. Changes in arterial blood pressure elicited by severe passive heating at rest is associated with hyperthermia-induced hyperventilation in humans. *Eur J Appl Physiol* 113(1):51-62, 2013
2. Honda Y, Kondo M, Kovats S, Hales S, Kim H, Leon Guo YL. Will the Global Warming Alleviate Cold-related Mortality? *Conference Proceedings of International Conference on Climate Change Effects, "Impacts World 2013"* 275-281, 2013
3. Honda Y, Kondo M, McGregor G, Kim H, Guo YL, Hijioka Y, Yoshikawa M, Oka K, Takano S, Hales S, Kovats RS. Heat-related mortality risk model for climate change impact projection. *Environ Health Prev Med* doi: 10.1007/s12199-013-0354-6, 2013
4. Hoshi SL, Kondo M, Okubo I. Economic evaluation of vaccination programme of 13-valent pneumococcal conjugate vaccine to the birth cohort in Japan. *Vaccine* 31(25):2762-2771, 2013
5. Kondo M, Ono M, Nakazawa K, Kayaba M, Minakuchi E, Sugimoto K, Honda Y. Population at high-risk of indoor heatstroke: the usage of cooling appliances among urban elderly in Japan. *Environ Health Prev Med* 18(3):251-257, 2013
6. Kundzewicz ZW, Kanae S, Seneviratne SI, Handmer J, Nicholls N, Peduzzi P, Mechler R, Bouwer LM, Arnell N, Mach K, Muir-Wood R, Brakenridge GR, Kron W, Benito G, Honda Y, Takahashi K, Sherstyukov B. Flood risk and climate change: global and regional perspectives. *Hydrological Sciences Journal* 59(1):1-28, 2013
7. Lee H, Kim H, Honda Y, Lim YH, Yi S. Effect of Asian Dust Storms on Daily Mortality in Seven Metropolitan Cities of Korea. *Atmospheric Environment* 79:510-517, 2013
8. Okubo R, Kai H, Kondo M, Saito C, Yoh K, Morito N, Usui J, Yamagata K. Health-related quality of life and prognosis in patients with chronic kidney disease: a 3-year follow-up study. *Clin Exp Nephrol* doi:10.1007/s10157-013-0901-x, 2013

2) 英文以外の論文

1. 加藤尚子, 近藤正英, 大久保一郎, 長谷川敏彦. 病院機能分化施策に応じた私的病院の変遷について 福岡県私設病院を対象とした 1998 年・2012 年の繰り返し調査から. 日本医療マネジメント学会雑誌 14(1):9-13, 2013
2. 萱場桃子, 中澤浩一, 近藤正英, 小野雅司, 水口恵美子, 杉本和俊, 本田靖. 夏期における高齢者の夜間のエアコン使用に関する研究. 民族衛生 79(2):47-53, 2013

3. 星淑玲, 近藤正英, 太久保一郎. 23 価肺炎球菌ワクチンの再接種およびインフルエンザワクチンとの同時接種に関する実態 自治体の接種に対する助成の有無による相違について. 厚生指標 60(8):23-29, 2013

4) 英文以外の著書

1. 近藤正英. 医療経済; "最新医学別冊新しい診断と治療の ABC11 CKD (慢性腎臓病) 慢性腎不全 (第 2 版)" (編集 佐々木成), 最新医学社 (大阪) 2013; pp227-234
2. 本田靖. 第 4 章. 4.3 熱中症から身を守るまちづくり; "気候変動に適応する社会 (第 1 版)" (編集 田中誠, 白井信雄), 技報堂出版 (東京) 2013; pp120-123